

THE FUTURE OF FARMING 农业的未来

**HUMIVERSE®**

# SCIENTIFIC REFERENCES

## 参考文献



**TERRA OPTIMA AG · Switzerland**  
**TERRA OPTIMA ASIA LTD · Hongkong**

In Cooperation

with

**RECIRCINVEST BIOTECH CO. LTD., Xiamen**

and

**ZHANG ZHIWEN ACADEMY · Nanjing**

# REFERENCES HUMIVERSE®

## 参考文献HUMIVERSE®

Preliminary remark: There is a large number of scientific papers worldwide on Humates, especially Humic Acids and their effects. This compilation is only a small part of it. On the one hand it should show the enormous potential, on the other hand it should also demonstrate the chances of consistent application.

初步评论：全世界有大量关于腐植酸的科学论文，特别是腐殖酸及其作用。这个汇编只是其中的一小部分。一方面它应该显示出巨大的潜力，另一方面它也应该展示一致应用的机会。

**HUMIVERSE®** with its high purity opens a new window in research, but certainly on the basis of the known, extraordinary positive effects new opportunities in an ecologically oriented agriculture, forestry, fish and animal breeding.

**HUMIVERSE®** 纯度高，为科研开辟了新的窗口，但肯定是基于已知的，非凡的积极影响，以生态为导向为农业，林业，鱼类和动物育种带来新的机遇。

### Content

Effects of Humic Acid on Animals	4 - 9
Effects of Humic Acid on Fish and Seashells	10 - 45
Effects of Humic Acids in Agriculture and Reforestation	46 - 63
Effects of Humic Acid on Heavy Metal and Pesticides	64 - 92
Effects of Humic Acid on Radionuclides	93 - 96

## Effects of Humic Acid on Chickens

Abou-Elkhair, R., Ahmed, H. A., Selim, S., Effects of Black Pepper (*Piper Nigrum*), Turmeric Powder (*Curcuma Longa*) and Coriander Seeds (*Coriandrum Sativum*) and Their Combinations as Feed Additives on Growth Performance, Carcass Traits, Some Blood Parameters and Humoral Immune Response of Broiler Chickens, Asian-Australasian Journal of Animal Sciences, 2014, 27, 847-854.

Arpasova H. et. Al. - The impact of the humic acid and phytobiotics on performance and carcass parameters of broiler chickens, PMID: 16553268. DOI:10.1093/ps/85.3.410

Arpasova H. et. al., Evaluation of menefee humate on performance of broilers. Poultry Science, 75 (Suppl.), 84 (Abstr.). (1996):

CABANERO AI, MADRID Y, CAMARA C. 2005: Effect of animal feed enriched with Se and clays on Hg bioaccumulation in chickens: In vivo experimental study. J Agric Food Chem 53: 2125-2132

Cardoso, V. S., Ribeiro de Lima, C. A., Freire de Lima, M. E. et al., Piperine as a phyto-genic additive in broiler diets, Pesquisa Agropecuaria Brasileira, 2012, 47, 489-496

Cetin E, Berrin KG, Nazmi C. Effect of dietary humate and organic acid supplementation on social stress induced by high stocking density in laying hens. J Anim Vet Adv 2011; 10: 2402-7.

DEMETEROVÁ M, MARIŠČÁKOVÁ R 2006: The effect of probiotic and humates on some performance and metabolic variables in broiler chickens. In: Proceedings Days of Nutrition and Veterinary Dietetics VII, Kosice: 198-201 ISBN 80-8077-034-4

Diaz, G. J., A. Corté s, and L. Roldá n. 2005. Evaluation of the efficacy of four feed additives against the adverse effects of T-2 toxin in growing broiler chickens. J. Appl. Poult. Res. 14:226-231.

DIAZ-SANCHEZ, S., D'SOUZA, D., BISWAS, D., HANNING, I. (2015) Botanical alternatives to antibiotics for use in organic poultry production. Poultry Science, vol. 94, no. 6, pp. 1419- 1430. DOI: <https://dx.doi.org/10.3382/ps/pev014>

Doyle, M. P., R. S. Applebaum, R. E. Brackett, and E. H. Marth. 1982. Physical, chemical and biological degradation of mycotoxins in foods and agricultural commodities. J. Food Prot. 45:946-971.

Edmonds M.S., S. Johal and S. Moreland. 2014. Effect of supplemental humic and butyric acid on performance and mortality in broilers raised under various environmental conditions. J. Appl. Poult. Res. 23: 260-267. doi: 10.3382/japr.2013-00901

EMEA. 1999. Humic acids and their sodium salts, summary report. Committee for Veterinary Medicinal Products. Eur. Agency Eval. Med. Prod. <http://www.emea.eu.int/pdfs/vet/mrls/055499en.pdf> Accessed June 10, 2005.

GRIBAN VG, STEPCHENKO LM, ZHORINA LV 1988: The live weight gain and disease resistance of young cattle and poultry stock as influenced by physiologically active peat preparation. In: Proc VIII Intern Peat Congress, Leningrad: 45-50

Gross, W. B., and H. S. Siegel. 1983. Evaluation of the heterophil/ lymphocyte ratio as a measure of stress in chickens. Avian Dis. 27:972-979.

HAFEEZ, A., MANNER, K., SCHIEDER, C., ZENTEK, J. (2016) Effect of supplementation of phyto-genic feed additives (powdered vs. encapsulated) on performance and nutrient digestibility in broiler chickens. Poultry Science, vol. 95, no. 3, pp. 622-629. DOI: <https://dx.doi.org/10.3382/ps/pev368>

Hampl J, Herzig I, Vlcek J. Pharmacokinetics of sodium humate in chickens. Veterinarni Medicina. 1994; 39:305-13.

Hampl, J Herzig, I.; Docekalova, H.; Pisarikova, B.; Vicek, J - The effect of sodium humate on cadmium deposition in the organs of chickens.. Vet Med, 1994; Vol. 39; Issue 4; Pages 175-185.

Hampl, J.; Herzig, I.; Vicek, J. - Pharmacokinetics of sodium humate in chickens. Vet Med, 1994; Vol 39; Issue 6; Pages 305- 313.

HASSAN, H.M.A., M.A. MOHAMED, A.W. YOUSSEF, E.R. HASSAN, (2010) Effect of using organic acids to substitute antibiotic growth promoters on performance and intestinal microflora of broilers. Asian-Australasian Journal of Animal Sciences, vol. 23, no. 10, pp. 1348-1353. DOI: <https://dx.doi.org/10.3382/japr.2013-00901>

Herzig, I.; Hampl, J.; Docekalova, H.; Pisarikova, B.; Vicek, J - The effect of sodium humate on cadmium deposition in the organs of chickens.. Vet Med, 1994; Vol. 39; Issue 4; Pages 175-185.

HERZIG I, NAVRÁTILOVÁ M, SUCHÝ P, VEČEREK V, TOTUŠEK J 2007: Model trial investigating retention in selected tissues using broiler chicken fed cadmium and humic acid. Vet Med 52: 162-16

HERZIG I, KOZLER J, PÍSAŘÍKOVÁ B, FENGL M, JURSA V 2001: Effects of a humine acid-based sorbent on the concentration of ammonia in broiler houses. *Archiv Geflug* 65: 246-250

Herzig I, Navrátilová M, Totušek J, et al. The effect of humic acid on zinc accumulation in chicken broiler tissues. *Czech J Anim Sci* 2009; 54: 121-7.

Hinton Jr., A., R. J. Buhr, and K. D. Ingram. 2000. Reduction of Salmonella in the crop of broiler chickens subjected to feed withdrawal. *Poult. Sci.* 79:1566-1570.

Ipek H, Avci M, Iriadam M, et al. Effects of humic acid on some hematological parameters, total antioxidant capacity and laying performance in Japanese quails. *Arch Geflügelkd* 2008; 72: 56-60

Issa, K. M., Omar, J. M. A. (2012) Effect of garlic powder on performance and lipid profile of broilers. *Open Journal of Animal Sciences*, vol. 2, no. 2, pp. 62-68. DOI: <https://dx.doi.org/10.4236/ojas.2012.22010>

ISLAM, K. M. S., SCHUHMACHER, A., ELLENBERGER, C. (2008). Effect of dietary humic acid on the performance and health status of broiler chicks. *Indian Journal of Animal Sciences* 78(8): 873-877

Karaman, M., H. Basmacioglu, M. Ortatatli, and H. Oguz. 2005. Evaluation of the detoxifying effect of yeast glucomannan on aflatoxicosis in broilers as assessed by gross examination and histopathology. *Br. Poult. Sci.* 46:394-400.

Karaoglu M., Macit M., Esenboga N., Durdag H., Turgut L., Bilgin O.C. (2004): Effect of supplemental humate at different levels on the growth performance slaughter and carcass traits of broilers. *International Journal of Poultry Science*, 3, 406-410.

Kocabagli N, Alp M, Acar N, Kahraman R. The effects of dietary humate supplementation on broiler growth and carcass yield. *Poult Sci.* 2002;81:227-30.

KRUGOV VP, MAYKOVA EF 1988: Peat-based growth promoters and their use in crop and livestock production. In: *Proc. VIII. Intern. Peat Congress*, Leningrad: 40-44

Kubena, L. F., R. B. Harvey, W. E. Huff, D. E. Corrier, T. D. Phillips, and G. E. Rottinghaus. 1990a. Efficacy of a hydrated sodium calcium aluminosilicate to reduce the toxicity of aflatoxin and T-2 toxin. *Poult. Sci.* 69:1078-1086.

Kubena, L. F., R. B. Harvey, T. D. Phillips, D. E. Corrier, and W. E. Huff. 1990b. Diminution of aflatoxicosis in growing chickens by dietary addition of a hydrated sodium calcium aluminosilicate. *Poult. Sci.* 69:727-735.

KUCUKERSAN S. K. et. al. - The effects of humic acid on egg production and egg traits of laying hen , *Vet. Med. – Czech*, 50, 2005 (9): 406-410

LALA, A. O., OKWELUM, N., OSO, A. O., AJAO, A. O., ADEGBENJO, A. A. (2017) Response of Broiler Chickens to Varying Dosage of Humic Acid in Drinking Water. *Journal of Animal Production Research*, vol. 29, no. 1, pp. 288-294.

Ledoux, D. R., G. E. Rottinghaus, A. J. Bermudez, and M. Alonso- Debolt. 1999. Efficacy of a hydrated sodium calcium aluminosilicate to ameliorate the toxic effects of aflatoxin in broiler chicks. *Poult. Sci.* 78:204-210.

Lengkey HAW, Siwi JA, Edianingsih P, et al. The effects of transportation on broiler meat pH and tenderness. *Biotech Anim Husbandry* 2013; 29: 331-6.

Marcincak, S., et al. (2011). Effect of supplementation of phytogetic feed additives on performance parameters and meat quality of broiler chickens. In *Slovenian Veterinary Research*, 48 (1): 27-34

Marcinkova, D., et. al. - Effect of supplementation of the diet with humic acids on growth performance and carcass yield of broilers. *Folia Veterinaria*, vol. 59, no. 3, pp. 165-168. (2015)

Macierowski, K. G et. al. - Caecal metabolites and microbial populations in chickens consuming diets containing a mined humate compound. *Journal of the science of food and agriculture*, 1998; Vol. 77; Issue 4, Pages 479-486.

Miazza, R., C. A. R. Rosa, E. C. Q. Carvalho, C. Magnoli, S. M. Chiacchiera, G. Palacio, M. Saenz, A. Kikot, E. Basaldella, and A. Dalcerio. 2000. Efficacy of synthetic zeolite to reduce the toxicity of aflatoxin in broiler chicks. *Poult. Sci.* 79:1-6.

NAGARAJU, R., REDDY, B.S., GLORIDOSS, R., SURESH, B.N., RAMESH, C. (2014). Effect of dietary supplementation of humic acids on performance of broilers. *Indian Journal of Animal Sciences* 84 (4): 447-452.

Nanny, M. A., and J. P. Maza. 2001. Noncovalent interactions between monoaromatic compounds and dissolved humic acids: A deuterium NMR T1 relaxation study. *Environ. Sci. Technol.* 35:379-384.

OZTURK, E., OCAK, N., TURAN, A., CANKAYA, S. (2012). Performance, carcass, gastrointestinal tract and meat quality traits, and selected blood parameters of broilers fed diets supplemented with humic substances. *Journal of the Science of Food and Agriculture* 92(1):59-65

OZTURK, E., OCAK, N., COSKUN, I., TURHAN. S., ERENER, E. (2010). Effects of humic substances supplementation provided through drinking water on performance, carcass traits and meat quality of broilers. *Journal of Animal Physiology and Animal Nutrition* 94: 78-85.

Parks C., Ferket P.R., Thomas L.N., Grimes J.L. (1996): Growth performance and immunity of turkey fed high and low crude protein diets supplemented with Menefee humate. *Poultry Science*, 75 (Suppl. 1), 138.

Pistová et. al. - THE EFFECT OF THE HUMIC ACID AND HERBAL ADDITIVE SUPPLEMENT ON PRODUCTION PARAMETERS OF BROILER CHICKEN Vol 49, No 2 (2016)

PUVAČA, N., LJUBOJEVIC, D., KOSTADINOVIC, L. J. (2015). Spices and herbs in broilers nutrition: Effects of garlic (*Allium sativum* L.) on broiler chicken production. *Worlds Poultry Science Journal*, 71(3): 533-538.

Raju, M. V. L. N., and G. Devegowda. 2000. Influence of esterified-glucomannan on performance and organ morphology, serum biochemistry and haematology in broilers exposed to individual and combined mycotoxicosis (aflatoxin, ochratoxin and T-2 toxin). *Br. Poult. Sci.* 41:640-650.

RATH, N.C., HUFF, W.E., HUFF, G.R. (2006). Effects of humic acid on broiler chickens. *Poultry Science* 85: 410-414.

Rath, N.C. et. al. - Effects of Humic Acid on Broiler Chickens1 , Poultry Production and Product Safety Research Unit, Agricultural Research Service, USDA, Poultry Science Center, University of Arkansas, Fayetteville 72701

Rath, N. C., J. M. Balog, W. E. Huff, G. R. Huff, G. B. Kulkarni, and J. F. Tierce. 1999. Comparative differences in the composition and biomechanical properties of tibiae of seven- and seventy-two-week-old male and female broiler breeder chickens. *Poult. Sci.* 78:1232-1239.

SAMUDOVSÁ, A., DEMETEROVÁ, M. (2010) Effect of Diet Supplemented with Natural Humic Compounds and Sodium Humate on Performance and Selected Metabolic Variables in Broiler Chickens. *Acta Veterinaria*, vol. 79, no. 3, pp. 385-393. DOI: <https://dx.doi.org/10.2754/avb201079030385>

Sato, T., Y. Ose, H. Nagase, and K. Hayase. 1987. Adsorption of mutagens by humic acid. *Sci. Total Environ.* 62:305-310. Shotwell, O. L., C. W. Hesseltine, R. D. Stubblefield, and W. G. Sorenson. 1966. Production of aflatoxin on rice. *Appl. Microbiol.* 14:425-428.

Shehata A. et. al. - Distribution of Glyphosate in Chicken Organs and its Reduction by Humic Acid Supplementation, *Japanese Poult. Sci.*, 51: 333-337, 2014

Shermer, C. L.; Maciorowski, K. G.; Bailey, C. A.; Byers, F. M.; Ricke, S. C. - Caecal metabolites and microbial populations in chickens consuming diets containing a mined humate compound. *Journal of the science of food and agriculture*, 1998; Vol. 77; Issue 4, Pages 479-486.

Stepchenko, L. M.; Zhorina, L. V.; Kravtsova, L. V - The effect of sodium humate on metabolism and resistance in highly productive poultry.. *Nauchnye Doki Vyss Shkoly Biol Mauki*, 1991; Issue 10; Pages 90-95.

TAKLIMI, S.M.S.M., GHAHRI, H., ISAKAN, M.A. (2012) Influence of different levels of humic acid and esterified glucomannan on growth performance and intestinal morphology of broiler chickens. *Agricultural Sciences*, vol. 3, no. 5, pp. 663-668. DOI: <https://dx.doi.org/10.4236/as.2012.35080>

Tancho A. (2003): The effect of humic acid supplement on egg performance and egg quality of laying hen during 28-47 weeks of age. Website: <http://www.kmitl.ac.th/agritech30/example.doc> 2003.

Vaskova J. et. Al. -EFFECTS OF HUMIC ACIDS ON POULTRY UNDER STRESS CONDITIONS, *Slov.Veterinarian Research*, Vol 55, No 4 (2018)

Van Rendsburg C. J. et. al. - In Vitro and In Vivo Assessment of Humic Acid as an Aflatoxin Binder in Broiler Chickens, *Poultry Science*, Volume 85, Issue 9, September 2006, Pages 1576-1583, <https://doi.org/10.1093/ps/85.9.1576>

Van Rensburg CE. The antiinflammatory properties of humic substances: a mini review. *Phytother Res* 2015; 29: 791-5.

Yoruk, M. A., M. Gul, A. Hayirli, and M. Macit. 2004. The effects of supplementation of humate and probiotic on egg production and quality parameters during the late laying period in hens. *Poult. Sci.* 83:84-88.

Zhorina L. V. and Stepchenko L. M. (1991) The content of free amino acids in the tissues of broiler chicks administered sodium humate in the ration, *Nauchnye Dokl. Vyss. Shkoly Biol. Nauki* 10, 147- 150.

ZRALÝ Z. et. al. - Effect of Humic Acids on Lead Accumulation in Chicken Organs and Muscles ,*Veterinary Research Institute, Brno, Czech Republic* , 14.11.2008

## Effects of Humic Acid on Pigs, Calves others

- Antal, M., Humet: Acute oral toxicity study in the rat, 1990, National Institution of Food and Nutrition Science: Budapest
- Achard, F. K. - Rich soils for cures. *Creels Chem. Ann.*, 1986; Vol. 11; pages 391-403.
- Bartels KP. Bericht über die klinische Erprobung eines neuen Antidiarrhoikum auf Huminsäurebasis. *Prakt Tierarzt*. 1986;6:516-8.  
Bartels CP. Report on the clinical trial of a new antidiarrhoeal agent based on humic acid. *Practical veterinary surgeon*. 1986;6:516-8.
- Bruggeman, W. A., Opperhuizen, A., Wijbenga, A., and Hutzinger, O., 1984, Bioconcentration of super lipophilic chemicals in fish, *Toxicol. Environ. Chem.* 7: 173- 179.
- Büsing K. Licht- und elektronenmikroskopischer Nachweis oral aufgenommener Huminsäuren in der duodenalen Schleimhaut des Schweins [Dissertation vet. med.]. Leipzig: Universität; 2001.
- Büsing K. Light and electron microscopic detection of orally recorded humic acids in the duodenal mucosa of pigs [Dissertation vet. med.]. Leipzig: University; 2001.
- Chirase, N. Effects of bovipro on performance and serum metabolite concentrations of beef steers. *Amer. Soc. of Animal Sci. Proceedings; West Section No. 51*, 2000
- Dallo, J., Observation of the effect of Humet derivatives on male rat's sexuality, 1994: Budapest.
- Decker, W. J., and D. G. Corby. 1980. Activated charcoal adsorbs aflatoxin B1. *Vet. Hum. Toxicol.* 22:388-389.
- Dunkel R, Wallmeyer J. *Nutrizeutika - Huminsäuren als Leistungsförderer und Toxinbinder*. *Schweinewelt*. 1999;24(3):14-5.  
Dunkel R, Wallmeyer J. *Nutrizeutika - Humic acids as performance enhancers and toxin binders*. *Pig world*. 1999;24(3):14-5.
- Dunkel R. *Schweinemast - Was bringen Huminsäuren?* *Schweinewelt*. 1998;23(1):22-3.  
Dunkel R. *Pig fattening - What are the benefits of humic acids?* *Pig world*. 1998;23(1):22-3.
- Dunkel R. *Huminsäure stabilisiert die Futterqualität*. *Neue Landwirtschaft*. 2001;6: 60-2.  
Dunkel R. *Humic acid stabilizes the feed quality*. *New agriculture*. 2001;6: 60-2.

- Elze K. Über den Einsatz von Huminsäuren zur Prophylaxe und Therapie von Durchfällen bei Zootieren. *Verhandlungsbericht des 24. International. Symposiums über die Erkrankungen der Zootiere [Sonderdruck]*; 1982; Veszprém, Ungarn. Berlin: Akademie-Verlag; 1982. S. 209-15  
Elze K. On the use of humic acids for the prophylaxis and therapy of diarrhoea in zoo animals. *Negotiation report of the 24th International. Symposium on the diseases of zoo animals [special edition]*; 1982; Veszprém, Hungary. Berlin: Akademie-Verlag; 1982. pp. 209-15
- Field trials of dairy cattle. Mosley, R. Non-published research. Enviromate, Inc. August 1996. Humate lab data. Bunch, G. Southwestern Laboratories, December 1981. Midland, Tx. File No. C-1950-X.
- Freidig, A. P., Garicano, E. A., Busser, F. J. M., and Hermens, J. L. M., 1997, Estimating impact of humic acid on bioavailability and bioaccumulation of hydrophobic chemicals in guppies using kinetic solid-phase extraction, *Environ. Toxicol. Chem.* 17: 998-1004.
- Fürl M, Leidel I. Studies on peripartum health stabilisation in dairy cows. *Veterinary Survey*. 2002;57:423-38
- GRIBAN VG, STEPCHENKO LM, ZHORINA LV 1988: The live weight gain and disease resistance of young cattle and poultry stock as influenced by physiologically active peat preparation. In: *Proc VIII Intern Peat Congress*, Leningrad: 45-50
- Golbs S. Experimentelle Untersuchungen zur pharmakologischen Wirksamkeit und zur Pharmakodynamik von Huminsäuren unter besonderer Berücksichtigung koergistischer Effekte und ihrer therapeutischen sowie prophylaktischen Nutzung beim Schwein [Dissertation B med. vet.]. Leipzig: Univ. Leipzig; 1983.  
Golbs S. Experimental studies on the pharmacological efficacy and pharmacodynamics of humic acids with special consideration of koergistic effects and their therapeutic and prophylactic use in pigs [Dissertation B med. vet.]. Leipzig: University of Leipzig; 1983.
- Golbs S, Kühnert M. Huminsäuren - Anwendung in Therapie, Pro- und Metaphylaxe in der Veterinärmedizin. *Z Physiother.* 1983;35:151-8.  
Golbs S, Kühnert M. Humic acids - application in therapy, prophylaxis and metaphylaxis in veterinary medicine. *Z Physiotherapist.* 1983;35:151-8.
- Greene, L. W.; Cole, A.- Efficient waste and odor management for feedlots. USDA/ ARS. The Agriculture Program, Texas A&M University System, AGCOM 5-1-00. <http://agprogram.tamu.edu>; press release, May, 2000.
- Gupta et al., 1966. Effect of Gurmar and Shilajit on body weight of young rat, *Indian J Physiol Pharmacol*, 9:87-92.

Hampl, J.; Herzig, I.; Vitek, J., Pharmacokinetics of sodium humate in chickens. *Vet Med*, 1994; Vol 39; Issue 6; Pages 305- 313.

Helbig, B.; et al. Therapeutic effect of E-5-2-bromovinyl 2-deoxyuridine, caffeic acid oxidation product, and trisodiumphosphonofosphate on cutaneous herpes simplex virus type 1 infected guinea pigs. *Med Viral*, 1987; Vol. 23; Issue 3; pages 303- 309.

Islam KM, Schuhmacher SA, Gropp MJ. Humic acid substances in animal agriculture. *Pakistan J Nutr* 2005; 4: 126–34.

Jl F, MCGLONE JJ, KIM SW 2006: Effects of dietary humic substances on pig growth performance, carcass characteristics, and ammonia emission. *J Anim Sci* 84: 2482–2490

Knocking, R.. Interaction of humic acids and humic acid like polymers with herpes simplex virus type 1. *Humic Substances in the Aquatic and Terrestrial Environment*, Berlin, 1991; pages 408-412.

Kreutz; Schlikekewey, W. - Effects of Implanted bovine calcium hydroxyapatite with humate. *Arch. Orthop. Trauma Surg.*, 1992, Vol. 111; Issue 5; pages 259-264.

Kühnert M. Untersuchungen über chemische Eigenschaften sowie chemisch-toxikologische und pharmakologisch-toxikologische Wirkungen von Huminsäuren mit der Zielstellung ihrer Anwendung in der Medizin (speziell Veterinärmedizin) [Dissertation B med. vet.]. Leipzig: Univ. Leipzig; 1979.

Kuehnert M. Studies on chemical properties as well as chemical-toxicological and pharmacological-toxicological effects of humic acids with the aim of their application in medicine (especially veterinary medicine) [Dissertation B med. vet.]. Leipzig: University of Leipzig; 1979.

Kühnert M, Bartels KP, Kröll S, Lange N. Huminsäurehaltige Tierarzneimittel in Therapie und Prophylaxe bei gastrointestinalen Erkrankungen von Hund und Katze. *Mh Vet-Med*. 1991;46:4-8.

Kuehnert M, Bartels KP, Kröll S, Lange N. Humic acid containing veterinary drugs in therapy and prophylaxis of gastrointestinal diseases of dogs and cats. *Mh Vet-Med*. 1991;46:4-8.

Kühnert M, Fuchs V, Golbs S. Charakterisierung und Anwendungsmöglichkeiten von Huminsäuren unter veterinärmedizinischen Aspekten. *Medicamentum*. 1980a;21:116-21.

Kuehnert M, Fuchs V, Golbs S. Characterization and possible applications of humic acids under veterinary aspects. *Medicamentum*. 1980a; 21:116-21.

Kühnert M, Fuchs V, Golbs S. Zur Anwendung von Huminsäuren in Therapie und Metaphylaxe bei Enteritis des Kalbes. *Mh Vet-Med*. 1980b;35:144-6.

Kuehnert M, Fuchs V, Golbs S. For the application of humic acids in therapy and metaphylaxis in calf enteritis. *Mh Vet-Med*. 1980b;35:144-6.

Kühnert M, Fuchs V, Golbs S. Pharmakologisch-toxikologische Eigenschaften von Huminsäuren und ihre Wirkungsprofile für eine veterinärmedizinische Therapie. *Dtsch tierärztl Wochenschr*. 1989;96:3- 10.

Kuehnert M, Fuchs V, Golbs S. Pharmacological-toxicological properties of humic acids and their efficacy profiles for veterinary therapy. *Dtsch veterinarian Wochenschr*. 1989;96:3- 10.

Kühnert M, Lange N. Dysticum - Ein huminsäurehaltiges Tierarzneimittel zur Anwendung bei Magen- Darm-Erkrankungen von Kalb und Jungrind. *VET*. 1992;3:29-33.

Kuehnert M, Lange N. Dysticum - A veterinary drug containing humic acid for use in gastrointestinal diseases of calves and young cattle. *VET*. 1992;3:29-33.

Kühnert M, Lange N, Knauf H. Medizinische Anwendungsmöglichkeiten von Huminsäuren. *Medicamentum*. 1992;33:257-61.

Kuehnert M, Lange N, Knauf H. Medical application of humic acids. *Medicamentum*. 1992;33:257-61.

Klöcking R, Hofmann R, Mücke D. Tierexperimentelle Untersuchungen zur entzündungshemmenden Wirkung von Humaten. *Arzneimittelforschung*. 1968;18:941-2.

Kloeking R, Hofmann R, Mücke D. Animal experiments on the anti-inflammatory effect of humates. *Drug research*. 1968;18:941-2.

Knopp N, Schött S. Tierexperimentelle Untersuchungen zum Einfluss verschiedener Huminsäurepräparate auf den Verlauf der Wundheilung [Diplomarbeit vet. med.]. Leipzig: Univ. Leipzig; 1983.

Knopp N, Schoett S. Animal experiments on the influence of different humic acid preparations on the course of wound healing [Diploma thesis vet. med.]. Leipzig: University of Leipzig; 1983.

Kuhnert, M.; et al. - Humates and inflammation. *Arch. E-p. Veterinarmed.*, 1982; Vol. 36; pages 169-177.

Lange N, Golbs S, Kühnert M. Grundlagenuntersuchungen zu immunologischen Reaktionen an der Laboratoriumsratte unter dem Einfluss von Huminsäuren. *Arch Exper Vetmed*. 1987;41:140-6.

Lange N, Golbs S, Kuehnert M. Basic research on immunological reactions in laboratory rats under the influence of humic acids. Arch Exper Vetmed. 1987;41:140-6.  
Lange N. Grundlagenuntersuchungen zum Einfluss von Huminsäuren auf das Immunsystem der Laboratoriumsratte [Dissertation med. vet.]. Leipzig: Univ. Leipzig; 1985.

Lange N. Basic research on the influence of humic acids on the immune system of the laboratory rat [Dissertation med. vet.]. Leipzig: University of Leipzig; 1985.

Lange N, Faqi S, Kühnert M, Haase A, Höke H, Seubert B. Untersuchungen zum Einfluss eines niedermolekularen synthetischen Huminstoffes auf die prä- und postnatale Entwicklung bei Ratten. Dtsch tierärztl Wschr. 1996;103:6-9.  
Lange N, Faqi S, Kuehnert M, Haase A, Hoeke H, Seubert B. Studies on the influence of a low-molecular synthetic humic substance on the pre- and postnatal development in rats. Dtsch veterinarian Wschr. 1996;103:6-9.

LENK T, BENDA A 1989: Peat paste - humic acid containing animal health agent for prophylaxis and treatment of calves for diarrhea. (In German). Monatsh Veterinar-med 44: 563-565

Liang, H. J., C. L. Tsai, P. Q. Chen, and F. J. Lu. 1999. Oxidative injury induced by synthetic humic acid polymer and monomer in cultured rabbit articular chondrocytes. Life Sci. 65:1163-1173.

Lotosh, T. D - Experimental bases and prospects for the use of humic acid preparations from peat in medicine and agricultural production. Nauchnye Doki Vyss Shkoly Biol Nauki, 1991; Issue 10; Pages 99-103.

Maslinski, C; Fogel, W. A.; Andrzejewski, W., An examination of humate stimulated liver functions. Acta Pol. Pharm., 1993; Vol. 50; Issue 4-5; pages 413-416.

Mosley, R. - Field trials of dairy cattle. Non-published research. Enviromate, Inc. August 1996.

Parker, D.;Auvermann, B.; Greene, W. Effect of chemical treatments, ration composition and feeding strategies on gaseous emissions and odor potential of cattle feedyards. Pre- publication Texas A&M Extension Service, December 2001. TAMU Ag Research and Extension Ctr. Amarillo, Tx.

Parent, L., Twiss, M.R. and Campbell, P.G. (1996) Influences of natural dissolved organic matter on the interaction of aluminum with the microalga Chlorella: a test of the free-ion model of trace metal toxicity, Environ. Sci. Technol. 30, 1713-1720.

Polo CA. - Pränataltoxikologische Untersuchungen mit definierten Huminsäuren an der Ratte [Dissertation vet. med.]. Leipzig: Univ. Leipzig; 1980.  
Polo CA. - Prenatal toxicological studies with defined humic acids in rats [dissertation vet. med.]. Leipzig: University of Leipzig; 1980.

Pouneva I, Christov C. Use of humic preparations as fungicidal means for the control of parasites from the genus phlyctidium. Dokladi na Bolgarskata Akademyia na Naukite. 1992;45(12):117-20.

Ridwan FNJ. Untersuchungen zum Einfluss von Huminsäuren auf die Blei- und Cadmium-Absorption bei Ratten [Dissertation agr.]. Göttingen: Univ. Göttingen; 1977.

Pukhova, G. G.; Druzhina, H. A.; Stepchenko, L. M.; Chebotarev, E. E. - Effect of sodium humate on animals irradiated with lethal doses. Radiobiologia, 1987; Vol. 27; Issue 5; Pages 650-653.

Rochus W. Der Einfluß von Torf-Huminsäuren auf die Aufnahme, Ausscheidung und Verteilung von Blei und Kadmium im Organismus der Ratte. Z Physiother. 1983;35:25-30.

Rochus W. The influence of peat humic acids on the uptake, excretion and distribution of lead and cadmium in the rat organism. Z Physiother. 1983;35:25-30.

Scheinert B. Tierexperimentell-toxikologische Untersuchungen bei parenteraler Anwendung von Huminsäuren an der Ratte [Dissertation med. vet.]. Leipzig: Univ. Leipzig; 1984.

Schultz H. Die viruzide Wirkung der Huminsäuren im Torfmüll auf das Virus der Maul- und Klauenseuche. Dtsch Tierärztl Wschr. 1962;69:613-4.

Schultz H. The virucidal effect of humic acids in peat dust on the foot-and-mouth disease virus. German veterinarian Wschr. 1962;69:613-4.

Thomassen, B. P. H.; Faust, R. H. - The use of a processed humic acid product as a feed supplement in dairy production in the Netherlands. Conference Paper IFOAM; IFOAM 2000, the world grows organic international scientific conference, August 2000, Basle. Page 339

Sarudi, I., T. Rétfalvy, and I. Lassú, Effect of Humet-R on the mobilization of a toxic heavy metal in pigs, in H-M Doc. 45-1-12. 1997.

Schultz, H.- Investigations on the viricidal effects of humic acids in peat. Tierärztl Wochenschr, July 1965, Vol. 72, Issue 13, pages 294-297.

Shermer, C. L.; Maciorowski, K. G.; Bailey, C. A.; Byers, F. M.; Ricke, S. C. - Caecal metabolites and microbial populations in chickens consuming diets containing a mined humate compound. Journal of the science of food and agriculture, 1998; Vol. 77; Issue 4, Pages 479-486.



Stepchenko, L. M.; Zhorina, L. V.; Kravtsova, L. V - The effect of sodium humate on metabolism and resistance in highly productive poultry.. Nauchnye Doki Vyss Shkoly Biol Mauki, 1991; Issue 10; Pages 90-95.

Visser S.A. (1986) Effects of humic substances on plant growth, in Humic substances effect on soil and plants, Italy, Reda, pp. 89-135.

Visser, S.A. (1982) Surface active phenomena by humic substances of aquatic origin, Rev. Fr. Sci. Eau. 1, 285-296.

Xie, W.-Y., Shen, Q. & Zhao, F.J. 2018. Antibiotics and antibiotic resistance from animal manures to soil: a review. European Journal of Soil Science, 69, 181-195.

Yasar, S., A. Gokcimen, I. Altuntas, Z. Yonden, and E. Petekkaya. 2002. Performance and ileal histomorphology of rats treated with humic acid preparations. J. Anim. Physiol. Anim. Nutr. (Berl.) 86:257-264.

Zimmermann H. Reproduktionstoxikologische Grundlagenuntersuchungen an adulten Böcken des Rattenstammes WIST/Lppt mit Huminsäure und Furazolidon allein und in Kombination [Dissertation]. Leipzig: Universität; 1991.

Zimmermann H. Reproductive toxicological basic investigations in adult goats of the rat strain WIST/Lppt with humic acid and furazolidone alone and in combination [dissertation]. Leipzig: University; 1991.

## Effects of Humic Acid on Fish and Seashells

Anon. Progress Report. Pretoria, Südafrika: Biocon (Pty) Ltd; Jul 1999b. zitiert nach Botes et al. (2002)

Anon. ROSIG (Refraktäre Organische Säuren in Gewässern). 2001b (zitiert vom 7. 10. 2001):1-10 <<http://www.wasserchemie.uni-karlsruhe.de/Deutsch/Rosigde/literatur.html>>.

AQSIQ (General Administration of Quality Supervision, Inspection and Quarantine of the People's Republic of China), 2001. Safety Qualification for Agricultural Product-Safety Requirements for Non-environmental Pollution Aquatic Products (GB18406.4-2001) (in Chinese).

Bährs, H., Menzel, R., Kubsch, G., Putschew, A. Heinze, T., Steinberg, C.E.W. (2012) Does quinone or phenol enrichment of humic substances alter the primary compound from a non-algicidal to an algicidal preparation. Chemosphere 87, 1193-1200

Bährs, H., Steinberg, C.E.W. (2012) Impact of two different humic substances on selected coccal green algae and cyanobacteria - changes in growth and photosynthetic performance. Environmental Science & Pollution Research 19, 335-346

Bahr, L.M. and W.P. Lanier. 1981. The ecology of intertidal oyster reefs of the South Atlantic Coast: a community profile. U. S. Fish Wildl. Serv. Program FWS/OBS/-81/15, 105pp.

Baker, P. 1995. Review of ecology and fishery of the Olympia oyster, *Ostrea lurida*, with annotated bibliography. Journal of Shellfish Research 14:501-518.

Baker, S.M. and R. Mann. 1992. Effects of hypoxia and anoxia on larval settlement, juvenile growth, and juvenile survival of the oyster *Crassostrea virginica*. Biological Bulletin 182:265-269.

Bartol, I.K, R. Mann, and M. Luckenbach, 1999. Growth and mortality of oysters (*Crassostrea virginica*) on constructed intertidal reefs: effects of tidal height and substrate level. Journal Experimental Marine Biology and Ecology 237:157-187.

Beck, M.W., R.D. Brumbaugh, L. Airoidi, A. Carranza, L.D. Coen, C. Crawford, O. Defeo, G.J. Edgar, B. Hancock, M.C. Kay, H.S. Lenihan, M.W. Luckenback, C.L. Toropova, and G. Zhang. 2009. Shellfish Reefs at Risk: a global analysis of problems and solutions. The Nature Conservancy, Arlington VA

Berquist, D.C., J.A. Hale, P. Baker, and S.M. Baker. 2006. Development of ecosystem indicators for the Suwannee River Estuary: oyster reef habitat quality along a salinity gradient. *Estuaries and Coasts* 29:353-360.

Blackmore, G., 1998. An overview of trace metal pollution in the coastal waters of Hong Kong. *Sci. Total Environ.* 214, 21-48.

Blake, B. and A Bradbury. 2012. Washington Department of Fish and Wildlife plan for rebuilding Olympia oyster (*Ostrea lurida*) populations in Puget Sound with a historical and contemporary overview. WDFW, Point Whitney Shellfish Laboratory, Brinnon, WA

Bittner, M., Saul, N., Steinberg, C.E.W. (2012) Antiandrogenic activity of humic substances. *Science of the Total Environment* 432,

Blackmore, G., 1998. An overview of trace metal pollution in the coastal waters of Hong Kong. *Sci. Total Environ.* 214, 21-48.

Bohl M, Riegger G. Karpfenproduktion unter extensiven und intensiven Bedingungen. In: Bohl M, Hrsg. *Zucht und Produktion von Süßwasserfischen*. 2. Aufl. Frankfurt: DLG; 1999. S. 332-435.

Booth, D.M., and K.L. Heck. 2009. Effects of the American oyster *Crassostrea virginica* on growth rates of the seagrass *Halodule wrightii*. *Marine Ecology Progress Series* 389:117-126.

Boswell, J.G. J.A. Ott, and A. Birch. 2012. Charlotte Harbor National Estuary Program Oyster Habitat Restoration Plan, Charlotte Harbor National Estuary Program, Technical Report, December 2012, 169pp plus appendices.

Bourgeault, A., C. Gourlay-Francé, S. Ayrault, M.H. Tusseau Vuillemin - Bioaccumulation of waterborne Ni in *Dreissena polymorpha*: A stable isotope experiment to assess the effect of zinc, calcium, and dissolved organic matter 2012, *Environmental Toxicology and Chemistry*

Bovendeur J. Fixed biofilm reactors applied to waste water treatment and aquacultural water recirculating systems [Dissertation agr.]. Wageningen: Agriculture Univ.; 1989. zitiert nach: Bohl (1999)

Bräuer G, Baska F, Herms J. Neues zu „Neuartigen Hautveränderungen“ bei Karpfen. In: Wedekind H, Hrsg. *Fischkrankheiten: Vortrag auf der 8. Tagung Deutsche Sektion der European Association of Fish Pathologists*; 2000 Sept 19-21; Potsdam. Potsdam Saarow: Institut für Binnenfischerei; 2001. S. 127- 30

Braeuer G, Baska F, Herms J. News on „Novel Skin Changes“ in Karpfen. In: Wedekind H, ed. *fish diseases: Lecture at the 8th Conference German Section of the European Association of Fish Pathologists*; 2000 Sept 19-21; Potsdam. Potsdam Saarow: Institute for Inland Fisheries; 2001. pp. 127- 30

Brauner CJ, Wood CM. Effect of long-term silver exposure on survival and ionoregulatory development in rainbow trout (*Oncorhynchus mykiss*) embryos and larvae, in the presence and absence of added dissolved organic matter. *Comp Biochem Physiol C Toxicol Pharmacol.* 2002;133:161-73.

Breitburg, D.C. 1999. Are three-dimensional structure and healthy oyster populations the keys to an ecologically interesting and important fish community? In: Luckenbach, M.W., R. Mann, and J.A. Wesson (eds), *Oyster Reef Habitat Restoration: A Synopsis and Synthesis of Approaches*. Virginia Institute of Marine Science Press, Gloucester Point VA, pp. 239-250.

Brown DA, Shaw TL, Shurben DG. Aspects of water quality and the toxicity of copper to rainbow trout. *Water Res.* 1974;8:797-803.

Brumbaugh, R.D. and L.D. Coen. 2009. Contemporary approaches for small-scale oyster reef restoration to address substrate versus recruitment limitation: a review and comments relevant for the Olympia oyster, *Ostrea lurida* (Carpenter, 1864). *J. Shellfish Res.* 28:147-161.

Brumbaugh, R.D., Beck, M., Hancock, B., Wrona Meadows, A., Spalding, M. and zu Ermgassen, P. 2010. Changing a management paradigm and rescuing a globally imperiled habitat. *National Wetlands Newsletter*, 32:16-20.

Brumbaugh, R.D., L.A. Sorabella, C. Johnson, and W.J. Goldsborough, 2000a. Small scale aquaculture as a tool for oyster restoration in Chesapeake Bay. *Marine Technology Society Journal* 34:79-86.

Burger, J., Gochfeld, M., 2005. Heavy metals in commercial fish in New Jersey. *Environ. Res.* 99, 403-412.

Burrell, V.G. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (South Atlantic) - American oyster. US Fish and Wildlife Service Biological Report 82(11.57). U.S. Army Corps of Engineers TR EL-82-4.17 pp.

Bureson, E.M., M.E. Robinson, and A. Villalba. 1988. A comparison of paraffin histology and hemolymph analysis for the diagnosis of *Haplosporidium nelsoni* (MSX) in *Crassostrea virginica* (Gmelin). *Journal of Shellfish Research* 7:19-23

Burrows, F., J.M. Harding, R. Mann, R. Dame and L. Coen. 2005. Restoration monitoring of oyster reefs. In: G.W., Thayer, T.A. McTigue, R.J. Salz, D.H. Merkey, F.M. Burrows, and P.F. Gayaldo (eds). Science-Based Restoration Monitoring of Coastal Habitats, Volume Two: Tools for Monitoring Coastal Habitats. NOAA Coastal Ocean Program Decision Analysis Series No. 23. NOAA National Centers for Coastal Ocean Science, Silver Spring MD. pp. 4.2-4.73.

Bushek, D., S.E. Ford, and S.K. Allen, Jr. 1994. Evaluation of methods using Ray's fluid thioglycollate medium for diagnosis of *Perkinsus marinus* infection in the eastern oyster, *Crassostrea virginica*. *Annual Review of Fish Diseases* 4:201-217.

Bushek, D., D. Richardson, M.Y. Bobo, and L.D. Coen, 2004. Short-term shell pile quarantine reduces the abundance of *Perkinsus marinus* remaining in tissues attached to oyster shell. *J. Shellfish Res.* 23:369-373.

Byers, S.C., E.L. Mills, and P.L. Stewart. 1978. A comparison of methods of determining organic carbon in marine sediments, with suggestions for a standard method. *Hydrobiologia* 58:43-47.

Campbell, P.G., Twiss, M.R. and Wilkinson, K.J. (1997) Accumulation of natural organic matter on the surfaces of living – cells implications for the interaction of toxic solutes with aquatic biota, *Can. J. Fish. Aquat. Sci.* 54, 2543-2554.

Carlberg, G.E., Martinsen, K., Kringstad, A., Gjessing, E., Grande, M., Källqvist, T. and Skare, J.U. (1986) Influence of aquatic humus on the bioavailability of chlorinated micropollutants in Atlantic salmon, *Arch. Environ. Contam. Toxicol.* 15, 543-548.

Carlsson, J., R.B. Carnegie, J.F. Cordes, M.P. Hare, A.T. Leggett, K.S. Reece. 2008. Evaluating recruitment contribution of a selectively bred aquaculture line of the oyster, *Crassostrea virginica*, used in restoration efforts. *Journal of Shellfish Research* 27:1117-1124.

Castell JD, Tiews K. Report of the EIFAC, IVNS and ICES working groups on standardization of methodology in fish nutrition research. EIFAC technical paper, Nr. 36 1980.

Carlberg, G. E., Martinsen, K., Kringstad, A., Gjessing, E., Grande, M., Källqvist, T., and Skare, J. U., 1986, Influence of aquatic humus on the bioavailability of chlorinated micropollutants in Atlantic salmon, *Arch. Environ. Contam. Toxicol* 15: 543-548.

Chai MW, Shi FC, Li RL, Shen XX (2014) Heavy metal contamination and ecological risk in *Spartina alterniflora* marsh in intertidal sediments of Bohai Bay, China. *Mar Pollut Bull* 84: 115-124. 10.1016/j.marpolbul.2014.05.028 [PubMed] [CrossRef] [Google Scholar]

Chakrabarti, S., Kern, J., Menzel, R., Steinberg, C.E.W. (2011) Selected natural humic materials induce and char substrates repress a gene in *Caenorhabditis elegans* homolog to human anti-cancer p53. *Annals of Environmental Science* 5, 1-6

Chen, K.P., Jiao, J.J., 2010. Spatio-temporal trends of heavy metals and source apportionment in Tolo Harbour, Hong Kong. *Environ. Earth Sci.* 60, 1439-1445.

Chen, Q.X., Yang, W., Chu, Q.Z., 2011. Assessments on contents of heavy metals in the edible parts of 19 mollusks from Naozhou island, Zhanjiang. *Ecol. Environ.*

Chen Cao, Wen-Xiong Wang, Copper-induced metabolic variation of oysters overwhelmed by salinity effects, 2017, *Chemosphere*

Choi, S.C., Wai, O.W.H., Choi, T.W.H., Li, X.D., Tsang, C.W., 2006. Distribution of cadmium, chromium, copper, lead and zinc in marine sediments in Hong Kong waters. *Environ. Geol.* 51, 455-461.

Coen, L.D., M. Bolton-Warberg, and J.A. Stephen, 2006. An Examination of Oyster Reefs as a Biologically-Critical Estuarine Ecosystems. Final Report, Grant R/ER-10, Submitted to the South Carolina Sea Grant Consortium, 214pp. plus appendices.

Coen, L.D., R.D. Brumbaugh, D. Bushek, R. Grizzle, M.W. Luckenbach, M.H. Posey, S.P. Powers, and S.G. Tolley. 2007. As we see it: ecosystem services related to oyster restoration. *Marine Ecology Progress Series* 341:303-307.

Coen, L.D., B.R. Dumbauld, and M.L. Judge. 2011a. Expanding shellfish aquaculture: a review of the ecological services provided by and impacts of native and cultured bivalves in shellfish-dominated ecosystems. In: Shumway, S.E. (ed). *Shellfish aquaculture and the environment*. Wiley-Blackwell. pp. 239-295.

Coen, L.D., and M.W. Luckenbach. 2000. Developing success criteria and goals for evaluating oyster reef restoration: ecological function or resource exploitation? *Ecological Engineering* 15:323-343.

Coen, L.D., M.W. Luckenbach, and D.L. Breitburg. 1999b. The role of oyster reefs an essential fish habitat: a review of current knowledge and some new perspectives. In: L. R. Benaka, L.R. (ed). *Fish habitat: essential fish habitat and rehabilitation*. American Fisheries Society, Symposium 22, Bethesda, MD. pp. 438-454.

Cooper, C.B., Doyle, M.E., Kipp, K., 1991. Risk of consumption of contaminated seafood: the Quincy Bay Case Study. *Environmental Health Perspectives* 90, 133±140.

Cornish, A.S., Ng, W.C., Ho, V.C.M., Wong, H.L., Lam, J.C.W., Lam, P.K.S., Leung, K.M.Y., 2007. Trace metals and organochlorines in the bamboo shark *Chiloscyllium plagiosum* from the southern waters of Hong Kong, China. *Sci. Total Environ.* 376, 335–345.

Cressman, K.A., M.H. Posey, M.A. Mallin, L.A. Loenard, and T.D. Alphin. 2003. Effects of oyster reefs on water quality in a tidal creek estuary. *Journal of Shellfish Research* 22:753-762

Deng, B., Zhang, J., Zhang, G., Zhou, J., 2010. Enhanced anthropogenic heavy metal dispersal from tidal disturbance in the Jiaozhou Bay, North China. *Environ. Monit. Assess.* 161, 349–358.

Dekker J, Medlen CE. Fulvic acid and its use in the treatment of various conditions. PTC Patent Application no. PCT/IB 99/01567. South Africa; 1999. zit. nach: Van Rensburg et al. (2001)

Deng H. Huminate - Potente Wirkstoffe gegen Herpesviren [Dissertation med.]. Freiburg i. Br.: Univ. Freiburg; 1998.

Deng H. Huminate - potent active substances against herpes viruses [dissertation med.]. Freiburg i. Br.: University of Freiburg; 1998.

Díaz-Somoano, M., Kylander, M.E., López-Antón, M.A., Suárez-Ruiz, I., Martínez-Tarazona, M.R., Ferrat, M., Kober, B., Weiss, D.J., 2009. Stable lead isotope compositions in selected coals from around the world and implications for present day aerosol source tracing. *Environ. Sci. Technol.* 43, 1078–1085.

Ding, Z.H., Liu, J.L., Li, L.Q., Lin, H.N., Wu, H., Hu, Z.Z., 2009. Distribution and speciation of mercury in surficial sediments from main mangrove wetlands in China. *Mar. Pollut. Bull.* 58, 1319–1325.

Dickerson HW, Dawe DL. Ichthyophthirius multifiliis and Cryptocaryon irritans (Phylum Ciliophora). In: Woo PTK, Hrsg. Fish Diseases and Disorders - Volume 1: Protozoan and Metazoan Infections. Cambridge: Cab International; 1995. S. 181-225.

Dormehl I. Pharmacokinetic study with oxihumate on baboons. Pretoria, Südafrika: Atomic Energy Corporation Institute for Life Sciences; Dez 1997., zitiert nach Botes et al. (2002)

Eding EH, Van Weerd JH. Spezielle Aquakulturverfahren und Aquakulturkandidaten. In: Bohl M, Hrsg. Zucht und Produktion von Süßwasserfischen. 2. Aufl. Frankfurt: DLG-Verlag; 1999. S. 436-528.

Edmonds, J.S., Francesconi, K.A., 1993. Arsenic in seafoods: human health aspects and regulations. *Marine Pollution Bulletin* 26 (12), 665±674.

Eimen S. Literaturstudie zur Verwendung von Malachitgrün und Formalin als Fischtherapeutika [Dissertation vet. med.]. München: Univ. München; 1989.

Fengjie Liu, Wen-Xiong Wang - Facilitated bioaccumulation of cadmium and copper in the oyster *Crassostrea hongkongensis* solely exposed to zinc. *University of Hong Kong, Environmental Science & Technology*, 47(3), 1670-7, 2013 <https://doi.org/10.1021/es304198h>

Fang, J.K.H., Wu, R.S.S., Chan, A.K.Y., Shin, P.K.S., 2008. Metal concentrations in green-lipped mussels (*Perna viridis*) and rabbitfish (*Siganus oramin*) from Victoria Harbour, Hong Kong after pollution abatement. *Mar. Pollut. Bull.* 56, 1486–1491.

Fang, T.H., Li, J.Y., Feng, H.M., Chen, H.Y., 2009. Distribution and contamination of trace metals in surface sediments of the East China Sea. *Mar. Environ. Res.* 68, 178–187.

Fengjie Liu, Da-Zhi Wang, Wen-Xiong Wang - Cadmium-induced changes in trace element bioaccumulation and proteomics perspective in four marine bivalves, 2012, *Environmental Toxicology and Chemistry*

Fengjie Liu and Wen-Xiong Wang, Facilitated Bioaccumulation of Cadmium and Copper in the Oyster *Crassostrea hongkongensis* Solely Exposed to Zinc State Key Laboratory of Marine Pollution, Division of Life Science, The Hong Kong University of Science and Technology (HKUST), Clear Water Bay, Kowloon, Hong Kong, *Environ. Sci. Technol.*, 2013, 47 (3), pp 1670–1677, DOI: 10.1021/es304198h, Publication Date (Web): January 2, 2013

Flaig W. Humic substances and associated small molecules from peats in balneology. *Sci Total Environ.* 1992;118:561-7.

Ford, S.E., and M.R. Tripp. 1996. Diseases and defense mechanisms. In: Kennedy, V.S., R.I.E. Newell, and A.F. Eble (eds.). *The Eastern Oyster Crassostrea virginica*. Maryland Sea Grant College, College Park MD, pp. 581-660.

Ford, S.E., M.J. Cummings, and E.N. Powell. 2006. Estimating mortality in natural assemblages of oysters. *Estuaries and Coasts* 29:361-374.

Fraire AE. *Aeromonas hydrophila* infection. *J Americ Medic Assoc.* 1978;239:192.

Freidig, A. P., Garicano, E. A., Busser, F. J. M., and Hermens, J. L. M., 1997, Estimating impact of humic acid on bioavailability and bioaccumulation of hydrophobic chemicals in guppies using kinetic solid-phase extraction, *Environ. Toxicol. Chem.* 17: 998–1004.

Fuchs I, Hoffmann R. Therapienotstand bei Nutzfischen - Ursache und Lösungsmöglichkeiten. In: Wedekind H, Hrsg. Krankheiten der Aquatischen Organismen: Vortrag 7. Tagung Deutsche Sektion der European Association of Fish Pathologists; 1998 Sept 23-25; Schmalleberg-Grafschaft. Potsdam Saarow: Institut für Binnenfischerei e. V.; 1999. S. 153-6

Fuchs I, Hoffmann R. Therapeutic emergency in commercial fish - cause and possible solutions. In: Wedekind H, Ed. Diseases of Aquatic Organisms: Lecture 7th Conference German Section of the European Association of Fish Pathologists; 1998 Sept 23-25; Schmalleberg-Grafschaft. Potsdam Saarow: Institute for Inland Fisheries e. V.; 1999. p. 153-6

Fu, J.M., Mai, B.X., Sheng, G.Y., Zhang, G., Wang, X.M., Peng, P.A., Xiao, X.M., Ran, R., Cheng, F.Z., Peng, X.Z., Wang, Z.S., Tang, U.W., 2003. Persistent organic pollutants in environment of the Pearl River Delta, China: an overview. *Chemosphere* 52, 1411-1422.

Gamygin E, Ponomarew SW, Kanidjew AN, Sytschow GA, Schmakow NF, Marsanova AG, et al. Überprüfung der fischereibiologischen Effektivität des Präparates RHS 1500 der Firma Weyl GmbH Mannheim (auf Deutsch). Rybnoe (UdSSR): Ministerium für Fischwirtschaft der UdSSR, Wissenschaftliche Produktionsvereinigung für Fischzucht, Wissenschaftlich-technisches Zentrum „Aquakorm“ 1991. S. 1- 29.. zitiert nach Steinberg (2001), S. 156-158

Gamygin E, Ponomarew SW, Kanidjew AN, Sytschow GA, Schmakow NF, Marsanova AG, et al. Verification of the fishery biological effectiveness of the preparation RHS 1500 of the company Weyl GmbH Mannheim (in German). Rybnoe (USSR): Ministry of Fisheries of the USSR, Scientific Production Association for Fish Farming, Scientific and Technical Centre „Aquakorm“ 1991. pp. 1- 29... cited after Steinberg (2001), p. 156-158

Gamygin E, Ponomarew SW, Kanidjew AN, Sytschow GA, Schmakow NF, Marsanova AG, et al. Verification of the fishery biological effectiveness of the preparation RHS 1500 of Weyl GmbH Mannheim. IV - Effect of the preparation on fish eggs during hatching, embryos and larvae (in German). Rybnoe (USSR): Ministry of Fisheries of the USSR, Scientific Production Association for Fish Farming, Scientific and Technical Centre „Aquakorm“ 1992a. S. 36-41.. cited after Steinberg (2001), pp. 156-158

Gamygin E, Ponomarew SW, Kanidjew AN, Sytschow GA, Schmakow NF, Marsanova AG, et al. Überprüfung der fischereibiologischen Effektivität des Präparates RHS 1500 der Firma Weyl GmbH Mannheim. IV - Präparatauswirkung auf die Fischeier während der Erbrütung, auf die Embryonen und Larven (auf Deutsch). Rybnoe (UdSSR): Ministerium für Fischwirtschaft der UdSSR, Wissenschaftliche Produktionsvereinigung für Fischzucht, Wissenschaftlich-technisches Zentrum „Aquakorm“ 1992a. S. 36-41.. zitiert nach Steinberg (2001), S. 156-158

Gamygin E, Ponomarew SW, Kanidjew AN, Sytschow GA, Schmakow NF, Marsanova AG, et al. Überprüfung der fischereibiologischen Effektivität des Präparates RHS 1500 der Firma Weyl GmbH Mannheim. V - Prophylaktische und therapeutische Wirkung des Präparates bei den infektiösen und parasitären Fischerkrankungen sowie den traumatischen Haut- und Kiemenschädigungen (auf Deutsch). Rybnoe (UdSSR): Ministerium für Fischwirtschaft der UdSSR, Wissenschaftliche Produktionsvereinigung für Fischzucht, Wissenschaftlich-technisches Zentrum „Aquakorm“ 1992b. S. 41-50.. zitiert nach Steinberg (2001), S. 156-158

Gamygin E, Ponomarew SW, Kanidjew AN, Sytschow GA, Schmakow NF, Marsanova AG, et al. Verification of the fishery biological effectiveness of the preparation RHS 1500 of Weyl GmbH Mannheim. V - Prophylactic and therapeutic effect of the preparation on infectious and parasitic fish diseases as well as traumatic skin and gill damage (in German). Rybnoe (UdSSR): Ministry of Fisheries of the UdSSR, Scientific Production Association for Fish Farming, Scientific and Technical Centre „Aquakorm“ 1992b. S. 41-50.. cited after Steinberg (2001), p. 156-158.

Gao, X.L., Chen, C.T.A., Wang, G., Xue, Q.Z., Tang, C., Chen, S.Y., 2010. Environmental status of Daya Bay surface sediments inferred from a sequential extraction technique. *Estuar. Coast. Shelf Sci.* 86, 369-378.

Gattullo, C.E., Bähns H., Steinberg, C.E.W., Loffredo, E. (2012) Removal of bisphenol A by the freshwater green alga *Monoraphidium braunii* and the role of natural organic matter. *Science of the Total Environment* 416, 501-506

Geraldi, N.R., S.P. Powers, K.L. Heck, and J. Cebrian. 2009. Can habitat restoration be redundant? Response of mobile fishes and crustaceans to oyster reef restoration in marsh tidal creeks. *Marine Ecology Progress Series* 389:171-180.

Gifford, S., H. Dunstan, W. O'Connor, and G.R. Macfarlane. 2005. Quantification of in situ nutrient and heavy metal remediation by a small pearl oyster (*Pinctada imbricata*) farm at Port Stephens, Australia. *Marine Pollution Bulletin* 50:417-422.

Glancy, T.P., T.K. Frazer, C.R. Cichra, and W.J. Lindberg. 2003. Comparative patterns of occupancy by decapods crustaceans in seagrass, oyster, and marsh-edge habitats in a northeast Gulf of Mexico estuary. *Estuaries* 26:1291-1301.

Grabowski, J.H., A.R. Hughes, D.L. Kimbro, and M.A. Dolan. 2005. How habitat setting influences restored oyster reef communities. *Ecology* 86:1926-1935

Grabowski, J.H., and C.H. Peterson. 2007. Restoring oyster reefs to recover ecosystem services. In: Cuddington, K., J.E. Byers, W.G. Wilson, and A. Hastings (eds). *Ecosystem Engineers: concepts, theory and applications*. Elsevier- Academic Press, Amsterdam, pp. 281-298.

Grabowski, J.H., Brumbaugh, R., Conrad, R., Keeler, A., Opaluch, J., Peterson, C., Piehler, M., Powers, S., and Smyth A. 2012. Economic valuation of ecosystem services provided by oyster reefs. *BioScience* 62: 900-909.

Green, M., G.G. Waldbusser, S.L. Reilly, K. Emerson, and S. O'Donnell, 2009. Death by dissolution: Sediment saturation state as a mortality factor for juvenile bivalves. *Limnol. Oceanogr.* 54:1037-1047.

Grizzle, R.E., 1990. Distribution and abundance of *Crassostrea virginica* (Gmelin, 1791) (eastern oyster) and *Mercenaria* spp. (quahogs) in a coastal lagoon. *J. of Shellfish Res.* 9:347-358.

Guo, X.Y., Huang, C.J., 2006. Distribution and source of heavy metal elements in sediments of Zhanjiang Harbor. *J. Trop. Oceanogr.* 25, 91-96 (in Chinese).

Guofan Zhang, Xiaodong Fang[...]Jun Wang - The oyster genome reveals stress adaptation and complexity of shell formation, *Nature* volume 490, pages 49-54 (04 October 2012)doi:10.1038/nature11413

Guo XiMing; Ford, S. E.; Zhang FuSui, Molluscan aquaculture in China. Haskin Shellfish Research Laboratory, Institute of Marine and Coastal Sciences, Rutgers University, Port Norris, NJ 08349, USA., *Journal article : Journal of Shellfish Research* 1999 Vol.18 No.1 pp.19-31 ref.13

Han, B.C., Jeng, W.L., Chen, R.Y., Fang, G.T., Hung, T.C., Tseng, R.J., 1998. Estimation of target hazard quotients and potential health risks for metals by consumption of seafood in Taiwan. *Arch. Environ. Contam. Toxicol.* 35, 711-720.

Han, B.C., Jeng, W.L., Jeng, M.S., Kao, L.T., Meng, P.J., Huang, Y.L., 1997. Rock-shells (*Thais clavigera*) as an indicator of As, Cu, and Zn contamination on the Putai coast of the Black-Foot Disease area in Taiwan. *Archives of Environmental Contamination and Toxicology* 32, 456±461.

Haitzer M, Akkanen J, Steinberg CEW, Kukkonen JVK. No enhancement in bio-concentration of organic contaminants by low levels of DOM. *Chemosphere.* 2001;44(165-171).

Hammock, D., Huang, C. C., Mort, G., and Swinehart, J. H., 2003, The effect of humic acid on the uptake of mercury(II), cadmium(II), and zinc(II) by chinook salmon (*Oncorhynchus tshawytscha*) eggs, *Arch. Environ. Contam. Toxicol.* 44: 83-88.

Heidrich S, Herms J, Schneider J. Beitrag zum Einsatz von Huminsäurepräparaten in der Fischzucht. In: Wedekind H, Hrsg. *Krankheiten der Aquatischen Organismen: Vortrag auf der 7. Tagung Deutsche Sektion der European Association of Fish Pathologists*; 1998 Sept 23-25; Schmollenberg-Grafschaft. Potsdam Saarow: Institut für Binnenfischerei e. V.; 1999. S. 157-63

Heidrich S, Herms J, Schneider J. Contribution to the use of humic acid preparations in fish farming. In: Wedekind H, Ed. *Diseases of Aquatic Organisms: Lecture at the 7th Conference German Section of the European Association of Fish Pathologists*; 1998 Sept 23-25; Schmollenberg-Grafschaft. Potsdam Saarow: Institute for Inland Fisheries; 1999, pp. 157-63.

HKEPD (Hong Kong Environmental Protection Department), 1986-2011. Marine Water Quality in Hong Kong. <[http://www.epd.gov.hk/epd/english/environment/hk/water/marine\\_quality/mwq\\_report.html](http://www.epd.gov.hk/epd/english/environment/hk/water/marine_quality/mwq_report.html); <http://epic.epd.gov.hk/ca/uid/cmari-nehistorical/p/1>>.

Heinze, T., Bähns, H., Gilbert, M., Steinberg, C.E.W., Wilhelm, C. (2012) Selected coccal green algae are not affected by humic substances in terms of growth or photosynthetic performance. *Hydrobiologia* 684, 215-224

Hoole D, Bucke D, Burges P, Wellby I. *Diseases of carp and other cyprinid fishes*. Oxford, London: Blackwell Science; 2001.

Hooess S, Juettner I, Traunspurger W, Pfister G, Schramm KW, Steinberg CEW. Enhanced growth and reproduction of *Caenorhabditis elegans* (Nematoda) in the presence of 4-nonylphenol. *Environ Pollut.* 2002;120:169-72.

Huang, W.X., Yan, W., Liu, Y.X., Wang, Z.Y., 2012. Distribution and potential ecological risk evolution of heavy metals in surface sediments of Zhanjiang Harbor. *Mar. Environ. Sci.* 31, 639-643 (in Chinese).

Huang, X.P., Zhang, D.W., Tian, L., Zeng, Y.Y., 2012. Distribution of heavy metals in sediments of the Pearl River Estuary, Southern China: Implications for sources and historical changes. *J. Environ. Sci. - China* 24, 579-588.

Hung, C.L.H., So, M.K., Connell, D.W., Fung, C.N., Lam, M.H.W., Nicholson, S., Richardson, B.J., Lam, P.K.S., 2004. A preliminary risk assessment of trace elements accumulated in fish to the Indo-Pacific Humpback dolphin (*Sousa chinensis*) in the Northwestern waters of Hong Kong. *Chemosphere* 56, 643- 651.

Hung, T.C., Kuo, C.Y., Chen, M.H., 1983. Mussel watch in Taiwan: (2) Seasonal bioaccumulative factors of heavy metals. *Acta Oceanographica Taiwanica* 12, 67±83.

Ip, C.C., Li, X.D., Zhang, G., Farmer, J.G., Wai, O.W.H., Li, Y.S., 2004. Over one hundred years of trace metal fluxes in the sediments of the Pearl River Estuary, South China. *Environ. Pollut.* 132, 157–172.

Ip, C.C., Li, X.D., Zhang, G., Wong, C.S.C., Zhang, W.L., 2005. Heavy metal and Pb isotopic compositions of aquatic organisms in the Pearl River Estuary, South China. *Environ. Pollut.* 138, 494–504.

Ip, C.C., Li, X.D., Zhang, G., Wai, O.W.H., Li, Y.S., 2007. Trace metal distribution in sediments of the Pearl River Estuary and the surrounding coastal area, South China. *Environ. Pollut.* 147, 311–323.

Itazawa Y. An estimation of the minimum level of dissolved oxygen in water required for normal life of fish. *Bull Jap Soc Sci Fish.* 1971;37:273-6.

Johnsen, S., J. Kukkonen, and M. Grande, Influence of natural aquatic humic substances on the bioavailability of benzo(a)pyrene to Atlantic salmon. *The Science of the Total Environment*, 1989. 81/82: p. 691-702.

Johnson, M.W., S.P. Powers, J. Senne, and K. Park K. 2009. Assessing in situ tolerances of Eastern oysters (*Crassostrea virginica*) under moderate hypoxic regimes: implications for restoration. *Journal of Shellfish Research* 28:185-192.

Ke Pan, Wen-Xiong Wang - Reconstructing the biokinetic processes of oysters to counteract the metal challenges: physiological acclimation., 2012, *Environmental Science & Technology*

Kellogg, M.L., J.C. Cornwell, M.S. Owens and K.T. Paynter, 2013. Feature Article: Denitrification and nutrient assimilation on a restored oyster reef. *Mar. Ecol. Prog. Ser.* 480:1-19.

Kleingeld DW, Schlotfeldt H-J, Siesenop U, Böhm KH. Administration of antibiotics & chemotherapeutents and development of resistance in coldwater ornamentals. *Bull Eur Ass Fish Pathol.* 1996;17:4-7.

Körting W. Parasitosen der Süßwassernutzfische. In: Rommel M, Eckert J, Kutzer E, Körting W, Schnieder T, Hrsg. *Veterinärmedizinische Parasitologie*. Berlin, Hamburg: Parey; 2000. S. 801-54.

Koerting W. Parasitoses of freshwater fish. In: Rommel M, Eckert J, Kutzer E, Koerting W, Schnieder T, ed. *veterinary parasitology*. Berlin, Hamburg: Parey; 2000. p. 801-54.

Kromhout, D., Bosschieter, E.B., Lezenne Coulander, C., 1985. The inverse relation between fish consumption and 20-year mortality from coronary heart disease. *New England Journal of Medicine* 312, 1205±1209.

Kukkonen, J. (1991) Effect of pH and natural humic substances on the accumulation of organic pollutants in two freshwater invertebrates, in B. Allard (ed.), *Humic Substances in the Aquatic and Terrestrial Environment*, pp. 413–422.

Kukkonen, J., and Oikari, A. (1987) Effects of aquatic humus on accumulation and toxicity of some organic micropollutants, *Sci. Total Environ.* 62, 399–402.

Landrum, P.F., Reinhold, M.D., Nihart, S.R. and Eadie, B.J. (1985) Predicting the bioavailability of organic xenobiotics to *Pontoporeia Hoyeri* in the presence of humic and fulvic materials and natural dissolved organic matter, *Environ. Toxicol. Chem.* 4, 459-467.

Lekhi, P, Cassis, D, Pearce, CM, Ebell, N, Maldonado, MT, Orians, K, Role of dissolved and particulate cadmium in the accumulation of cadmium in cultured oysters (*Crassostrea gigas*) Role of dissolved and particulate cadmium in the accumulation of cadmium in cultured oysters (*Crassostrea gigas*), 2008, *Science of the Total Environment*, Vol. 393

Lai, M.Y., Shen, P.P., Zhao, Z., Zhou, H., Gu, J.D., 2005. Concentrations of heavy metals in the benthic microgastropods *Sermyla riquedi* and *Stenothyra devalis* at the Mai Po Inner Deep Bay Ramsar site of Hong Kong. *Bull. Environ. Contam. Toxicol.* 74, 1065–1071.

Lenihan, H. S., and F. Micheli. 2000. Biological effects of shellfish harvesting on oyster reefs: resolving a fishery conflict by ecological experimentation. *Fishery Bulletin* 98:86-95.

Li, X.D., Wai, O.W.H., Li, Y., Coles, B.J., Ramsey, M.H., Thornton, I., 2000. Heavy metal distribution in sediment profiles of the Pearl River estuary, South China. *Appl. Geochem.* 15, 567–581.

Li, X.D., Shen, Z.G., Wai, O.W.H., Li, Y.S., 2001. Chemical forms of Pb, Zn and Cu in the sediment profiles of the Pearl River Estuary. *Mar. Pollut. Bull.* 42, 215–223.

Li GG, Hu BQ, Bi JQ, Leng QN, Xiao CQ, Yang ZC (2013) Heavy metals distribution and contamination in surface sediments of the coastal Shandong Peninsula (Yellow Sea). *Mar Pollut Bull*76: 420–426. 10.1016/j.marpolbul.2013.08.032 [PubMed] [CrossRef] [Google Scholar]

Liang, Y., Wong, M.H., 2003. Spatial and temporal organic and heavy metal pollution at Mai Po Marshes Nature Reserve, Hong Kong. *Chemosphere* 52, 1647–1658.

Lin Y.-P., T.-P. Teng, and T.-K. Chang, "Multivariate analysis of soil heavy metal pollution and landscape pattern in Changhua county in Taiwan," *Landscape and Urban Planning*, vol. 62, no. 1, pp. 19–35, 2002. View at Publisher · View at Google Scholar · View at Scopus

Ling, Y.C., Huang, I.P., 1995. Multiresidue-matrix solid-phase dispersion method for determining 16 organochlorine pesticides and polychlorinated biphenyls in fish. *Chromatographia* 40, 259±266.

Liu, J.H., Kueh, C.S.W., 2005. Biomonitoring of heavy metals and trace organics using the intertidal mussel *Perna viridis* in Hong Kong coastal waters. *Mar. Pollut. Bull.* 51, 857–875.

Liu, W.X., Li, X.D., Shen, Z.G., Wang, D.C., Wai, O.W.H., Li, Y.S., 2003. Multivariate statistical study of heavy metal enrichment in sediments of the Pearl River Estuary. *Environ. Pollut.* 121, 377–388.

Liu, J.L., Feng, X.B., Yin, R.S., Zhu, W., Li, Z.G., 2011a. Mercury distributions and mercury isotope signatures in sediments of Dongjiang, the Pearl River Delta, China. *Chem. Geol.* 287, 81–89.

Liu, J.L., Feng, X.B., Zhu, W., Li, Z.G., Yin, R.S., 2011b. Distribution characteristics and pollution assessments of heavy metals in Dongjiang River. *Chin. J. Ecol.* 30, 981–986 (in Chinese).

Liu, J.L., Feng, X.B., Qiu, G.L., Anderson, C.W.N., Yao, H., 2012. Prediction of methyl mercury uptake by rice plants (*Oryza sativa* L.) using the diffusive gradient in thin films technique. *Environ. Sci. Technol.* 46, 11013–11020.

Liu, J.L., Xu, X.R., Ding, Z.H., Jin, M.H., Wang, S.L., Hao, Q., 2013. Heavy metals contamination in fish from coral reef ecosystem and ecology risk evaluation. *Mar. Environ. Sci.* 32, 262–266 (in Chinese).

Liu, J.L., Xu, X.R., Chen, K.G., Su, Y.H., Wang S.L., Peng, J.X., Hao, Q., in press. Mercury and methylmercury contamination in fish from Yongxing Island and human health risk evaluation. *Mar. Environ. Sci.* (in Chinese).

Lorenzo, J.I., Nieto, O., Beiras, R.(2002) - Effect of humic acids on speciation and toxicity of copper to *Paracentrotus liidus* larvae in seawater, *Aquatic Toxicol.* 58, 27–41.

Loska K., D. Wiechuła, and I. Korus, - Metal contamination of farming soils affected by industry," *Environment International*, vol. 30, no. 2, pp. 159–165, 2004. View at Publisher · View at Google Scholar · View at Scopus

McCarthy, J.F. and Jimenez, B.D. (1985) Reduction in bioavailability to bluegills of polycyclic aromatic hydrocarbons bound to dissolved humic material, *Environ. Toxicol. Chem.* 4, 511-521.

Ma H., Q. Song, and X. Wang, - Accumulation of petroleum hydrocarbons and heavy metals in clams (*Ruditapes philippinarum*) in Jiaozhou Bay, China," *Chinese Journal of Oceanology and Limnology*, vol. 27, no. 4, pp. 887–897, 2009. View at Publisher · View at Google Scholar · View at Scopus

Meng, Jie, Wenxiong Wang, Li Li, Qi Yin, Guofan Zhang - Cadmium effects on DNA and protein metabolism in oyster (*Crassostrea gigas*) revealed by proteomic analyses, 2017, *Scientific Reports* - Article

Meinelt, Th. a,\* , Richard C. Playle b, Michael Pietrock a, B. Kent Burnison c, Andreas Wienke d, Christian E.W. Steinberg a. - Interaction of cadmium toxicity in embryos and larvae of zebrafish (*Danio rerio*) with calcium and humic substances

Menzel, S., Bouchnak, R., Menzel, R., Steinberg, C.E.W. (2011) Dissolved humic substances initiate DNA-methylation in cladocerans. *Aquatic Toxicology* 105, 640-642.

Menzel, R., Menzel, S., Tiedt, S., Kubsch, G., Stößer, R., Bährs, H., Putschew, A., Saul, N., Steinberg, C.E.W. (2011) The enrichment of humic material with hydroxybenzene moieties intensifies its physiological effects on the nematode *Caenorhabditis elegans*. *Environmental Science & Technology* 45, 8707-8715, Institute of Freshwater Ecology and Inland Fisheries, Muggelseedamm 301, 12587 Berlin, Germany, b Department of Biology, Wilfrid Laurier University, Waterloo, Ont., Canada N2L 3C5, c Environment Canada, National Water Research Institute, Burlington, Ont., Canada L7R 4A6, d Max Planck Institute for Demographic Research, Doberaner Street 114, 18057 Rostock, Germany, 2000

MA (Ministry of Agriculture of the People's Republic of China), 2011. *China Fishery Statistical Yearbook*. China Agriculture Press, Beijing (in Chinese).

Meng, F.P., Wang, Z.F., Cheng, F.L., Du, X.P., Fu, W.C., Wang, Q., Yi, X.Y., Li, Y.F., Zhou, Y., 2013. The assessment of environmental pollution along the coast of Beibu Gulf, northern South China Sea: an integrated biomarker approach in the clam *Meretrix meretrix*. *Mar. Environ. Res.* 85, 64–75.



- Meinelt T. Untersuchungen zur Klassifizierung der akuten Fischtoxizität ausgewählter Therapeutika und Wasserschadstoffe. *Z Binnenfischerei*. 1990;374:118-25.
- Meinelt T. Studies on the classification of the acute fish toxicity of selected therapeutics and water pollutants. *Z Inland fishing*. 1990;374:118-25.
- Meinelt T, Burnison BK, Stüber A, Pietrock M, Steinberg CEW. Antagonistic effects of calcium and natural organic matter on the toxicity of metals and xenobiotics to fish - a synopsis. *Fres Environ Bull*. 2004a;13:1-5.
- Meinelt T, Koerner O, Stueber A, Steinberg CEW. Influence of calcium and natural organic matter on the toxicity of an organophosphorus insecticide. *Fres Environ Bull*. 2004b;13:262-7.
- Meinelt T, Pietrock M, Wiencke A, Völker F. Humic substances and the water calcium content change the toxicity of malachite green. *J Appl Ichthyol*. 2003a;19:380-2.
- Meinelt T, Playle RC, Pietrock M, Burnison BK, Wiencke A, Steinberg CEW. Interaction of cadmium toxicity in embryos and larvae of zebrafish (*Danio rerio*) with calcium and humic substances. *Aquat Toxicol*. 2001a;54:205-15.
- Meinelt T, Playle RC, Schreckenbach K, Pietrock M. Interaction of antiparasitic mixture FMC, humic substances and the water calcium content. *Aquacul Res*. 2001b;32:405-11.
- Meinelt T, Rose A, Pietrock M. Effects of humic substances and the water calcium content upon toxicity of acriflavine. *J Aquat Anim Health*. 2002;14:35-8.
- Meinelt T, Stüber A. Subchronische Toxizität von Malachitgrünnoxalat. *Fischer u Teichwirt*. 1991;42(12):428-9.
- Meinelt T, Stueber A. Subchronic toxicity of malachite greenoxalate. *Fisherman u pond landlord*. 1991;42(12):428-9.
- Misra, V., Pandey, S.D. and Viswanathan, P.N. (2000) Effect of humic acid on the bioavailability of - hexachlorocyclohexane in *Marsilea minuta* (L.), *Environ. Monitor. Assessment* 61, 229-235.
- Müller W. Karpfenproduktion in Teichen. In: Steffens W, Hrsg. *Binnenfischerei - Produktionsverfahren*. Berlin: Deutscher Landwirtschaftsverlag; 1986. S. 44-68.
- Mueller W. carp production in ponds. In: Steffens W, ed. *Binnenfischerei - Produktionsverfahren*. Berlin: Deutscher Landwirtschaftsverlag; 1986, pp. 44-68.

- Na GS, Fang XD, Cai YQ, Ge LK, Zong HM, Yuan XT, et al. (2013) Occurrence, distribution, and bioaccumulation of antibiotics in coastal environment of Dalian, China. *Mar Pollut Bull* 69: 233-237. 10.1016/j.marpolbul.2012.12.028 [PubMed] [CrossRef] [Google Scholar]
- Naglitsch F. Antibakterielle Wirkung und Wiederverwendung von Badetorfen. *Z Physiother*. 1983;35:39-44.
- Naglitsch F. Antibacterial effect and reuse of bathing peat. *Z Physiotherapist*. 1983;35:39-44.
- Neukirch M. In vitro-Untersuchungen zum Einfluss von Temperatur sowie von Flavonoiden auf die Infektiosität einiger Koi-Virusisolate. In: Licek E, Wedekind H, Weismann T, Hrsg. *Fischkrankheiten - Aktuelles aus Wissenschaft und Praxis*. Vortrag 9. Tagung der Deutschen u. Österr. Sektion der European Association of Fish Pathologists; 2002 Sept 19-21; Mondsee, Österreich. 2003. S. 170-3
- Neukirch M. In vitro studies on the influence of temperature and flavonoids on the infectivity of some Koi virus isolates. In: Licek E, Wedekind H, Weismann T, Ed. *Fischkrankheiten - News from science and practice*. Lecture 9th Conference of the German and Austrian Section of the European Association of Fish Pathologists; 2002 Sept 19-21; Mondsee, Austria. 2003. S. 170-3
- Nelson, K.A., L.A. Leonard, M.H. Posey, T.D. Alphin, and M.A. Mallin. 2004. Using transplanted oyster (*Crassostrea virginica*) beds to improve water quality in small tidal creeks: a pilot study. *Journal of Experimental Marine Biology and Ecology* 298:347-368.
- Nicholson, S., Szefer, P., 2003. Accumulation of metals in the soft tissues, byssus and shell of the mytilid mussel *Perna viridis* (Bivalvia: Mytilidae) from polluted and uncontaminated locations in Hong Kong coastal waters. *Mar. Pollut. Bull.* 46, 1039-1043.
- Nicholson, S., Hui, Y.H., Lam, P.K.S., 2011. Pollution in the coastal waters of Hong Kong: case studies of the urban Victoria and Tolo Harbours. *Water Environ. J.* 25, 387-399.
- Niels C. Munksgaard, Shannon Burchert, Mirjam Kaestli, Samantha J. Nowland, Wayne O'Connor, Karen S. Gibb - Cadmium uptake and zinc-cadmium antagonism in Australian tropical rock oysters: Potential solutions for oyster aquaculture enterprises, 2017, *Marine Pollution Bulletin*
- Noeller I, Klöcking R. Testung der antimikrobiellen Wirkung von Humaten. In: Kaeding J, Hrsg. *Fortschritte der Wasserchemie und ihrer Grenzgebiete*. Berlin: Akademie-Verlag; 1972. S. 147-50.

Noeller I, Kloecking R. Testing of the antimicrobial effect of humates. In: Kaeding J, ed. *advances in water chemistry and its border areas*. Berlin: Akademie-Verlag; 1972, pp. 147-50.

Noga EJ. *Fish Disease - Diagnosis and Treatment*. Ames: Iowa State University Press; 2000.

Odening K. Merkblätter über angewandte Parasitenkunde und Schädlingsbekämpfung. *Spaerospora renicula* (Myxosporidia), der Erreger der protozären Schwimmblasenentzündung des Jungkarpfens (*renicula*-Spaerosporose). *Angew Parasitologie*. 1987;28(4):1-16.

Odening K. Fact sheets on applied parasitology and pest control. *Spaerospora renicula* (Myxosporidia), the pathogen causing protozoal swim bladder inflammation in young carp (*renicula*-spaerosporosis). *Angew parasitology*. 1987;28(4):1-16.

O'Connor, T.P., 1996. Trends in chemical concentrations in mussels and oysters collected along the US coast from 1986 to 1993. *Marine Environmental Research* 41, 183±200.

Olsen, C. (1929) On the influence of humus substances on the growth of green plants in water culture, *C.R. trav. Lab. Carlsberg*. 18, 1-16.

Oris, J.T., Hall, A.T. and Tylka, J.D. (1990) Humic acids reduce the photo-induced toxicity of anthracene to fish and daphnia, *Environ. Toxicol. Chem.* 9, 575-583.

Ouédraogo, O., Amyot, M., 2013. Mercury, arsenic and selenium concentrations in water and fish from sub-Saharan semi-arid freshwater reservoirs (Burkina Faso). *Sci. Total Environ.* 444, 243-254.

Ouyang, T.P., Zhu, Z.Y., Kuang, Y.Q., Huang, N.S., Tan, J.J., Guo, G.Z., Gu, L.S., Sun, B., 2006. Dissolved trace elements in river water: Spatial distribution and the influencing factor, a study for the Pearl River Delta Economic Zone, China. *Environ. Geol.* 49, 733-742.

Oris, J.T., Hall, A.T. and Tylka, J.D. (1990) Humic acids reduce the photo-induced toxicity of anthracene to fish and daphnia, *Environ. Toxicol. Chem.* 9, 575-583.

Painter TJ. Lindow man, Tollund man and other peat-bog bodies - The preservative and antimicrobial action of sphagnum, a reactive glucuronoglycan with tanning and sequestering properties. *Carbohydr Polymers*. 1991;15:123-42.

Peuranen S, Vuorinen P, Vuorinen M, Hollender A. The effects of iron, humic acids and low pH on the gills and physiology of brown trout (*Salmo-trutta*). *Ann Zoologici Fennici*. 1994;31:389-96.

Pflugmacher S, Tidwell LF, Steinberg CEW. Dissolved humic substances can directly affect freshwater organisms. *Acta Hydrochim Hydrobiol.* 2001;29:34-40.

Pan, K., Wang, W.X., 2012a. Reconstructing the biokinetic processes of oysters to counteract the metal challenges: physiological acclimation. *Environ. Sci. Technol.* 46, 10765-10771.

Pan, K., Wang, W.X., 2012b. Trace metal contamination in estuarine and coastal environments in China. *Sci. Total. Environ.* 421, 3-16.

Parent, L., Twiss, M.R. and Campbell, P.G. (1996) Influences of natural dissolved organic matter on the interaction of aluminum with the microalga *Chlorella*: a test of the free-ion model of trace metal toxicity, *Environ. Sci. Technol.* 30, 1713-1720.

Peterson, S.A., Ralston, N.V.C., Peck, D.V., Van Sickle, J., Robertson, J.D., Spate, V.L., Morris, J.S., 2009. How might selenium moderate the toxic effects of mercury in stream fish of the western US? *Environ. Sci. Technol.* 43, 3919-3925.

Plumb JA. *Health maintenance and principal microbial diseases of cultured fishes*. Ames: Iowa State University Press; 1999.

Poers, Y., Steinberg, C.E.W. (2012) Humic substances delay aging of the photosynthetic apparatus of *Chara hispida*. *Journal of Phycology* 48, 1522-1529

Powell, E.N., J.N. Kraeuter, and K.A. Ashton-Alcox. 2006. How long does oyster shell last on an oyster reef? *Estuarine, Coastal and Shelf Science* 69:531-542.

Powell, E.N., and J.M. Klinck, 2007. Is oyster shell a sustainable estuarine resource? *Journal of Shellfish Research* 26:181- 194.

Powell, E.N., K.A. Ashton-Alcox and J.N. Kraeuter. 2007. Reevaluation of eastern oyster dredge efficiency in survey mode: Application in stock assessment. *North American Journal of Fisheries Management* 27:492-511.

Powers, S.P., C.H. Peterson, J.H. Grabowski, and H.S. Lenihan. 2009. Success of constructed oyster reefs in no-harvest sanctuaries: implications for restoration. *Marine Ecology Progress Series* 389: 159-170.

Puckett, B.J., and D.B. Eggleston, 2012. Oyster demographics in a network of no-take reserves: recruitment, growth, survival, and density dependence. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science* 4:1:605-627.

Qiu Y.W., K.-F. Yu, G. Zhang, and W.-X. Wang, "Accumulation and partitioning of seven trace metals in mangroves and sediment cores from three estuarine wetlands of Hainan Island, China," *Journal of Hazardous Materials*, vol. 190, no. 1–3, pp. 631–638, 2011. View at Publisher · View at Google Scholar · View at Scopus

Qin, C.Y., Fang, Z.Q., Tang, Y.J., An, D., Yang, X.B., 2010. Contents and evaluation of heavy metals in common aquatic from Lingding Yang in Pearl River Estuary. *South China Ocean. J.S. China Normal Univ.*, pp. 104–114 (in Chinese).

Qiu, Y.W., Zhu, L.S., Li, M.Q., Wang, Q., 2004. Distribution characteristics of heavy metals and grain size of sediments from Hailing Bay. *Mar. Sci. Bull.* 7, 69–76 (in Chinese).

Qiu, Y.W., Ya, W., Wang, Z.D., Zhang, G., 2005. Distributions of heavy metals in seawater, sediments and organisms at Daya Bay and their ecological harm. *J. Trop. Oceanogr.* 24, 69–76 (in Chinese).

Qiu, Y.W., Lin, D., Liu, J.Q., Zeng, E.Y., 2011a. Bioaccumulation of trace metals in farmed fish from South China and potential risk assessment. *Ecotoxicol. Environ. Saf.* 74, 284–293.

Qiu, Y.W., Yu, K.F., Zhang, G., Wang, W.X., 2011b. Accumulation and partitioning of seven trace metals in mangroves and sediment cores from three estuarine wetlands of Hainan Island, China. *J. Hazard. Mater.* 190, 631–638.

Qi-Hui Zhu, Zhong-Kai Zhou, Dan-Dan Tu, Yi-Lian Zhou, Cong Wang, Ze-Peng Liu, Wen-Bin Gu, Yu-Yin Chen, Miao-An Shu - Effect of cadmium exposure on hepatopancreas and gills of the estuary mud crab (*Scylla paramamosain*): Histopathological changes and expression characterization of stress response genes, 2018, *Aquatic Toxicology*

Rainbow, P.S., 2002. Trace metal concentrations in aquatic invertebrates: why and so what? *Environ. Pollut.* 120, 490–507.

Rainbow, P.S., 2007. Trace metal bioaccumulation: models, metabolic availability and toxicity. *Environ. Int.* 33, 576–582.

Rainbow, P.S., Luoma, S.N., 2011. Metal toxicity, uptake and bioaccumulation in aquatic invertebrates-modelling zinc in crustaceans. *Aquat. Toxicol.* 105, 455–465.

Rath P, Panda UC, Bhatta D, Sahu KC (2009) Use of sequential leaching, mineralogy, morphology and multivariate statistical technique for quantifying metal pollution in highly polluted aquatic sediments-a case study: Brahmani Nandira rivers, India. *J Hazard Mater* 163: 632–644. 10.1016/j.jhazmat.2008.07.048 [PubMed] [CrossRef] [Google Scholar]

Richards JG, Burnison BK, Playle RC. Natural and commercial dissolved organic matter protects against the physiological effects of a combined cadmium and copper exposure on rainbow trout (*Oncorhynchus mykiss*). *Can J Fish Aquat Sc.* 1999;56:407-18.

Richards JG, Curtis PJ, Burnison BK, Playle RC. Effects of natural organic matter source on reducing metal toxicity to rainbow trout (*Oncorhynchus mykiss*) and on metal binding to their gills. *Environ Toxicol Chem.* 2001;20:1159-66.

Riffel, Ana - Humic acid and moderate hypoxia alter oxidative and physiological parameters in different tissues of silver catfish (*Rhamdia quelen*), February 2014, *Journal of Comparative Physiology B* 184(4), DOI: 10.1007/s00360-014-0808-1, Source. PubMed

Richter H. Untersuchungen und Gutachten zur Wirkung von Huminsäureprodukten an Zierfischen der Art *Xiphophorus maculatus* GÜNTHER 1866. Leipzig: Univ. Leipzig, Veterinärmed. Fak. 1992. Untersuchungsbericht u. Gutachten.

Richter H. Studies and expert opinions on the effect of humic acid products on ornamental fish of the species *Xiphophorus maculatus* GÜNTHER 1866. Leipzig: Univ. Leipzig, Veterinärmed. Fac. 1992. investigation report and expert opinion.

Roberts RJ. Motile Aeromonad Septicaemia. In: Inglis V, Roberts RJ, Bromage NR, Hrsg. *Bacterial Diseases of Fish*. Oxford, London: Blackwell Scient Public; 1993

Rouleau C, Tjalve H, Gottoferey J, Pelletier E. Effects of some chelating-agents on the uptake and distribution of Mn-54(II) in the brown-trout (*Salmo trutta*). *Pharmacol Toxicol.* 1994;74:271-9.

Schlegel M, Lom J, Stechmann A, Bernhard D, Leipe D, Dyková I, et al. Phylogenetic analysis of complete small subunit ribosomal RNA coding region of *Myxidium lieberkuehni*: Evidence that Myxozoa are Metazoa and related to Bilateria. *Arch Protistenkd.* 1996;147:1-9.

Schreckenbach K, Knösche R, Seubert BJ, Höke H. Klinische Prüfung des Synthesehuminstoffes HS 1500 bei Eiern und Larven von Regenbogenforellen (*Oncorhynchus mykiss*): Institut für Binnenfischerei e. V. 1994. Bericht., zitiert nach Steinberg (2001)

Schreckenbach K, Knoesche R, Seubert BJ, Hoeke H. Clinical testing of the synthetic humic substance HS 1500 in eggs and larvae of rainbow trout (*Oncorhynchus mykiss*): Institut für Binnenfischerei e. V. 1994. Report, cited after Steinberg (2001)

Schreckenbach K, Kuuehnert M, Haase A, Hoeke H. Gutachten über die Wirkung des Arzneimittelgrundstoffes HS 1500 bei Nutz- und Zierfischen in der Aquakultur und Aquaristik. Potsdam Saarow: Institut für Binnenfischerei e. V. 1996. Gutachten. zitiert nach Steinberg (2001)

Schreckenbach K, Kuuehnert M, Haase A, Hoeke H. Expert opinion on the effect of the drug precursor HS 1500 on useful and ornamental fish in aquaculture and aquaristics. Potsdam Saarow: Institut für Binnenfischerei e. V. 1996. Expert opinion. cited after Steinberg (2001)

Schreckenbach K, Meinelt T, Spangenberg R, Staaks G, Kalettka T, Spangenberg M, et al. Untersuchungen zur Wirkung des Synthesehuminstoffes RHS 1500 auf Süßwasserfische der Aquakultur. Berlin: Institut für Binnenfischerei 1991. Bericht., zitiert nach Steinberg (2001)

Schreckenbach K, Meinelt T, Spangenberg R, Staaks G, Kalettka T, Spangenberg M, et al. Studies on the effect of the synthetic humic substance RHS 1500 on freshwater aquaculture fish. Berlin: Institut für Binnenfischerei 1991. report, cited after Steinberg (2001)

Sherman, L.S., Blum, J.D., Franzblau, A., Basu, N., 2013. New insight into biomarkers of human mercury exposure using naturally occurring mercury stable isotopes. *Environ. Sci. Technol.* 47, 3403–3409.

Shi, J.B., Ip, C.C.M., Tang, C.W.Y., Zhang, G., Wu, R.S.S., Li, X.D., 2007. Spatial and temporal variations of mercury in sediments from Victoria Harbour, Hong Kong. *Mar. Pollut. Bull.* 54, 480–485.

Shi, J.B., Ip, C.C.M., Zhang, G., Jiang, G.B., Li, X.D., 2010. Mercury profiles in sediments of the Pearl River Estuary and the surrounding coastal area of South China. *Environ. Pollut.* 158, 1974–1979.

Sidall ME, Martin DS, Bridge D, Desser SS, Cone DK. The demise of phylum protists: phylogeny of myxozoa and other parasitic cnidaria. *J Parasitol.* 1995;81:961-7.

Siesenop U, Kleingeld DW, Schlotfeldt H-J, Bohm KH. Problematik der Antibiotikaresistenzen bei Fischbakterien. In: Deutsche Veterinärmedizinische Gesellschaft, Hrsg. Vortrag auf der Tagung der Fachgruppe Fischkrankheiten in Verbindung mit der European Association of Fish Pathologists; 1996 Sept 24-26; Königswartha. Gießen: Deutsche Veterinärmedizinische Gesellschaft; 1996.

Srivastava S, Sinha R, Roy D. Toxicological effects of malachite green. *Aquat Toxicol.* 2004;66(3):225- 343.

Steinberg CEW, Bach S. Growth promotion by a groundwater fulvic acid in a bacteria/algae system. *Acta Hydrochim Hydrobiol.* 1996;24:98-100.

Steinberg, et.al., - Natural dissolved humic substances increase the lifespan and promote transgenerational resistance to salt stress in the cladoceran *Moina macrocopa*, February 2011, *Environmental Science and Pollution Research* 18(6):1004-14, DOI: 10.1007/s11356-011-0455-y, Pub Med

Steinberg CEW, Brüggemann R. Ambiguous ecological control by dissolved humic matter (DHM) and natural organic matter (NOM): Trade-offs between specific and non-specific effects. *Acta Hydrochim. Hydrobiol.* 2002a;9:399-411.

Steinberg CEW, Höss S, Brüggemann R. Further evidence that humic substances have the potential to modulate the reproduction of the nematode *Caenorhabditis elegans*. *Int Rev Hydrobiol.* 2002a;87:121-33.

Steinberg CEW, Paul A, Pflugmacher S, Meinelt T, Klöcking R, Wiegand C. Pure humic substances have the potential to act as xenobiotic chemicals - a review. *Fres Environ Bull.* 2003;12:391-401.

Steinberg CEW, Perminova IV, Haitzer M. Gelöste Huminstoffe - Teil IX: Indirekte Wirkungen auf aquatische Organismen. *Wasser u Boden.* 2002b;54(10):55-9.

Steinberg CEW, Perminova IV, Haitzer M. Dissolved humic substances - Part IX: Indirect effects on aquatic organisms. *Water and soil.* 2002b;54(10):55-9.

Steinberg CEW, Pflugmacher S, Höss S, Greulich K, Meens N, Hillmeister P, et al. Gelöste Huminstoffe - Teil XI: Direkte Wirkungen von Huminstoffen auf aquatische Tiere. *Wasser u Boden.* 2002c;54(12):44-9.

Steinberg CEW, Pflugmacher S, Hoess S, Greulich K, Meens N, Hillmeister P, et al. Dissolved humic substances - Part XI: Direct effects of humic substances on aquatic animals. *Water and soil.* 2002c;54(12):44-9.

Steinberg CEW, Pflugmacher S, Paul A. Gelöste Huminstoffe - Teil X: Direkte Wirkungen von Huminstoffen auf aquatische Pflanzen. *Wasser u Boden.* 2002d;54(11):44-8.

Steinberg CEW, Pflugmacher S, Paul A. Dissolved humic substances - Part X: Direct effects of humic substances on aquatic plants. *Water and soil.* 2002d;54(11):44-8.

Storelli, M.M., 2008. Potential human health risks from metals (Hg, Cd, and Pb) and polychlorinated biphenyls (PCBs) via seafood consumption: estimation of target hazard quotients (THQs) and toxic equivalents (TEQs). *Food Chem. Toxicol.* 46, 2782–2788

Suchy P, Herzig I, Pisarikova B. The use of sorbents on the basis of humic acids to reduce ammonia levels in stable environment. *Veterinarni Medicina.* 1999;44:331-8.

Suhett, A.L., Steinberg, C.E.W., Santangelo, J.M. Bozelli, R.L., Farjalla, V.L. (2011) Natural dissolved humic substances increase lifespan and resistance to salt stress in the cladoceran *Moina macrocopa*. *Environmental Science & Pollution Research* 18 Tam, N.F.Y., Wong, Y.S., 1997. Accumulation and distribution of heavy metals in a simulated mangrove system treated with sewage. *Hydrobiologia* 352, 67–75.

Tam, N.F.Y., Wong, Y.S., 2000. Spatial variation of heavy metals in surface sediments of Hong Kong mangrove swamps. *Environ. Pollut.* 110, 195–205.

Tang, C.W., Ip, C.C., Zhang, G., Shin, P.K.S., Qian, P.Y., Li, X.D., 2008. The spatial and temporal distribution of heavy metals in sediments of Victoria Harbour, Hong Kong. *Mar. Pollut. Bull.* 57, 816–825.

Tanner, P.A., Leong, L.S., Pan, S.M., 2000. Contamination of heavy metals in marine sediment cores from Victoria Harbour, Hong Kong. *Mar. Pollut. Bull.* 40, 769–779.

Tham J, Jansen W, Rahmann H. Effect of humic material on aquatic invertebrates in streams of a raised bog complex. In: Drozd J, Gonet SS, Senesi N, Weber J, Hrsg. The role of humic substances in the ecosystems and in environmental protection: Vortrag 8. Treffen International Humic Substance Society; 1996 Sept 9-14; Wroclaw, Polen. Wroclaw: PTSH - Polish Society of Humic Substances; 1997. S. 929-35. zitiert nach: Steinberg et al. (2002 d)

Tseng, R.J., Han, B.C., 1998. From the Relationship Between Concentration of Heavy Metals in Sediments and Oysters to Assess Aquaculture Environment on the West Coast of Taiwan (Special Publication). Council of Agriculture, Taipei, Taiwan, Republic of China.

US EPA, 1989. Guidance Manual for Assessing Human Health Risks from Chemically Contaminated Fish and Shellfish (EPA-503/8-89-002). US EPA Office of Marine and Estuarine Protection, Washington, DC.

US EPA (the United States Environmental Protection Agency), 2012. Region 3 Fish Tissue Screening Levels, November 2012. <[http://www.epa.gov/reg3hwmd/risk/human/pdf/NOV\\_2012\\_FISH.pdf](http://www.epa.gov/reg3hwmd/risk/human/pdf/NOV_2012_FISH.pdf)>.

Van Ginneken L, Bervoets L, Blust R. Bioavailability of Cd to the common carp, *Cyprinus carpio*, in the presence of humic acid. *Aquat Toxicol.* 2001;52:13-27.

Varanka Z, Rojik I, Varanka I, Nemcsok J, Abraham M. Biochemical and morphological changes in carp (*Cyprinus carpio* L.) liver following exposure to copper sulfate and tannic acid. *Comp Biochem Physiol C Toxicol Pharmacol.* 2001;128:467-78.

Varanka Z, Szegletes T, Szegletes Z, Nemcsok J, Abraham M. Relationship between the structure of some humic compounds and their inhibitory effect on carp catalase. *Bull Environ Contam Toxicol.* 1999;63:751-8.

Vane, C.H., Harrison, I., Kim, A.W., Moss-Hayes, V., Vickers, B.P., Hong, K., 2009. Organic and metal contamination in surface mangrove sediments of South China. *Mar. Pollut. Bull.* 58, 134–144.

Visser SA. Effect of humic substances on mitochondrial respiration and oxidative phosphorylation. *Sci Tot Environ.* 1987;62:347-54.

Visser, S.A. (1982) Surface active phenomena by humic substances of aquatic origin, *Rev. Fr. Sci. Eau.* 1, 285-296.

Voets, J., Bervoets, L., and Blust, R. (2004) - Cadmium bioavailability and accumulation in the presence of humic acid to Zebra mussel, *Dreissena polymorpha*, *Environ. Sci. Technol.* 38, 1003-1008.

Wai, O.W.H., Wang, C.H., Li, Y.S., Li, X.D., 2004. The formation mechanisms of turbidity maximum in the Pearl River estuary, China. *Mar. Pollut. Bull.* 48, 441–448.

Wan, L., Wang, N.B., Li, Q.B., Sun, B., Zhou, Z.C., Xue, K., Ma, Z.Q., Tian, J., Song, L., 2008. Distribution of dissolved metals in seawater of Jinzhou Bay, China. *Environ. Toxicol. Chem.* 27, 43–48.

Wang, X.L., Sato, T., Xing, B.S., Tao, S., 2005. Health risks of heavy metals to the general public in Tianjin, China via consumption of vegetables and fish. *Sci. Total Environ.* 350, 28–37

Wang, S.S., Cao, Z.M., Lan, D.Z., Zheng, Z.C., Li, G.H., 2008. Concentration distribution and assessment of several heavy metals in sediments of west-four Pearl River Estuary. *Environ. Geol.* 55, 963–975.

Wang, Z.H., Jia, X.P., Lin, Q., Gan, J.L., Cai, W.G., Chen, H.G., 2012. The content variation characteristics and risk analysis for heavy metal in *Crassostrea rivularis* along the coast of Guangdong Province, China. *J. Agro-Environ. Sci.* 31, 607–612 (in Chinese).

Wei, T.L., Yang, W.L., Lai, Z.N., Zhang, Q., Liu, M., 2002. Residues of heavy metals in economic aquatic animal muscles in Pearl River Estuary, South China. *J. Fish. Sci. China* 9, 172–176 (in Chinese).

Wen, W.Y., He, Y.Q., 1985. Pollution of lead in the estuary of Lingdingyang. *Trop. Oceanol.* 4, 53–58 (in Chinese).

Wiegand, K.; et al. - The use of the HET-CAM test for the determination of the irritating effect of humic acids. *Dtsch Tierarztl Wochenschr*, October 1993; Vol. 100; Issue 10; pages 412-416.

Wong, C.K.C., Yeung, H.Y., Cheung, R.Y.H., Yung, K.K.L., Wong, M.H., 2000. Ecotoxicological assessment of persistent organic and heavy metal contamination in Hong Kong coastal sediment. *Arch. Environ. Contam. Toxicol.* 38, 486–493.

Wong, C.S.C., Wu, S.C., Duzgoren-Aydin, N.S., Aydin, A., Wong, M.H., 2007. Trace metal contamination of sediments in an e-waste processing village in China. *Environ. Pollut.* 145, 434–442.

Wu, X.Y., Yang, Y.F., 2011. Heavy metal (Pb, Co., Cd, Cr, Cu, Fe, Mn and Zn) concentrations in harvest-size white shrimp *Litopenaeus vannamei* tissues from aquaculture and wild source. *J. Food Compos. Anal.* 24, 62–65.

Wedekind H. Wirkungen von Huminstoffen aus natürlichen Substraten auf Fische und Wasserchemie. In: Riehl R, Greven H, Hrsg. *Verhalten der Aquarienfische* (2). Bornheim: Schmettkamp; 2002. S. 169-74.

Wedekind H. - Effects of humic substances from natural substrates on fish and water chemistry. In: Riehl R, Greven H, ed. *Behaviour of aquarium fish* (2). Bornheim: Schmettkamp; 2002, pp. 169-74.

Wedemeyer GA, Yasutake WT. Prevention and Treatment of nitrite toxicity in juvenile steelhead trout (*Salmo gairdneri*). *J Fish Res Board Can.* 1978;35:822-7.  
Wilson RP, Anderson RO, Bloomfield RA. Ammonia toxicity in selected fishes. *Comp Biochem Physiol.* 1969;28:107-18.

Witters HE, Van Puymbroeck S, Vangenechten JHD, Vanderborght OLJ. The effect of humic substances on the toxicity of aluminium to adult rainbow trout, *Oncorhynchus mykiss* (Walbaum). *J Fish Biol.* 1990;37:43-53.

Woo PTK, Hrsg. *Fish Diseases and Disorders - Volume 1: Protozoan and Metazoan Infections*. Cambridge: Cab International; 1995.

Wu QH, Tam NFY, Leung JYS, Zhou XZ, Fu J, Yao B, et al. (2014) Ecological risk and pollution history of heavy metals in Nansha mangrove, South China. *Ecotox Environ Safe* 104: 143–151. [PubMed] [Google Scholar]

Xia, P., Meng, X.W., Yin, P., Cao, Z.M., Wang, X.Q., 2011. Eighty-year sedimentary record of heavy metal inputs in the intertidal sediments from the Nanliu River estuary, Beibu Gulf of South China Sea. *Environ. Pollut.* 159, 92–99.

Xia, P., Meng, X.W., Feng, A.P., Yin, P., Wang, X.Q., Zhang, J., 2012. Pb-210 chronology and trace metal geochemistry in the intertidal sediment of Qinjiang River estuary, China. *J. Ocean Univ. China* 11, 165–173.

Xie, W.P., Wang, S.B., Zhu, X.P., Chen, K.C., Pan, D.B., Hong, X.Y., Yin, Y., 2012. Residues and potential ecological risk assessment of metal in sediments from lower reaches and Estuary of Pearl River. *Environ. Sci.* 33, 1808–1815 (in Chinese).

Xiangrui Wang, Jianyu Liu, Qiaoguo Tan, Jinqian Ren, Dingyuan Liang, Wenhong Fan - Development of multi-metal interaction model for *Daphnia magna*: Significance of metallothionein in cellular redistribution, 2018, *Ecotoxicology and Environmental Safety*

Xu, F.L., Lam, K.C., Zhao, Z.Y., Zhan, W., Chen, Y.D., Tao, S., 2004. Marine coastal ecosystem health assessment: a case study of the Tolo Harbour, Hong Kong, China. *Ecol. Modell.* 173, 355–370.

Xu, Z.C., Yang, X.Y., Wen, Y., Chen, G.H., Fang, J.D., 2009. Evaluation of the heavy metals contamination and its potential ecological risk of the sediments in Beijiang River's upper and middle reaches. *Environ. Sci.* 30, 3262–3268 (in Chinese).

Yang, M.L., Lin, Q., Wang, Z.H., Zhou, G.J., 2004. Analysis on the content and variation trend of heavy metal in the marine organisms in Daya Bay. *Mar. Environ. Sci.* 23, 41–43 (in Chinese).

Yang, Y.Q., Chen, F.R., Zhang, L., Liu, J.S., Wu, S.J., Kang, M.L., 2012. Comprehensive assessment of heavy metal contamination in sediment of the Pearl River Estuary and adjacent shelf. *Mar. Pollut. Bull.* 64, 1947–1955.

Yörük MA, Gül M, Hayirli A, Macit M. The effects of supplementation of humate and probiotic on egg production and quality parameters during the late laying period in hens. *Poult Sci.* 2004;83(1):84-8.

Yi Y., Z. Yang, and S. Zhang, "Ecological risk assessment of heavy metals in sediment and human health risk assessment of heavy metals in fishes in the middle and lower reaches of the Yangtze River basin," *Environmental Pollution*, vol. 159, no. 10, pp. 2575–2585, 2011. View at Publisher · View at Google Scholar · View at Scopus

Yost, L.J., Schoof, R.A., 1995. Risk Assessment for Arsenic in a Marine Outfall, Including Consideration of Local Seafood Consumption Rates and Fractional Intake. Paper presented at the Second International Conference on Arsenic Exposure and Health Effects, Society for Environmental Geochemistry and Health, 12±14 June, San Diego, CA.

Yu RL, Hu GR, Wang LJ (2010) Speciation and ecological risk of heavy metals in intertidal sediments of Quanzhou Bay, China. *Environ Monit Assess* 163: 241–252. 10.1007/s10661-009-0830-z [PubMed] [CrossRef] [Google Scholar]

Yu, X.J., Yan, Y., Wang, W.X., 2010. The distribution and speciation of trace metals in surface sediments from the Pearl River Estuary and the Daya Bay, Southern China. *Mar. Pollut. Bull.* 60, 1364–1371.

Yu, X.J., Li, H.X., Pan, K., Yan, Y., Wang, W.X., 2012. Mercury distribution, speciation and bioavailability in sediments from the Pearl River Estuary, Southern China. *Mar. Pollut. Bull.* 64, 1699–1704.

Yuan HZ, Shen J, Liu EF, Wang JJ, Meng XH (2011) Assessment of nutrients and heavy metals enrichment in surface sediments from Taihu Lake, a eutrophic shallow lake in China. *Environ Geochem Hlth* 33: 67–81. [PubMed] [Google Scholar]

Zhang, G. et al., Steinberg, C.E.W. (2012) Oyster genome reveals stress adaptation and complexity of shell formation. *Nature* 490,

Zeng, H.W., Uthus, E.O., Combs, G.F., 2005. Mechanistic aspects of the interaction between selenium and arsenic. *J. Inorg. Biochem.* 99, 1269–1274.

Zeng, Y.Y., Huang, X.P., Ye, F., Tian, L., 2012. Statistical analysis of accumulation patterns of heavy metals in biota from the Pearl River Estuary, South China. *Aquat. Ecosyst. Health Manage.* 15, 185–191.

Zhang, W., Wang, W.X., 2012. Large-scale spatial and interspecies differences in trace elements and stable isotopes in marine wild fish from Chinese waters. *J. Hazard. Mater.* 215, 65–74.

Zhang, J.H., Li, X.M., Lan, S.Y., 2006. Current situation and assessment of heavy metal contents in benthons in Guangxi inshore. *Guangxi Sci.* 13, 143–146 (in Chinese).

Zhang, W., Huang, L., Wang, W.X., 2012a. Biotransformation and detoxification of inorganic arsenic in a marine juvenile fish *Terapon jarbua* after waterborne and dietborne exposure. *J. Hazard. Mater.* 221, 162–169.

Zhang, W.F., Liu, X.P., Cheng, H.F., Zeng, E.Y., Hu, Y.N., 2012b. Heavy metal pollution in sediments of a typical mariculture zone in South China. *Mar. Pollut. Bull.* 64, 712–720.

Zhong, L.F., Yan, W., Li, J., Tu, X.L., Liu, B.M., Xia, Z., 2012. Pt and Pd in sediments from the Pearl River Estuary, South China: Background levels, distribution, and source. *Environ. Sci. Pollut. Res.* 19, 1305–1314.

Zhou, H.Y., Peng, X.T., Pan, J.M., 2004. Distribution, source and enrichment of some chemical elements in sediments of the Pearl River Estuary, China. *Cont. Shelf. Res.* 24, 1857–1875.

Zhou, F., Guo, H.C., Hao, Z.J., 2007. Spatial distribution of heavy metals in Hong Kong's marine sediments and their human impacts: a GIS-based chemometric approach. *Mar. Pollut. Bull.* 54, 1372–1384.

Zitko P, Carson WV, Carson WG. Prediction of incipient lethal levels of copper to juvenile Atlantic salmon in the presence of humic acid by cupric electrode. *Bull Environ Contam Toxicol.* 1973;10:265-71.

## Effects of Humic Acids in Agriculture and Reforestation

<https://www.reforestationworld.org/our-projects>

Abiyu, A; Teketay, D; Glatzel, G; Aerts, R; Gratzner, G Restoration of degraded ecosystems in the Afromontane highlands of Ethiopia: comparison of plantations and natural regeneration.

SOUTH FORESTS. 2017; 79(2): 103-108. WoS FullText FullText\_BOKU

Abraham Abiyu, Demel Teketay, Gerhard Glatzel and Georg Gratzner(2016): Seed production, seed dispersal and seedling establishment of two afro-montane tree species in and around a church forest: implications for forest restoration.

Forest Ecosystems, 3(16), 1-10; ISSN 2095-6355 FullText FullText\_BOKU

Abiyu, A; Teketay, D; Glatzel, G; Gratzner, G Tree seed dispersal by African civets in the Afromontane Highlands: too long a latrine to be effective for tree population dynamics. AFR J ECOL. 2015; 53(4): 588-591. WoS FullText FullText\_BOKU

Abraham Abiyu, Georg Gratzner, Demel Teketay, Gerhard Glatzel and Raf Aerts(2013): EPIPHYTIC RECRUITMENT OF SCHEFFLERA ABYSSINICA (A. RICH) HARMS. AND THE ROLE OF MICROSITES IN AFFECTING TREE COMMUNITY STRUCTURE IN REMNANT FORESTS IN NORTHWEST ETHIOPIA.

SINET: Ethiopian Journal of Science, 36(1), 41-44; ISSN 0379-2897

ALLEN, M. F. (1987): Ecology of vesicular-arbuscular mycorrhizae in an arid ecosystem: use of natural processes promoting dispersal and establishment. In: D. M. Sylvia, L. L. Hung & J. H. Graham (eds), Mycorrhiza in the Next Decade. Proc. 7th North Amer. Conf. on Mycorrhiza. 133-135. Univ. of Florida, Gainesville

AUGÈ, R. M. (2001): Water relations, drought and vesicular-arbuscular mycorrhizal symbiosis. Mycorrhiza 11(1): 3-42

Aronson, J., C. Floret, E. LeFloc'h, C. Ovalle, and R. Pontanier. 1993a. Restoration and rehabilitation of degraded ecosystems in arid and semi-arid lands. I. A view from the south. Restoration Ecology 1:8-17

Aronson, J., C. Floret, E. LeFloc'h, C. Ovalle, and R. Pontanier. 1993b. Restoration and rehabilitation of degraded ecosystems in arid and semi-arid lands. II. Case studies in Southern Tunisia, Central Chile and Northern Cameroon. Restoration Ecology 1:168-187

Azam, F. and Malik, K.A. (1982) Effect of humic acids on seedling growth of wheat (*Triticum aestivum* L.) under different conditions, Pak. J. Botany 14, 47-48.

AZCONA, I.; PASCUAL, I.; AGUIRREOLEA, J.; FUENTES, M.; GARCÍA-MINA, J. M.; SÁNCHEZ- DÍAZ, M. Growth and development of pepper are affected by humic substances derived from composted sludge. Journal of Plant Nutrition and Soil Science, Weinheim, v. 174, n. 6, p. 916-924, 2011.

BAI, J., SUN, Y.-Z., YANG, X.-Q. & CHEN, F. (2001): A leaf epidermis study on *Acanthopanax* in Sichuan. J. Sichuan University 38(2): 254-258

BALDOTTO, M. A.; ROCHA, J. E. ANDRADE, F. D. P.; GIÚDICE, M. P. D.; BALDOTTO, L. E. B. The plant stimulant humic acid extracted from organic waste recycled by composting combined with liming and fertilization. Semina: Ciências Agrárias, Londrina, v. 37, n. 6, p. 3955-3964, 2016.

Bai J., R. Xiao, B. Cui et al., "Assessment of heavy metal pollution in wetland soils from the young and old reclaimed regions in the Pearl River Estuary, South China," Environmental Pollution, vol. 159, no. 3, pp. 817-824, 2011. View at Publisher · View at Google Scholar · View at Scopus

Berger, T.W., Swoboda, S., Prohaska, T., Glatzel, G. The role of calcium uptake from deep soils for spruce (*Picea abies*) and beech (*Fagus sylvatica*). FOREST ECOL MANAG, 229, 234-246; ISSN 0378-1127 WoS FullText FullText\_BOKU

Berger, T.W., Glatzel, G.(2000): Plant-soil feedback in spruce (*Picea abies*) and mixed spruce beech (*Fagus sylvatica*) stands. ASA-CSSA-SSSA Annual Meetings (American Society of Agronomy, Crop Science Society of America, Soil Science Society of America), 5-9 November, Minneapolis, Minnesota, USA

Berger, T.W., Glatzel, G., Eagar, C., Likens, G.E.(2000): Calcium - a key indicator of nutrient cycling in Austrian spruce and mixed species stands and in CaCl<sub>2</sub> and AlCl<sub>3</sub> treated sugar maple stands at Hubbard Brook. Annual Hubbard Brook Co-operator 's Meeting, 11-12 July, Campton, NH FullText

Berger, T.W., Neubauer, C., Glatzel, G.(2000): Factors controlling soil carbon and nitrogen stores in pure stands of Norway spruce (*Picea abies*) and mixed species stands in Austria..

In: Hasenauer, H. (Ed.): Ecological and Economical Impacts of Restoration Processes in Secondary Coniferous Forests, Proceedings of the Int. Conf. on Forest Ecosystem Restoration, April 10-12, 2000, Vienna, Austria, 310-311. ISBN 3-900962-26-X

Bestelmeyer BT, Okin GS, Duniway MC, Archer SR, Sayre NF, Williamson JC, et al. Desertification, land use, and the transformation of global drylands. Front Ecol Environ 2015;13(1):28-36.



BILLARD, V.; ETIENNE, P.; JANNIN, L.; GARNICA, M.; CRUZ, F.; GARCIA-MINA, J. M.; YVIN, J. C.; OURRY, A. Two biostimulants derived from algae or humic acid induce similar responses in the mineral content and gene expression of winter oilseed rape (*Brassica napus* L.). *Journal of Plant Growth Regulation*, New York, v. 33, n. 2, p. 305-316, 2014.

BOGUTA, P.; SOKOŁOWSKA, Z. Interactions of Zn(II) ions with humic acids isolated from various type of soils. Effect of pH, Zn concentrations and humic acids chemical properties. *PLoS One*, San Francisco v. 11, n. 4, p. 153-626, 2016.

BÜYÜKKESKIN, T.; AKINCI, Ş.; EROĞLU, A. E. Effects of humic acid on root development and nutrient uptake of *Vicia faba* L. (broad bean) seedlings grown under aluminum toxicity. *Communications in Soil Science and Plant Analysis*, Philadelphia, v. 46, n. 3, p. 277-292, 2015.

Cacco, G. and Dell'Agnola, G. (1984) Plant growth regulator activity of soluble humic complex, *Can. J. Soil Sci.* 62, 306-310.

Cacco, G., Attina, E., Gelsomino, A. and Sidari, M. (2000) Effect of nitrate and humic substances of different molecular size on kinetic parameters of nitrate uptake in wheat seedlings, *J. Plant Nutr. Soil Sci.* 163, 313-320.

CANELLAS, L. P.; OLIVARES, F. L. Physiological responses to humic substances as plant growth promoter. *Chemical and Biological Technologies in Agriculture*, Heidelberg, v. 1, n. 1, p. 1-3, 2014.

CANELLAS, L. P.; OLIVARES, F. L.; AGUIAR, N. O.; JONES, D. L.; NEBBIOSO, A.; MAZZEI, P.; PICCOLO, A. Humic and fulvic acids as biostimulants in horticulture. *Scientia Horticulturae*, Amsterdam, v. 196, n. 1, p. 15-27, 2015.

Carling D.E. et.al. - Use of soil transfer for reforestation on abandoned mined lands in Alaska - II. Effects of soil transfers from different successional stages on growth and mycorrhizal formation by *Populus balsamifera* and *Alnus crispa*, 1993, *Mycorrhiza* 3(3):107-114 DOI: 10.1007/BF00208918

CAZARES, E. & TRAPPE, J. M. (1993): Vesicular endophytes in roots of the Pinaceae. *Mycorrhiza* 2(4): 153-156.

Chang, C.Y., Yu, H.Y., Chen, J.J., Li, F.B., Zhang, H.H., 2014. Accumulation of heavy metals in leaf vegetables from agricultural soils and associated potential health risks in the Pearl River Delta, South China. *Environ. Monit. Assess.* 186, 1547-1560.

CHEN, Y.; AVIAD, T. Effects of humic substances on plant growth, In: MACCARTHY, P.; CLAPP, C. E.; MALCOLM, R. L.; BLOOM, P. R. *Humic substances in soil and crop sciences: selected readings*. Chicago: International Humic Substances Society, 1990. p. 161- 186.

Cincerová, A. (1964) The effect of humic acid on transamination in winter wheat plants, *Biol Plant (Prague)* 6, 183-188.

Clapp, C.E., Chen, Y., Hayes, M.H.B. and Cheng, H.H. (2001) Plant growth promoting activity of humic substances, in R.S. Swift and K.M. Sparks (eds.), *Understanding and managing organic matter in soils, sediments, and waters*, IHSS, Madison, pp. 243-255.

Cooper, R.J., Liu, C. and Fisher, D.C. (1998) Influence of humic substances on rooting and nutrient content of creeping bentgrass, *Crop Sci.* 38,1639-1644.  
Cozzi, R., Nicolai, M., Perticone, P., De Salvia, R. and Spuntarelli, F. (1993) Desmutagenic activity of natural humic acids: inhibition of mitomycin C and maleic hydrazide mutagenicity, *Mutat. Res.* 299, 37-44.

Cui, Y., Zhu, Y., Zhai, R., Huang, Y., Qiu, Y., Liang, J., 2005. Exposure to metal mixtures and human health impacts in a contaminated area in Nanning, China. *Environ. Int.* 31, 784-790.

Dawood - Enhancement quality and quantity of faba bean plants grown under sandy soil conditions by nicotinamide and/or humic acid application  
Mona Gergis Dawood<sup>1\*</sup>, Yasser Refaai Abdel-Baky<sup>1</sup>, Mohamed El-Sayed El-Awadi<sup>1</sup> and Gehan Shaker Bakhom<sup>2</sup> Dawood et al. *Bulletin of the National Research Centre* (2019) 43:28 <https://doi.org/10.1186/s42269-019-0067-0>

David, P.P., Nelson, P.V. and Sanders, D.C. (1994) A humic acid improves growth of tomato seedlings in solution culture, *J. Plant Nutr.* 17, 173-184.

Davies J, Ogali C, Laban P, Metternicht G. *Homing in on the range: enabling investments for sustainable land management*. Nairobi: International Union for Conservation of Nature and Natural Resources, Commission on Ecosystems Management; 2015.

De Paolis F., and Kukkonen, J., 1997, Binding of organic pollutants to humic and fulvic acids: influence of pH and the structure of humic material, *Chemosphere* 34: 1693-1704.

Dell'Agnola, G. and Nardi, S. (1987) Hormone-like effect of enhanced nitrate uptake induced by depolycondensed humic fractions obtained from *Allobophora rosea* and *A. caliginosa* faeces, *Biol. Fertil. Soils* 4, 115-118.

Devkota, M.P. and G. Glatzel Comparative haustorium morphology and vegetative reproduction in the Old World genus *Scurrula* L. (Loranthaceae) from the Central Nepal Himalayas. *FLORA*, 203, 179-193; ISSN 0367-2530 WoS FullText FullText\_BOKU

DOBBSS, L. B.; CANELLAS, L. P.; OLIVARES, F. L.; AGUIAR, N. O.; PERES, L. E. P.; AZEVEDO, M.; SPACCINI, R.; PICCOLO, A.; FAÇANHA, A. R. Bioactivity of chemically transformed humic matter from vermicompost on plant root growth. *Journal of Agricultural and Food Chemistry*, New York, v. 58, n. 6, p. 3681-3688, 2010.

ELTROP, L. & MARSCHNER (1996): Growth and mineral nutrition of non-mycorrhizal and mycorrhizal Norway spruce (*Picea abies*) seedlings grown in semi-hydroponic sand culture. I. Growth and mineral nutrient uptake in plants supplied with different forms of nitrogen. *New Phytol.* 133, 469-478.

ELENA, A.; DIANE, L.; EVA, B.; MARTA, F.; ROBERTO, B.; ZAMARREÑO, A. M.; GARCÍA-MINA, J. M. The root application of a purified leonardite humic acid modifies the transcriptional regulation of the main physiological root responses to Fe deficiency in Fe-sufficient cucumber plants. *Plant Physiology and Biochemistry*, Paris, v. 47, n. 3, p. 215-223, 2009.

Ferrara, G., Loffredo, E., Simeone, R. and Senesi, N. (2000) Evaluation of antimutagenic and desmutagenic effects of humic and fulvic acids on root tips of *Vicia faba*, *Environ. Toxicol.* 15, 513- 517.

Fortun, C., Rapsch, S. and Ascaso, C. (1985) Action of humic acid preparations on leaf development, mineral elements contents and chloroplast ultrastructure of ryegrass plants, *Photosynthetica* 19, 294- 299

GARCÍA, A. C.; DE SOUZA, L. G. A.; PEREIRA, M. G.; CASTRO, R. N.; GARCÍA-MINA, J. M.; ZONTA, E.; LISBOA, F. J. G.; BERBARA, R. L. L. Structure- property-function relationship in humic substances to explain the biological activity in plants. *Scientific Reports*, London, v. 6, n. 20798, p. 1-10, 2016.

Glatzel Gerhard(2007): *Science and Technology: The African Union's Strategy for the Future. Empowering Africa: The Keys to Africa's Future Development*, 06.06.2007, Wien

Glatzel, Gerhard(2006): *Woody biomass in the 21st century: a global perspective*. Holetta Agricultural Research Centre, 07.11.2006, Addis Abeba

Glatzel - O. Univ. Prof. Dipl.-Ing. Dr. nat. techn. Gerhard Glatzel Dr. Kindu Mekonnen (2007): Multifunctional uses of indigenous and exotic woody species as fodder trees, fuel source, and in soil fertility restoration in the Ethiopian Highlands. International Conference on Sustainable Forest Management and Poverty Alleviation: Roles of Traditional Forest-related Knowledge , 17.-20.12.2007, Kunming

Glatzel, G; Richter, H; Devkota, MP; Amico, G; Lee, S; Lin, R; Grabner, M; Barlow, BAFoliar habit in mistletoe-host associations. *BOTANY*. 2017; 95(3): 219-229. WoS FullText FullText\_BOKU

Guo, G., Lei, M., Chen, T., Yang, J., 2018. Evaluation of different amendments and foliar fertilizer for immobilization of heavy metals in contaminated soils. *J. Soils Sediments* 18 (1), 239–247.

Guo, K., Liu, Y.F., Zeng, C., Chen, Y.Y., Wei, X.J., 2014. Global research on soil contamination from 1999 to 2012: a bibliometric analysis. *Acta Agric. Scand. Sect. B Soil Plant Sci.* 64 (5), 377–391.

HELGASON, T., FITTER, A. H. & YOUNG, J. P. W. (1999): Molecular diversity of arbuscular mycorrhizal fungi colonising *Hyacinthoides non-scripta* (bluebell) in a semi-natural woodland. *Mol. Ecol.* 8(4): 659-666

HELM, D.J. & CARLING, D.E. (1993): Use of soil transfer for reforestation on abandoned mined lands in Alaska. II Effect of soil transfers from different successional stages on growth and mycorrhizal formation by *Populus balsamifera* and *Alnus crispa*. *Mycorrhiza* 3, 107-114.

Hu, W., et al., 2017. Heavy metals in intensive greenhouse vegetable production systems along Yellow Sea of China: levels, transfer and health risk. *Chemosphere* 167, 82–90.

Hu, X., Zhang, Y., Ding, Z., Wang, T., Lian, H., Sun, Y., et al., 2012. Bioaccessibility and health risk of arsenic and heavy metals (Cd Co, Cr, Cu, Ni, Pb, Zn and Mn) in TSP and PM2.5 in Nanjing, China. *Atmos. Environ.* 57, 146–152.

Hu, J., Wu, F., Wu, S., Cao, Z., Lin, X., Wong, M.H., 2013. Bioaccessibility, dietary exposure and human risk assessment of heavy metals from market vegetables in Hong Kong revealed with an in vitro gastrointestinal model. *Chemosphere* 91, 455–461.

Hydration and water holding properties of cross-linked lignite humic acids, Zdeněk Cihlář a, Lucy Vojtová a, Pellegrino Conte b, Saqib Nasir c, Jiří Kučerík d,, a CEITEC–CentralEuropeanInstituteofTechnology,BrnoUniversityofTechnologyTechnická3 058/10,61600Brno,CzechRepublic, b Dipartimentodi Scienze Agrarie e Forestali, Università degli Studi di Palermo,v. le delle Scienze, edificio4,90128,Palermo,Italy, c Pakistan Council of Scientific & Industrial Research, Ministry of Science&Technology,Lahore-54600,Pakistan d University of Koblenz-Landau, Institute for Environmental Sciences, Soil and Environmental Chemistry, Fortstr.7,Landau76829,Germany

Iswaran, V., Sen, A. and Vimal, O.P. (1973) Influence of humus spray on the yield of soybean *Glycine max* var, Clark. *Sci. Cult.* 39, 143-144.

JINDO, K.; SOARES, T. S.; PERES, L. E. P.; AZEVEDO, I. G.; AGUIAR, N. O.; MAZZEI, P.; SPACCINI, R.; PICCOLO, A.; OLIVARES, F. L.; CANELLAS, L. P. Phosphorus speciation and high-affinity transporters are influenced by humic substances. *Journal of Plant Nutrition and Soil Science*, Weinheim, v. 179, n. 2, p. 206-214, 2016.

Jandl, R., Glatzel, G., Katzensteiner, K., Eckmüllner, O. Amelioration of magnesium deficiency in a Norway spruce stand (*Picea abies*) with calcined magnesite. *Water, Air, & Soil Pollution*, 125, 1/4, 1-17 WoS

JOHNSON, D., VANDENKOORNHUYSE, P. J., LEAKE, J. R., GILBERT, L., BOOTH, R. E., GRIME, J. P., YOUNG, J. P. W. & READ, D. J. (2003): Plant communities affect arbuscular mycorrhizal fungal diversity and community composition in grassland microcosms. *New Phytol.* 161(2): 503-515

Johnson PM, Mayrand K, Paquin M, editors. *Governing global desertification: linking environmental degradation, poverty and participation*. Hampshire: Ashgate Publishing Limited; 2006.

Khristeva, L.A. (1953) The participation of humic acids and other organic substances in the nutrition of higher plants, *Pochvovedenie* 10, 46-59.

Khristeva, L.A. (1970) Theory of humic fertilizers and their practical use in the Ukraine, in Robertson R.A. (ed.), 2-nd International Peat Congress, Leningrad, HMSO, Edinburgh, 543-558.

Kim, Seak-Jin – Untersuchungen zur Verbesserung von Wiederaufforstungsmaßnahmen in Südkorea unter besonderer Berücksichtigung des Beitrages verschiedener Mykorrhiza-bildender Mykobionten und unterschiedlicher Bodensubstrate, Diss. University Bremen 2002, Studies on the improvement of reforestation measures in South Korea with special regard to the contribution of various mycorrhiza-forming mycobionts and different soil substrates

KOTTKE, I. & OBERWINKLER, F. (1986): Mycorrhiza of forest trees-structure and function. *Trees* 1, 1- 24.

Kulikova, N. et. Al. – Mitigating Activity of Humic Substances: Direct Influence on Biota, 2005, Russian Academy of Science

LEE, K.J. & KOO, C.D. (1983): Inoculation of pines in a nursery with *Pisolithus tinctorius* and *Thelephora terrestris* in Korea. *Plant and Soil* 71, 325-329.

LEE, K.J. (1984): Growth response of *Pinus rigida* x *P. taeda* to mycorrhizal inoculation and efficiency of *Pisolithus tinctorius* at different soil texture and fertility with organic amendment. *Jour. Korean For. Soc.* 64, 11-19.

LEE, K.J. & KOO, C.D. (1992): Results of ectomycorrhizal Inoculation of pine species with *Pisolithus tinctorius* and *Thelephora terrestris* in Korea. In: Read, D.J., Lewis, D.H., Fitter, A.H. & Alexander, I.J. (eds.) *Mycorrhizas in ecosystems*. Cambridge University Press, Cambridge, 388-389.

Le QB, Nkonya E, Mirzabaev A. Biomass productivity-based mapping of global land degradation hotspots. In: Nkonya E, Mirzabaev A, von Braun J, editors *Economics of land degradation and improvement—a global assessment for sustainable development*. Cham: Springer International Publishing AG; 2016. p. 55–84.

Lesage, S., Novakowski, K.S., Brown, S. and Millar, K. (2001) Humic acids enhanced removal of aromatic hydrocarbons from contaminated aquifers: developing a sustainable technology, *J. Environ. Sci. Health A* 36(8), 1515-1533.

Lipski, M., Slawinski, J. and Zych, D. (1999) Changes in the luminescent properties of humic acids induced by UV radiation, *J. Fluorescence* 9, 133-138.

Li, F., et al., 2017a. Excessive uptake of heavy metals by greenhouse vegetables. *J. Geochem. Explor.* 173, 76–84.

Li LZ, Wu HF, van Gestel CAM, Peijnenburg WJGM, Allen HE (2014) Soil acidification increases metal extractability and bioavailability in old orchard soils of Northeast Jiaodong Peninsula in China. *Environ Pollut* 188: 144–152. 10.1016/j.envpol.2014.02.003 [PubMed] [CrossRef] [Google Scholar]

Li, L., et al., 2018. Effects of *Pseudomonas chenduensis* and biochar on cadmium availability and microbial community in the paddy soil. *Sci. Total Environ.* 640–641, 1034–1043.

Li, Q., et al., 2010. Toxic effects of heavy metals and their accumulation in vegetables grown in a saline soil. *Ecotoxicol. Environ. Saf.* 73 (1), 84–88.

Li, R., Wu, H., Ding, J., Gan, L., Li, Y., 2017b. Mercury pollution in vegetables, grains and soils from areas surrounding coal-fired power plants. *Sci. Rep.* 7, 46545.

Li, W., et al., 2009. Analysis of land suitability for manure application in Beijing. *Acta Sci. Circumst.* 29, 882–889.

Li, Z., et al., 2014. A review of soil heavy metal pollution from mines in China: pollution and health risk assessment. *Sci. Total Environ.* 468–469, 843–853.

Li ZB, Li P, Huang PP, Liu XJ. Comprehensive Chinese government policies to combat desertification. In: Tsunekawa A, Liu G, Yamanaka N, Du S, editors *Restoration and development of the degraded loess plateau, China*. Tokyo: Springer Japan; 2014. p. 123–35.

- Liao, J., et al., 2016. Distribution and migration of heavy metals in soil and crops affected by acid mine drainage: public health implications in Guangdong Province, China. *Ecotoxicol. Environ. Saf.* 124, 460–469.
- Lin, H.J., Sunge, T., Cheng, C.Y., Guo, H.R., 2013. Arsenic levels in drinking water and mortality of liver cancer in Taiwan. *J. Hazard. Mater.* 262, 1132–1138.
- Ling, Y.C., Liao, J.H., 1996. Matrix effect on supercritical fluid extraction of organochlorine pesticides from sulfur-containing soils. *Journal of Chromatography* 754A, 285±294.
- Liu, G., et al., 2014. An ecological risk assessment of heavy metal pollution of the agri-cultural ecosystem near a lead-acid battery factory. *Ecol. Indic.* 47, 210–218.
- Liu, J., Zhang, X., Tran, H., Wang, D., Zhu, Y., 2011a. Heavy metal contamination and risk assessment in water, paddy soil, and rice around an electroplating plant. *Environ. Sci. Pollut. Res.* 18, 1623–1632.
- Liu, L., Hu, L.L., Tang, J.J., Li, Y.F., Zhang, Q., Chen, X., 2012. Food safety assessment of planting patterns of four vegetable type crops grown in soil contaminated by electronic waste activities. *J. Environ. Manag.* 93 (1), 22–30.
- Liu, L., et al., 2018. Remediation techniques for heavy metal-contaminated soils: principles and applicability. *Sci. Total Environ.* 633, 206–219.
- Liu, P., et al., 2011b. Analysis of heavy metal sources for vegetable Soils from Shandong Province, China. *Agric. Sci. China* 10 (1), 109–119.
- Liu, W., et al., 2005. Impacts of sewage irrigation on heavy metal distribution and con-tamination in Beijing, China. *Environ. Int.* 31 (6), 805–812.
- Liu, X., Song, Q., Tang, Y., et al., 2013. Human health risk assessment of heavy metals in soil-vegetable system: a multi-medium analysis. *Sci. Total Environ.* 463–464, 530–540
- Litvinovich, A. et.al. - Empirical models of transformations of humic acids and humin in Umbric Albeluvisol Abruptic as influenced by liming (1), Olga PAVLOVA(1), Anton LAVRISHCHEV(2), Vladimir BURE(1,3), Elmira SALJNIKOV4 (1)Agrophysical Research Institute Grazhdanskii 14, 195220 St. Petersburg, Russia, 2 St. Petersburg State Agrarian University Peterburgsoye 2, 196601 St. Petersburg, Russia, 3 St. Petersburg State University, Universitetskaya Emb. 7/9, 199034 St. Petersburg, Russia 4 Soil Science Institute, Teodora Drajzera 7, 11000 Belgrade, Serbia E-mail: soils.saljnikov@gmail.com ISSN 1392-3196 / e-ISSN 2335-8947 *Zemdirbyste-Agriculture*, vol. 104, No. 2 (2017), p. 115–122 DOI 10.13080/z-a.2017.104.015

- Loffredo, E., Senesi, N. and D'Orazio, V. (1997) Effect of humic acids and herbicides, and their combinations on the growth of tomato seedlings in hydroponics, *Z. Pflanzenernaehr. Bodenk.* 160, 455-461.
- Lotosh, T. D - Experimental bases and prospects for the use of humic acid preparations from peat in medicine and agricultural production. *Nauchnye Doki Vyss Shkoly Biol Nauki*, 1991; Issue 10; Pages 99-103.
- Luo, L., Ma, Y., Zhang, S., Wei, D., Zhu, Y.G., 2009. An inventory of trace element inputs to agricultural soils in China. *J. Environ. Manag.* 90 (8), 2524–2530.
- LYONS, G.; GENC, Y. Commercial humates in agriculture: real substance or smoke and mirrors? *Agronomy*, Basel, v. 6, n. 4, p. 1-8, 2016.
- Maggioni, A., Varanini, Z., Nardi, S. and Pinton, R. (1987) Action of soil humic matter on plant roots: stimulation of ion uptake and effects on (Mg<sup>2+</sup> + K<sup>+</sup>) ATPase activity, *Sci. Total Environ.* 62, 355-363.
- Mackowiak, C.L., Grossl, P.R. and Bugbee, B.G. (2001) Beneficial effects of humic acid on micronutrient availability to wheat, *Soil Sci. Soc. Am. J.* 65, 1744-1750.
- Malcom, R.E. and Vaughan, D. (1979) Humic substances and phosphatase activities in plant tissues, *Soil Biol. Biochem.* 11, 65-72.
- Man YB, Sun XL, Zhao YG, Lopez BNL, Chung SS, Wu SC, Cheung KC, Wong MH (2010) Health risk assessment of abandoned agricultural soils based on heavy metal contents in Hong Kong, the world's most populated city. *Environ Int* 36: 570–576. [PubMed] [Google Scholar]
- MARTINEZ-BALMORI, D.; SPACCINI, R.; AGUIAR, N. O.; NOVOTNY, E. H.; OLIVARES, F. L.; CANELLAS, L. P. Molecular characteristics of humic acids isolated from vermicomposts and their relationship to bioactivity. *Journal of Agricultural and Food Chemistry*, New York, v. 62, n. 47, p. 11.412-11.419, 2014.
- MARX, D.H. & BRYAN, W.C. (1975): Growth and ectomycorrhizal development of loblolly pine seedlings in fumigated soil infested with the fungal symbiont *Pisolithus tinctorius*. *Forest Science.* 21, 245-254.
- MARX, D.H. (1980): Ectomycorrhizal fungus inoculations: a tool for improving forestation practices. In: Mikola, P. (eds.). *Tropical mycorrhiza research*. Oxford University Press, Oxford, 13- 71.

MARX, D.H. & CORDEL, C.E. (1988): Specific ectomycorrhizae improve reforestation and reclamation in the eastern United states. In: Lalonde, M. and Piche, Y. (Hrsg.), Canadian Workshop on Mycorrhizae in Forestry, 1-4- May 1988. CRBF, Université Laval, Sainte Foy Québec, G1K 7P4., 75-86

Masciandaro, G. and Ceccanti, B. (1999) Assessing soil quality in different agro-eco-systems through biochemical and chemico-structural properties of humic substances, *Soil Tillage Res.* 51, 129-137.

McCarthy, J.F. and Jimenez, B.D. (1985) Reduction in bioavailability to bluegills of polycyclic aromatic hydrocarbons bound to dissolved humic material, *Environ. Toxicol. Chem.* 4, 511-521.

MELO, R. O.; BALDOTTO, M. A.; BALDOTTO, L. E. B. Corn initial vigor in response to humic acids from bovine manure and poultry litter. *Semina: Ciências Agrárias, Londrina*, v. 36, n. 3, p. 1863-1874, 2015.

MENG, Q.-S., WANG, Z. & GAO, K.-B. (1995): Experimental studies on introduce and culture a fine variety of Ciwujia. In: H.-X. Kuang, N. Zhang & W.-H. Ye, ,95 Intern. Conf. Ginseng Allied Plants. 371-372. Heilongjiang College of T. C. M., Harbin, China

Molson, J.W., Frind, E.O., Van Stempvoort, D.R. and Lesage, S. (2001) Humic acid enhanced remediation of an emplaced diesel source in groundwater - 2. Numerical model development and application, *J. Contam. Hydrol.* 54, 277-305.

MOSER, M. (1963): Die Bedeutung der Mykorrhiza bei Aufforstungen unter besonderer Berücksichtigung von Hochlagen. In: Lyr, H. (eds.): *Mykorrhiza*. Fischer, Jena 407-424.

MOSER, M. (1963): The importance of mycorrhiza in afforestation with special consideration of high altitudes. In: Lyr, H. (eds.): *Mycorrhiza*. Fischer, Jena 407-424.

Muscolo, A., Felici, M., Concheri, G. and Nardi, S. (1993) Effect of earthworm humic substances on esterase and peroxidase activity during growth of leaf explants of *Nicotiana plumbaginifolia*, *Biol. Fertil. Soils* 15, 127-131.

MUTHUKUMAR, T., SHA, L., YANG, X., CAO, M., TANG, J. & ZHENG, Z. (2003): Mycorrhiza of plants in different vegetation types in tropical ecosystems of Xishuangbanna, southwest China. *Mycorrhiza* 13(6): 289-297

NARDI, S.; PIZZEGHELLO, D.; SCHIAVON, M.; ERTANI, A. Plant biostimulants: physiological responses induced by protein hydrolyzed-based products and humic substances in plant metabolism. *Scientia Agricola, Piracicaba*, v. 73, n. 1, p. 18-23, 2016.

Nutrient acquisition and eucalyptus growth affected by humic acid sources and concentrations Article in *SEMINA: CIENCIAS AGRARIAS* · August 2018 DOI: 10.5433/1679-0359.2018v39n4p1417

Nardi, S., Pizzeghello, D., Muscolo, A. and Vianello, A. (2002) Physiological effects of humic substances on higher plants, *Soil Biol. Biochem.* 34, 1527-1536.

Nardi, S., Concheri, G., Dell'Agnola, G. and Scrimin, P. (1991) Nitrate uptake and ATPase activity in oat seedlings in the presence of two humic fractions, *Soil Biol. Biochem.* 26, 1341-1346.

NOPAMORN BODI, O., ROJANASIRIWONG, W. & THAMSURAKUL, S. (1988): Production of VAM fungi, *Glomus intraradices* and *G. mosseae* in tissue culture. In: A.

Mahadevan, N. Raman & K. Natarajan, *Mycorrhizae for green Asia - Proceedings of the first asian conference on mycorrhizae*. 315-316. University of Madras, Madras, India

ÖPIK, M., MOORA, M., LIIRA, J. & ZOBEL, M. (2006): Composition of root-colonizing arbuscular mycorrhizal fungal communities in different ecosystems around the globe. *J. Ecol.* 94(4): 778-790

Olsen, C. (1929) On the influence of humus substances on the growth of green plants in water culture, *C.R. trav. Lab. Carlsberg.* 18, 1-16.

ORGANIC FERTILIZATION IN FORESTS; FEASIBILITY AND EFFECTS OF ITS APPLICATION. Results of a symposium in Mayerhofen i. Z., March 1994, G. GLATZEL, K. KATZENSTEINER, E. LEITGEB and H. HAGER (HRSG.)

PARLADÉ, J., ÁLVAREZ, I. F., & PERA, J. (1996): Ability of native ectomycorrhizal fungi from northern Spain to colonize Douglas-fir and other introduced conifers. *Mycorrhiza* 6 (1), 51-55.

Paszewski, A., Trojanowski, J. and Lobarzewska, W. (1957) Influence of the humus fraction on the growth of oat coleoptiles, *Annales Universitatis Marie Curie Sklodowska, Sklodowska* 12, 1-13.

PLENCHETTE, C. & DUPONNOIS, R. (2005): Growth response of the saltbush *Atriplex nummularia* L. to inoculation with the arbuscular mycorrhizal fungus *Glomus intraradices*. *J. Arid Environm.* 61(4): 535-540

Pinton, R., Cesco, S., Iacoletti, G., Astolfi, S. and Varanini, Z. (1999) Modulation of NO<sub>3</sub><sup>-</sup> uptake by water extractable humic substances: involvement of root plasma membrane H<sup>+</sup>-ATPase, *Plant Soil* 215, 155-161.

Prozorowskaya, A.A. (1936) The effect of humic acid and its derivatives on the uptake of nitrogen, phosphorus, potassium and iron by plants, in *Organo-mineral fertilizers, collected papers of Research Scientific Institute for Fertilizers, Insecticides, and Fungicides*, p. 127 (in Russian).

QUEREJETA, J.I., ROLDAN, A., ALBALADEJO, J. & CASTILLO, V. (1998): The role of mycorrhizae, site preparation, and organic amendment in the afforestation of a semi-arid Mediterranean site with *Pinus halepensis*. *Forest Science* 44 (2), 203-211.

Ram, N. and Verloo, M. (1983) Effect of natural complexants on the uptake of trace elements by barley and their extractable amounts in soil, *Agrochimica* 28, 13-19.

Raza Khan - Effect of humic substances alone and in combination with micronutrients on potato yield and nutrients status, December 2017, *New Zealand Journal of Agricultural Research* 11(5):24-9

Rauthan, B.S. and Schnitzer, M. (1981) Effects of a soil fulvic acid on the growth and nutrient content of cucumber (*Cucumis sativus*) plants, *Plant Soil* 63, 491-495.

Rea, E. and Pierandrei, F. (1994) Effects of fertilization with humic acids on soil and metabolism: a multidisciplinary approach, in N. Senesi, T. M. Miano (eds.), *Humic substances in the global environment and implications to human health*, Elsevier Science, Amsterdam, pp. 343-348.

Reed MS, Stringer LC. Climate change and desertification: anticipating, assessing and adapting to future change in drylands. In: *The 3rd UNCCD Scientific Conference on "Combating Desertification/Land Degradation and Drought for Poverty Reduction and Sustainable Development: The Contribution of Science, Technology, Traditional Knowledge and Practices"*; 2015 Mar 9–12; Cancún, Mexico; 2015

Reynolds JF, Smith DMS, Lambin EF, Turner BL 2nd, Mortimore M, Batterbury SPJ, et al. Global desertification: building a science for dryland development. *Science* 2007;316(5826):847–51.

Rogger, M; et. al. - Land use change impacts on floods at the catchment scale: Challenges and opportunities for future research. *WATER RESOUR RES.* 2017; 53(7): 5209-5219. WoS PubMed FullText FullText\_BOKU

ROSE, M. T.; PATTI, A. F.; LITTLE, K. R.; BROWN, A. L.; JACKSON, W. R.; CAVAGNARO, T. R. A Meta-analysis and review of plant-growth response to humic substances. *Advances in Agronomy, San Diego*, v. 124, n. 1, p. 38-89, 2014.

Samson, G. and Visser, S.A. (1989) Surface-active effects of humic acids on potato cell membrane properties, *Soil Biol. Biochem.* 21, 343-347.

Sathiyabama, K. and Selvakumari, G. (2001) Effect of humic acid on growth, yield and nutrition of *Amaranthus*, *South Ind. Hortic.* 49(Special): 155-156.

Sathiyabama, K. and Selvakumari, G. (2001) Effect of humic acid on growth, yield and nutrition of *Amaranthus*, *South Ind. Hortic.* 49(Special): 155-156.

Sato, T., Ose, Y. and Nagase, H. (1986) Desmutagenic effect of humic acid, *Mutat. Res.* 162, 173-178.

SCHMITZ, D. & WILLENBORG, A. (1992): Bedeutung der Mykorrhiza bei der Aufforstung. *Allgemeine Forst Zeitschrift* 8, 372-373.

SCHMITZ, D. & WILLENBORG, A. (1992): Importance of mycorrhiza in afforestation. *Allgemeine Forst Zeitschrift* 8, 372-373.

Solaiappan, U., Muthusankaranarayanan, A. and Muthusamy, P. (1995) Effect of humic acid on rainfed upland cotton (*Gossypium hirsutum*), *Ind. Agron.* 40, 156-157.

State Forestry Administration of the People's Republic of China. The national prevention and control of desertification plan (2011–2020). 2013. Chinese.

Stevenson, F.J.(1991)Organic matter-micronutrient reactions in soil, in J.J. Morevedt, F.R.Cox,L.M. Shuman, and R.M. Welch (eds.), *Micronutrient in agriculture Soil Science, Soc. of America, Madison*, pp. 145-186.

Syltie, P.W. (1985) Effects of very small amounts of highly active biological substances on plants growth, *Biol. Agricult. Hortic.* 2, 245-269.

Sun YB, Zhou QX, Xie XK, Liu R (2010) Spatial, sources and risk assessment of heavy metal contamination of urban soils in typical regions of Shenyang, China. *J Hazard Mater* 174: 455–462. 10.1016/j.jhazmat.2009.09.074 [PubMed] [CrossRef] [Google Scholar]

TAHIR, M. M.; KHURSHID, M.; KHAN, M. Z.; ABBASI, M. K.; KAZMI, M. H. Lignite-derived humic acid effect on growth of wheat plants in different soils. *Pedosphere, Beijing*, v. 21, n. 1. p. 124-131, 2011.

TAVARES, O. C. H.; SANTOS, L. A.; FERREIRA, L. M.; SPERANDIO, M. V. L.; ROCHA, J. G.; GARCÍA, A. C.; DOBBS, L. B.; BERBARA, R. L. L.; SOUZA, S. R.; FERNANDES, M. S. Humic acid differentially improves nitrate kinetics under low- and high-affinity systems and alters the expression of plasma membrane H<sup>+</sup>-ATPases and nitrate transporters in rice: Humic acid alters nitrate uptake kinetics, PM H<sup>+</sup>-ATPases and NRT expression. *Annals of Applied Biology, Hoboken*, v. 170, n. 1, p. 89-103, 2017.

The United Nations Convention to Combat Desertification (UNCCD): elaboration of an international convention to combat desertification in countries experiencing serious drought and/or desertification, particularly in Africa, U.N. Doc. A/AC.241/27, 33 I.L.M.1328 (Sep 12, 1994)

Vaughan, D., Malcom, R.E. and Ord, B.G. (1985) Influence of humic substances on biochemical processes in plants, in D. Vaughan and R.E. Malcom (eds.), *Soil organic matter and biological activity*, Martinus Nijhoff/Junk W Publishers, Dordrecht, pp. 77-108.

Varanini, Z., Pinton, R., De Biasi, M.G., Astolfi, S. and Maggioni, A. (1993) Low molecular weight humic substances stimulate H<sup>+</sup>-ATPase activity of plasma membrane vesicles isolated from oat (*Avena sativa* L.) roots, *Plant Soil* 153, 61-69.

Varanini, Z. and Pinton, R. (2001) Direct versus indirect effects of soil humic substances on plant growth and nutrition, in R. Pinton, Z. Varanini, and P. Nannipieri (eds.), *The Rhizosphere*, Marcel Dekker, Basel, pp.141-158.

Visser S.A. (1986) Effects of humic substances on plant growth, in *Humic substances effect on soil and plants*, Italy, Reda, pp. 89-135.

Wang, A.S., Angle, J.S., Chaney, R.L., Delorme, T.A., 2006a. Soil pH effects on uptake of Cd and Zn by *Thlaspi caerulescens*. *Plant Soil* 281, 325–337.

Wang, F., Wang, Z., Zhu, C., 2012a. Heteroexpression of the wheat phytochelatin synthase gene (TaPCS1) in rice enhances cadmium sensitivity. *Acta Biochim. Biophys. Sin.* 44, 886–893.

Wang F, Pan X, Wang D, Shen C, Lu Q. Combating desertification in China: past, present and future. *Land Use Policy* 2013;31:311–3.

Wang, G., Su, M.Y., Chen, Y.H., Lin, F.F., Luo, D., Gao, S.F., 2006b. Transfer characteristics of cadmium and lead from soil to the edible parts of six vegetable species in South-Eastern China. *Environ. Pollut.* 144 (1), 127–135.

Wang G, Wang X, Wu B, Lu Q. Desertification and its mitigation strategy in China. *J Resour Ecol* 2012;3(2):97–104.

Wang G, Zhao W. The spatio-temporal variability of groundwater depth in a typical desert-oasis ecotone. *J Earth Syst Sci* 2015;124(4):799–806.

Wang L, Yao T, Xu F, Han F, Guo C, Wang F, et al. Ecological environment conservation and restoration and sustainable development of Minqin oasis. *J Landscape Res* 2016;8(1):13–7.

Wang, Q., et al., 2016. Increased Biomass and Reduced Heavy Metal Accumulation of Edible Tissues of Vegetable Crops in the Presence of Plant Growth-promoting Neorhizobium huautlense T1–17 and Biochar. Vol. 228. pp. 9–18.

Wang, Q., et al., 2018b. Increased biomass and quality and reduced heavy metal accumulation of edible tissues of vegetables in the presence of Cd-tolerant and immobilizing *Bacillus megaterium* H3. *Ecotoxicol. Environ. Saf.* 148, 269–274.

Wang, S., et al., 2017b. Accumulation of heavy metals in soil-crop systems: a review for wheat and corn. *Environ. Sci. Pollut. Res.* 24 (18), 15209–15225.

Wang, S., et al., 2017c. Isolation of As-tolerant bacteria and their potentials of reducing As and Cd accumulation of edible tissues of vegetables in metal(loid)-contaminated soils. *Sci. Total Environ.* 579, 179–189.

Wang T, editor. *Deserts and aeolian desertification in China*. Beijing: Science Press; 2011.

Wang T, Zhao HL. Fifty-year history of China desert science. *J Desert Res* 2005;25(2):145–65. Chinese.

Wang T, Chen GT, Zhao HL, Dong ZB, Zhang XY, Zheng XJ, et al. Research progress on aeolian desertification process and controlling in north of China. *J Desert Res* 2006;26(4):507–16. Chinese.

Wang, Y., Qiao, M., Liu, Y., Zhu, Y., 2012b. Health risk assessment of heavy metals in soils and vegetables from wastewater irrigated area, Beijing-Tianjin city cluster, China. *J. Environ. Sci.* 24 (4), 690–698.

Wang, Yi, et al., 2018c. GmHMA3 sequesters Cd to the root endoplasmic reticulum to limit translocation to the stems in soybean. *Plant Sci.* 270, 23–29.

Weis JS, Weis P (2004) Metal uptake, transport and release by wetland plants: implications for phytoremediation and restoration. *Environ Int* 30: 685–700. [PubMed] [Google Scholar]

Winiwarter, V., Gerzabek, M.H. (Eds.)(2012): The challenge of sustaining soils: An integrated, long-term view on biomass production in agriculture and forestry and its natural and social ramifications. . In: V. Bruckman, E. Bruckmüller, M.H. Gerzabek, G. Glatzel, M. Popp & V.

Winiwarter (Series Eds.): *Interdisciplinary Perspectives*. 1, 189; Austrian Academy of Sciences Press, Vienna; ISBN: 978-3-7001-7212-3

Xiong, T., Austruy, A., Pierart, A., Shahid, M., 2016a. Kinetic study of phytotoxicity induced by foliar lead uptake for vegetables exposed to fine particles and implications for sustainable urban agriculture. *J. Environ. Sci.* 1–12.

Xiong, T., Dumat, C., Pierart, A., Shahid, M., Kang, Y., Li, N., Bertoni, G., Laplanche, C., 2016b. Measurement of metal bio accessibility in vegetables to improve human exposure assessments: field study of soil–plant–atmosphere transfers in urban areas, South China. *Environ. Geochem. Health* 38 (6), 1283–1301.

Xiong, T., Leveque, T., Austruy, A., et al., 2014. Foliar uptake and metal(loid) bio accessibility in vegetables exposed to particulate matter. *Environ. Geochem. Health* 36 (5), 897–909.

Xiong, T., et al., 2017. Copper oxide nanoparticle foliar uptake, phytotoxicity, and consequences for sustainable urban agriculture. *Environ. Sci. Technol.* 51 (9), 5242–5251.

Young, C.C. and Chen, Y. (1997) Polyamines in humic acid and their effect on radical growth of lettuce seedlings, *Plant Soil* 195, 143–149.

Xu X. (1986) The effect of foliar application of fulvic acid on water use, nutrient uptake and yield in wheat, *Aust. J. Agric. Res.* 37, 343–350.

Xu, L., et al., 2015. Accumulation status, sources and phytoavailability of metals in greenhouse vegetable production systems in Beijing, China. *Ecotoxicol. Environ. Saf.* 122, 214–220.

XU, J.; TAN, W.; XIONG, J.; WANG, M.; FANG, L.; KOOPAL, L. K. Copper binding to soil fulvic and humic acids: NICA-Donnan modeling and conditional affinity spectra. *Journal of Colloid and Interface Science, San Diego*, v. 473, n. 1, p. 141–151, 2016.

Yi ZJ, Zhao CH, Gu JY, Yang QG, Li Y, Peng K. Why can soil maintain its endless eco-cycle? The relationship between the mechanical properties and ecological attributes of soil. *Sci China-Phys Mech Astron* 2016;59(10):104621.

Yoon J, Cao XD, Zhou QX, Ma LQ (2006) Accumulation of Pb, Cu, and Zn in native plants growing on a contaminated Florida site. *Sci Total Envir* 368: 456–464. [PubMed] [Google Scholar]

Young, C.C. and Chen, Y. (1997) Polyamines in humic acid and their effect on radical growth of lettuce seedlings, *Plant Soil* 195, 143–149.

Zachariakis, M., Tzorakakis, E., Kritsotakis, I., Siminis, C.I. and Manios, V. (2001) Humic substances stimulate plant growth and nutrient accumulation in grapevine rootstocks, *Acta Horticult.* (ISHS) 549, 131–136.

Zhang, H., et al., 2018. Over-expression of the poplar expansin gene PtoEXPA12 in tobacco plants enhanced cadmium accumulation. *Int. J. Biol. Macromol.* 116, 676–682.

Zhang, R., et al., 2017b. Immobilization and bioavailability of heavy metals in greenhouse soils amended with rice straw-derived biochar. *Ecol. Eng.* 98, 183–188.

Zhang, W., Pang, F., Huang, Y., Yan, P., Lin, W., 2008. Cadmium exerts toxic effects on ovarian steroid hormone release in rats. *Toxicol. Lett.* 182, 18–23.

Zhang, X., Zhong, T., Liu, L., Ouyang, X., 2015. Impact of soil heavy metal pollution on food safety in China. *PLoS One* 10 (8), e0135182.

Zhang, X., et al., 2013. Using biochar for remediation of soils contaminated with heavy metals and organic pollutants. *Environ. Sci. Pollut. Res.* 20 (12), 8472–8483.

Zhang, et al., 2017a. Accumulation, sources and health risks of trace metals in elevated geochemical background soils used for greenhouse vegetable production in south-western China. *Ecotoxicol. Environ. Saf.* 137, 233–239.

Zhao, F.J., McGrath, S.P., 2009. Biofortification and phytoremediation. *Curr. Opin. Plant Biol.* 12, 373–380.

Zhao, Q., et al., 2014. Potential health risks of heavy metals in cultivated topsoil and grain, including correlations with human primary liver, lung and gastric cancer, in Anhui province, eastern China. *Sci. Total Environ.* 470–471, 340–347.

Zheng, et al., 2007. Population health risk due to dietary intake of heavy metals in the industrial area of Huludao city, China. *Sci. Total Environ.* 387 (1–3), 96–104.

Zhou, H., et al., 2016. Accumulation of heavy metals in vegetable species planted in contaminated soils and the health risk assessment. *Int. J. Environ. Res. Public Health* 13 (3), 289.

Zhu, S., et al., 2017. Magnetic nanoscale zerovalent iron assisted biochar: interfacial chemical behaviors and heavy metals remediation performance. *ACS Sustain. Chem. Eng.* 5 (11), 9673–9682.

Zhuang, P., McBride, M.B., Xia, H., Li, N., Li, Z., 2009. Health risk from heavy metals via consumption of food crops in the vicinity of Dabaoshan mine, South China. *Sci. Total Environ.* 407, 1551–1561.

Zou, B., Jiang, X., et al., 2017. An integrated h-g scheme identifying areas for soil re-mediation and primary heavy metal contributors: a risk perspective. *Sci. Report.* 7, 341.



## Effects of Humic Acid on Heavy Metal and Pesticides

Achtnich, C., Fernandes, E., Bollag, J.-M., Knackmuss, H.-J., Lenke, H. (1999) Covalent binding of reduced metabolites of [15N]TNT to soil organic matter during a bioremediation process analyzed by 15N NMR spectroscopy, *Environ. Sci. Technol.* 33, 4448-4456.

Aiken, G.R., McKnight, D.M. and MacCarthy, P. (1985) *Humic substances in soil, sediment, and water*, Wiley, New York.

Antoniadis, K.; Damalidis, K.; Dimirkou, A. Availability of Cu and Zn in an acidic sludge-amended soil as affected by zeolite application and liming. *J. Soils Sediments* 2012, 12, 396-401. [CrossRef]

Anisinova M. A. et. Al. – Detoxifying capacity of Humic Acids toward the Triphluraline Herbicide, *Soil chemistry* 1998

Anmad, R., Kookana, R., Alston, A., Skjemstad, J. (2001) The nature of soil organic matter affects sorption of pesticides. 1. Relationships with carbon chemistry as determined by 13C CPMAS NMR spectroscopy, *Environ. Sci. Technol.* 35, 878-884.

Ashmawy, A.M.; Ibrahim, H.S.; Moniem, S.M.A.; Saleh, T.S. Immobilization of some metals in contaminated sludge by zeolite prepared from local materials. *Toxicol. Environ. Chem.* 2012, 94, 1657-1669

Ashour A. Ahmed\* a,c,d, Oliver Kühna,d, Peter Leinweberb,d - How Soil Organic Matter Composition Controls Hexachlorobenzene-Soil-Interactions: Adsorption Isotherms and Quantum Chemical Modelling, a University of Rostock, Institute of Physics, D-18051 Rostock, Germany, b University of Rostock, Soil Science, D-18051 Rostock, Germany, c University of Cairo, Faculty of Science, Department of Chemistry, 12613 Giza, Egypt, d University of Rostock, Department of Life, Light and Matter, Interdisciplinary Faculty, D-18051 Rostock, Germany

Azam, F. and Malik, K.A. (1982) Effect of humic acids on seedling growth of wheat (*Triticum aestivum* L.) under different conditions, *Pak. J. Botany* 14, 47-48.

Balcke, G.U., Kulikova, N.A., Kopinke, F.-D., Perminova, I.V., Hesse, S., Frimmel, F. H. (2002) Adsorption of humic substances onto kaolin clay related to their structural features, *Soil Sci. Soc. Am. J.* 66, 1805-1812.

Balarezo, A.L., Jones, V.N., Yu, H. and Hwang, H-M. (2002) Influence of humic acid on 1-aminopyrene ecotoxicity during solar photolysis process, *Int. J. Mol. Sci.* 3, 1133-1144.

Banta GT, Hansen PE and Jacobsen OS. The influence of organic matter on sorption and fate of glyphosate in soil-comparing different soils and humic substances. *Environmental Pollution Journal*, 157: 2865-2870. 2009.

Barančíková<sup>1</sup>, G., J. Makovníková<sup>2</sup> The influence of humic acid quality on the sorption and mobility of heavy metals, <sup>1</sup>Soil Science and Conservation Research Institute, Prešov, Slovakia, <sup>2</sup>Soil Science and Conservation Research Institute, Banská Bystrica, Slovakia

Benedetti, M.F., Van Riemsdijk, W.H., Koopal, L.K., Kinniburgh, D.G., Gooddy, D.C., Milne, C.J. 1996. Metal ion binding by natural organic matter: from the model to the field. *Geochimica et Cosmochimica Acta.* 60, 2503-2513.

Berry, D.F., Boyd S.A. (1985) Decontamination of soil through enhanced formation of bound residues, *Environ. Sci. Technol.* 19, 1132-1133.

Blondeau R. (1989) Biodegradation of natural and synthetic humic acids by the white rot fungus *Phanerochaete chrysosporium*, *Appl. Environ. Microbiol.* 55, 1282-1285.

Bollag J.-M., Myers C. (1992) Detoxification of Aquatic and Terrestrial Sites through Binding of Pollutants to Humic Substances. *The Science of the Total Environment* 117/118, 357-366.

Bollag, J.-M. (1999) Effect of humic constituents on the transformation of chlorinated phenols and anilines in the presence of oxidoreductive enzymes or birnessite, *Environ. Sci. Technol.* 33, 2028-2034.

Boruvka, L., Drabek, O. 2004. Heavy metal distribution between fractions of humic substances in heavily polluted soils. *Plant, soil and Environment.* 50, 8, 339-345.

Bradley, P.M., Chapelle, F.H., and Lovley, D.R. (1998) Humic acids as electron acceptors for anaerobic microbial oxidation of vinyl chloride and dichloroethene, *Appl. Environ. Microbiol.* 64, 3102-3105.

Buchwalter, D.B., Linder, G., and Curtis, L.R. (1995) Modulation of cupric ion activity by pH and fulvic acid as determinants of toxicity in *Xenopus laevis* embryos and larvae, *Environ. Toxicol. Chem.* 15(4), 568-573.

Burkhard, L. P., (2000) Estimating dissolved organic carbon partition coefficients for non-ionic organic chemicals, *Environ. Sci. Technol.* 22, 4663-4668.

Carter C.W. & Suffet I.H. (1983) Interaction Between Dissolved Humic and Fulvic Acids and Pollutants in Aquatic Environment. *American Chemical Society Symposium Series* 225, 215- 229.

Cacco, G. and Dell'Agnola, G. (1984) Plant growth regulator activity of soluble humic complex, *Can. J. Soil Sci.* 62, 306-310.

Cacco, G., Attina, E., Gelsomino, A. and Sidari, M. (2000) Effect of nitrate and humic substances of different molecular size on kinetic parameters of nitrate uptake in wheat seedlings, *J. Plant Nutr. Soil Sci.* 163, 313-320.

Cao, Y., Competitive complexation of trace metals with dissolved humic acid. *Environmental Health Perspectives*, 1995. 103(suppl 1): p. 29-32.

Castaldi, P.; Santona, L.; Enzo, S.; Melis, P. Sorption processes and XRD analysis of a natural zeolite exchanged with Pb<sup>2+</sup>, Cd<sup>2+</sup> and Zn<sup>2+</sup> cations. *J. Hazard. Mater.* 2008, 156, 428-434. [CrossRef] [PubMed]

Celis, R., Cornejo, J., Hermosin, M.C., Koskinen, W.C. (1998) Sorption of atrazine and simazine by model associations of soil colloids, *Soil Sci. Soc. Am. J.* 62, 165-171.

Cervantes, F.J., Dijksma, W., Duong-Dac, T., Ivanova, A., Lettinga, G. and Field, J.A. (2001) Anaerobic mineralization of toluene by enriched sediments with quinones and humus as terminal electron acceptors, *Appl. Environ. Microbiol.* 67, 4471-4478.

Chefetz, B., Deshmukh, A.P., Hatcher, P.G., Guthrie, E.A. (2000) Pyrene sorption by natural organic matter, *Environ. Sci. Technol.* 34, 2925-2930.

Chen, Y., and Avaid, T. (1990) Effect of humic substances on plant growth, in P. MacCarthy, C.E. Clapp, R.L. Malcom, and P.R. Bloom (eds.), *Humic substances in soils and crop science: selected readings*, *Soil Sci. Soc. Am.*, Madison, pp.161-186.

Chin, Y. P., Aiken, G. R., and Danielsen, K. M., 1997, Binding of pyrene to aquatic and commercial humic substances: the role of molecular weight and aromaticity, *Environ. Sci. Technol.* 31: 1630-1635.

Chiou C.T., Malcolm R.L., Brinton T.I., Kile D.E. (1986) Water Solubility Enhancement of Some Organic Pollutants and Pesticides by Dissolved Humic and Fulvic Acids. *Environmental Science and Technology* 20, 502-508.

Chiou, C.T., Porter, P.E., Schmedding, D.W. (1983) Partition equilibria of nonionic organic compounds between soil organic matter and water, *Environ. Sci. Technol.* 17, 227-231.

Chiou, C. T., Kile, D. E., Brinton, T. I., Malcolm, R. L., Leenheer, J. A., and MacCarthy, P., 1987, A comparison of water solubility enhancements of organic solutes by aquatic humic materials and commercial humic acids, *Environ. Sci. Technol.* 21: 1231-1234.

Chiou, G., Kile, D., Rutherford, D., Sheng, G., Boyd, S. (2000) Sorption of selected organic compounds from water to a peat soil and its humic-acid and humin fractions: potential sources of the sorption nonlinearity, *Environ. Sci. Technol.* 34, 1254-1258.

Cincerová, A. (1964) The effect of humic acid on transamination in winter wheat plants, *Biol Plant (Prague)* 6, 183-188.

Clapp, C.E., Hayes, M.H.B., Senesi, N. and Griffith, S.M. (eds.) (1996) *Humic Substances and Organic Matter in Soil and Water Environments: Characterization, Transformations and Interactions*, IHSS Inc., St. Paul, MN, USA.

Clapp, C.E., Hayes, M.H.B. and Swift, R.S. (1993) Isolation, fractionation, functionalities, and concepts of structure of soil organic macromolecules, in A.J. Beck, K.C. Jones, M.B.H. Hayes, and U. Mingelgrin (eds.), *Organic substances in soil and water*, Royal Society of Chemistry, Cambridge.

Clapp, C.E., Chen, Y., Hayes, M.H.B., Cheng, H.H. (2001) Plant growth promoting activity of humic substances, in R.S. Swift, K.M. Sparks (eds.), *Understanding and Managing Organic Matter in Soils, Sediments, and Waters*, International Humic Science Society, Madison, pp. 243-255.

Clemente, R., Bernal, M.P. 2006. Fractionation of heavy metals and distribution of organic carbon in two contaminated soils amended with humic acids. *Chemosphere*. 64, 8,1264-1273.

Condie, L.W., R.D. Laurie, and J.P. Bercz, Subchronic toxicology of humic acid following chlorination in the rat. *Journal of Toxicology and Environmental Health*, 1985. 15: p. 305-314.

Cooper, R.J., Liu, C. and Fisher, D.C. (1998) Influence of humic substances on rooting and nutrient content of creeping bentgrass, *Crop Sci.* 38,1639-1644.

Cozzi, R., Nicolai, M., Perticone, P., De Salvia, R. and Spuntarelli, F. (1993) Desmutagenic activity of natural humic acids: inhibition of mitomycin C and maleic hydrazide mutagenicity, *Mutat. Res.* 299, 37-44.

Cozzolino, A. and Piccolo, A. (2002) Polymerization of dissolved humic substances catalyzed by peroxidase, Effects of pH and humic composition, *Org. Geochem.* 33, 281-294.

Croué, J.-P., Benedetti, M.F., Violleau, D. and Leenheer, J.A. (2003) Characterization and copper binding of humic and non-humic organic matter isolated from the South Platte River: Evidence for the presence of nitrogenous binding site, *Environ. Sci. Technol.* 37(2), 328-336.

Curtis, G.P., and Reinhard, M. (1994) Reductive dehalogenation of hexachlorethane, carbon-tetrachloride, and bromoform by anthrahydroquinone disulfonate and humic acid, *Environ. Sci. Technol.* 28, 2393-2401.

Datta, A., Sanyal, S. K., Saha, S. 2001. A study of natural and synthetic humic acids and their complexing ability towards cadmium. *Plant Soil.* 235,115-125.

David, P.P., Nelson, P.V. and Sanders, D.C. (1994) A humic acid improves growth of tomato seedlings in solution culture, *J. Plant Nutr.* 17, 173-184.

De Nobili M., Petrusi F. - Humification Index (HI) as Evaluation of the Stabilization Degree during Composting, Istituto di Produzione Vegetale, University of Udine, P.le M. Kolbe 4, 33100 Udine, Italy, *J. Ferment. Techn.* Vol. 66, No. 5,577-583. 1988

De Nobili et. al. - Interactions between Organic Model Compounds and Pesticides with Water-soluble Soil Humic Substances, *Acta hydrochim. hydrobiol.* 29 (2001) 2-3, 88-99

De Nobili et. al. - Coupled ICP-AES-SEC study of Pb and Zn complexation in long-term contaminated soils, Research Institute of Crop Production, Drnovska 507, 161 06 Prague 6 - Ruzyně, Czech Republic, muhlbachova@vurv.cz, tel:+420 233 022 205, fax: +420 233 310 636, 2 Dipartimento di Scienze Agrarie ed Ambientali, University of Udine, Via delle Scienze 208, 33100 Udine, Italy

De Nobili - Humification index (HI) as evaluation of the stabilization degree during composting *Journal of Fermentation Technology*, 1988

Dell'Agnola, G., Ferrari, G., Nardi, S. (1981) Antidote action of humic substances on atrazine inhibition of sulphate uptake in barley roots, *Pestic. Biochem. Physiol.* 15, 101-104.

Dell'Agnola, G. and Nardi, S. (1987) Hormone-like effect of enhanced nitrate uptake induced by depolycondensed humic fractions obtained from *Allobophora rosea* and *A. caliginosa* faeces, *Biol. Fertil. Soils* 4, 115-118.

Draber W., Tietjen, K., Kluth, J. F., and Trebst, A., 1991, Herbicides in photosynthesis research, *Angew. Chem. Ed. Engl.* 30: 1621-1633.

Doll, T.E., Frimmel, F.H., Kumke, M.U., Ohlenbusch, G. (1999) Interaction between natural organic matter (NOM) and polycyclic aromatic compounds (PAC) - comparison of fluorescence quenching and solid phase microextraction (SPME), *Fres. J. Anal. Chem.* 364, 313-319.

Dunstone, R.L., Richards, R.A. and Rawson, H.M. (1988) Variable responses of stomatal conductance, growth, and yield to fulvic acid applications to wheat, *Aust. J. Agric. Res.* 39, 547-553.

Ermakov, E.I, Kitorova, I.N. and Skobeleva, O.V. (2000) Effect of humus acids on the mechanical properties of cell walls, *Rus. J. Plant Physiol.* 47, 518-525.

Evangelou, V.P., Mars, M. 2001. Composition and metal ion complexation behaviour of humic fractions derived from corn tissue, *Plant Soil.* 229,13-24.

Evangelou, M.W.H., Daghan, H., Schaeffer, A. 2004. The influence of humic acids on the phytoextraction of cadmium from soil. *Chemosphere.* 57, 3, 207-213.

Fein, J.B., Boily, J.-F., Guclu, K. and Kaulbach, E. (1999) Experimental study of humic acid adsorption onto bacteria and Al-oxide mineral surfaces, *Chem. Geol.* 162, 33-45.

Ferrara, G., Loffredo, E., Simeone, R. and Senesi, N. (2000) Evaluation of antimutagenic and desmutagenic effects of humic and fulvic acids on root tips of *Vicia faba*, *Environ. Toxicol.* 15, 513- 517.

Field, J.A., and Cervantes, F.J. (2005) Microbial redox reactions mediated by humus and structurally related quinones, in I.V. Perminova, N. Hertkorn, K. Hatfield, Use of humic substances to remediate polluted environments: from theory to practice, Chapter 17, pp. 343-364 (this volume).

Fielding, M., D. Barcelo, A. Helweg, S. Galassi, L. Torstensson, P. Readman, J.W., T.A. Albanis, D. Barcelo, S. Galassi, J. Tronczynski, Van Zoonen, R. Wolter and G. Angeletti. (1992) Pesticides in ground water and drinking water, *Water Pollut. Res. Rep.* 27, p. 1-136.

Filip, Z., Kanazawa, S. and Berthelin, J. (2000) Distribution of microorganisms, biomass ATP, and enzyme activities in organic and mineral particles of a long-term wastewater irrigated soil, *J. Plant Nutr. Soil Sci.* 163, 143-150.

Filip, Z. and Berthelin, J. (2001) Analytical determination of the microbial utilization and transformation of humic acids extracted from municipal refuse, *Fresenius J. Anal. Chem.* 371, 675- 681.

Fortun, C., Rapsch, S. and Ascaso, C. (1985) Action of humic acid preparations on leaf development, mineral elements contents and chloroplast ultrastructure of ryegrass plants, *Photosynthetica* 19, 294- 299.

Frimmel, F.H., Assenmacher, M., Sörensen, M., Abbt-Braun, G., Gräbe, G., 1999. Removal of hydrophilic pollutants from water with organic absorption polymers. *Chemical. Engineering and Processing*, 38, 601-610.

- Frimmel, F.H., Abbt-Braun, G., Hambsch, B., Huber, S., Scheck, S., and Schimiedel, U. (1994) Behaviour and functions of freshwater humic substances some biological, physical and chemical aspects, in N. Senesi and T.M. Miano, (eds.), Humic substances in the global environment and implications on human health, Elsevier Science, New-York, pp. 735-755.
- Fu, Q.S., Barkovskii, A.L. and Adriaens, P. (1999) Reductive transformation of dioxins: An assessment of the contribution of dissolved organic matter to dechlorination reactions, *Environ. Sci. Technol.* 33, 3837-3842.
- Fuchs V, Kühnert M, Golbs S. Detoxifizierende Wirkung von Huminsäuren gegenüber ausgewählten Schadstoffen. *Mh Vet-Med.* 1986;41:712-3.
- Fuchs V, Kuehnert M, Golbs S. Detoxifying effect of humic acids against selected pollutants. *Mh Vet-Med.* 1986;41:712-3.
- Fukushima, M., Nakayasu, K., Tanaka, Sh., Nakamura, H. (1997) Speciation analysis of chromium after reduction of chromium (VI) by humic acid, *Toxicol. Environ. Chem.* 62, 207-215.
- Fukushima, M. and Tatsumi, K. (2001) Functionalities of humic acid for the remedial processes of organic pollutants, *Analyt. Sci.* 17, i821-i823.
- Gamble, D.S., Khan, S.U. (1988) Atrazine hydrolysis in aqueous suspension of humic acid at 25.0C, *Can. J. Chem.* 66, 2605-2617.
- Gauthier, T. D., Seitz, W. R., and Grant, C. L., 1987, Effects of structural and compositional variations of dissolved humic materials on pyrene KOC values, *Environ. Sci. Technol.* 21: 243-248.
- Gao W., Huang, Y. 2009. Effects of humic acid and compost on speciation transformation of zinc and lead in soil. *Chinese Journal of Environmental Engineering.* 3, 3, 549-554.
- Gelley, A., Retrospective evaluation of the data of patients treated with humic acid metal complex, 1995, Hospital of the Hungarian Railways: Budapest.
- Genevini, P.L., Sacchi, G.A. and Borio, D. (1994) Herbicide effect of atrazine, diuron, linuron and prometon after interaction with humic acids from coal, in N. Senesi and T.M. Miano (eds.), Humic substances in the global environment and implications on human health, Elsevier Science, New-York, pp. 1291-1296.
- Genevini, P.L., Sacchi, G.A. and Borio, D. (1994) – Herbicide effect of Atrazine, Diuron, Linuron and Prometon after interaction with humic acid from coal, *Environ. Sci. Technol.* 1994, vol. 5, pp. 1291-1295

- Gensemer, R. W., Dixon, D. G., and Greenberg, B. M., 1998, Amelioration of the photo-induced toxicity of polycyclic aromatic hydrocarbons by a commercial humic acid, *Ecotoxicol. Environ. Safe.* 39: 57-64.
- Ghaemi >N., De Nobili - Ultrafiltration behavior of nitrophenols in the presence of humic substances a Membrane Research Centre, Department of Chemical Engineering, Razi University, Tagh Bostan, 67149 Kermanshah, Iran, b Agricultural and Environmental, Department of Science, Udine University, Science 208, 33100 Udine, Italy, c Nanoscience and Nanotechnology Research Centre (NNRC), Department of Chemistry, Razi University, Tagh Bostan, 67149 Kermanshah, Iran, *Journal of Membrane Science* 331 (2009) 126-136
- Glynn, A.W., - Fulvic and humic acids decrease the absorption of cadmium in the rat intestine. *Archives of Toxicology*, 1995. 70: p. 28-33.
- Golab T. et. Al. – Fate of 14C Trifluralin in soil, *J. Agric. Food Chem.*, 1979, vol. 27, pp. 163-179
- Golbs S, Kühnert M, Fuchs V. Beeinflussung der akuten Toxizität von ausgewählten Pestiziden durch Huminsäuren. *Z Ges Hyg.* 1984;30(12):720-3.
- Golbs S, Kuehnert M, Fuchs V. Influence of humic acids on the acute toxicity of selected pesticides. *Z Ges Hyg.* 1984;30(12):720-3.
- Gorovaya, A.I., Orlov, D.S. and Shcherbenko, O.V. (1995) Humic substances: structure, functions, mode of action, protective properties, role in the environment, *Naukova dumka, Kiev.*
- Gramss, G., Ziegenhagen, D., and Sorge, S. (1999) Degradation of soil humic extract by wood- and soil-associated fungi, bacteria, and commercial enzymes, *Microbiol. Ecol.* 37, 140-151.
- Gu, B.H. and Chen, J. (2003) Enhanced microbial reduction of Cr(VI) and U(VI) by different natural organic matter fractions, *Geochim. Cosmochim. Acta* 67, 3575-3582.
- Gunesakara, A.S., Xing, B. (2003) Sorption and desorption of naphthalene by soil organic matter: importance of aromatic and aliphatic components, *J. Environ. Qual.* 32, 240-246.
- Haitzer, M., Abbt-Braun, G., Traunsburger, W., Steinberg, C.E.W., 1999. Effects of humic substances on the bioconcentration of polycyclic aromatic hydrocarbons: correlations with spectroscopic and chemical properties of humic substances. *Environ. Toxicol. Chem.* 18, 2782-2788.

Hamidpour, M.; Afyuni, M.; Kalbasi, M.; Khoshgoftarmanes, A.H.; Inglezakis, V.J. Mobility and plant-availability of Cd(II) and Pb(II) adsorbed on zeolite and bentonite. *Appl. Clay Sci.* 2010, 48, 342–348. [CrossRef]

Hayes M.B.N. – Adsorption of Triazine Herbicides on soil organic matter, *Res. Rev.* 1970, vol. 32, pp.131-174

Haynes, R.J., and Mokolobate, M.S. (2001) Amelioration of Al toxicity and P deficiency in acid soils by additions of organic residues: a critical review of the phenomenon and the mechanisms involved, *Nutrient Cycling in Agroecosystems* 59, 47–63.

Helburn, R.S., MacCarthy, P. (1994) Determination of some redox properties of humic acid by alkaline ferricyanide titration, *Anal. Chim. Acta* 295, 263–272.

Hertkorn, K. Hatfield, Use of humic substances to remediate polluted environments: from theory to practice, Chapter 10, pp. 203-232 (this volume).

Hillitzer, A. (1932) Über den einfluss der humusstoffe auf das wurzelwachstum, *Beihefte zum Botanischen Zentralblatt* 49, 467-480.

Hillitzer, A. (1932) On the influence of humic substances on root growth, supplement to the *Botanische Zentralblatt* 49, 467-480.

Hongve, D., Skogheim, O. K., Hindar, A., and Abrahamsen, H., 1980, Effect of heavy metals in combination of NTA, humic acid, and suspended sediment on natural phytoplankton photosynthesis, *Bull. Environ. Contam. Toxicol.* 25: 594–600.

Hudák, A., et al., Effect of the consumption of humic acid with bound complex micro elements in cases of occupational cadmium exposure. *Central European Journal of Occupational and Environmental Medicine*, 1997. 3(3): p. 175-186.

Hura, J. and Schlautman, M. A., 2004, Influence of humic substance adsorptive fractionation on pyrene partitioning to dissolved and mineral-associated humic substances, *Environ. Sci. Technol.* 38: 5871–5877.

Ibrahim, H.S.; Jamil, T.S.; Hegazy, E.Z. Application of zeolite prepared from Egyptian kaolin for the removal of heavy metals: II. Isotherm models. *J. Hazard. Mater.* 2010, 182, 842–847. [CrossRef] [PubMed]

Interaction of imidazolinone herbicides with soil humic acids. Experimental results and molecular modeling. *J. Environ. Sci. Health B* 36:107–125.

Iswaran, V., Sen, A. and Vimal, O.P. (1973) Influence of humus spray on the yield of soybean *Glycine max* var, *Clark. Sci. Cult.* 39, 143-144.

Jiang, Y., Yuan, J., Lu, Z., Wang, A., Chen, H. 2005. The effect of humic acid on species of Cu, Cd, Pb, Zn in sewage farm. *Journal of Northwest Normal University (Natural Science)*. 41, 6, 42-46.

Jones, K.D. and Tiller, C.L. (1999) Effect of solution chemistry on the extent of binding of phenanthrene by a soil humic acid: A comparison of dissolved and clay bound humic, *Environ. Sci. Technol.* 33, 580-587.

Kalis, E.J., Temminghoff, E.J., Weng, L. 2006. Effects of humic acid and competing cations on metal uptake by *Lolium perenne*. *Environmental Toxicology and Chemistry*. 25,3, 702-711.

Kaiser K., Zech W. (1998) Soil Dissolved Organic Matter Sorption as Influenced by Organic and Sesquioxide Coatings and Sorbed Sulfate. *Soil Science Society of America Journal* 62, 129- 136.

Kandeler, E., Stemmer, M. and Klimanek, E-M. (1999) Response of soil microbial biomass, urease and xylanase within particle-size fractions to long-term soil management, *Soil Biol. Biochem.* 31, 261-273.

Kang, S. and Xing, B., 2005, Phenanthrene sorption to sequentially extracted soil humic acids and humins, *Environ. Sci. Technol.* 39: 134–140.

Karickhoff, S.W., Brown, D.S., Scott, T.A. (1979) Sorption of hydrophobic pollutants on natural sediments, *Wat. Res.* 13, 241-248.

Karvelas, M.; Katsoyiannis, A.; Samara, C. Occurrence and fate of heavy metals in the wastewater treatment process. *Chemosphere* 2003, 53, 1201–1210

Kaschl, A., Chen, Y. (2005) Interactions of humic substances with trace metals and their stimulatory effects on plant growth, in I.V. Perminova, N. Hertkorn, K. Hatfield, Use of humic substances to remediate polluted environments: from theory to practice, Chapter 4, pp. 83-114 (this volume).

Kearney Ph. C. et. Al. – Degradation of Pesticides, 1969, New York, Dekker

Keck, A., Klein, J., Kudlich, M., Stolz, A., Knackmuss, H.J. and Mattes, R. (1997) Reduction of azo dyes by redox mediators originating in the naphthalene sulfonic acid degradation pathway of *Sphingomonas* sp. strain BN6, *Appl. Environ. Microbiol.* 63, 3684-3690.

Klavins, M., Dipane, J., Babre, K. (2001) Humic substances as catalysts in condensation reactions, *Chemosphere* 44, 737-742.

Khalaf, M., Kohl, S.D., Klumpp, E., Rice, J., Tombacz, E. (2003) Comparison of sorption domains in molecular weight fractions of a soil humic acid using solid-state <sup>13</sup>C NMR, *Environ. Sci. Technol.* 37, 2855-60.

Kholodov, V.A., Kovalenko, A.N., Kulikova, N.A., Lebedeva, G.F., and Perminova, I.V. (2004) Enhanced detoxifying ability of hydroquinones-enriched humic derivatives with respect to copper, in L. Martin-Neto, D. Milori, D., W. Silva (eds), *Humic substances and soil and water environment, Proceedings of the 12th International Meeting of IHSS, Sao Pedro, Sao Paulo, Brazil, July 25-30, 2004, Sao Pedro, Sao Paulo, Embrapa Instrumentacao Agropecuaria*, pp. 189-191.

Khristeva, L.A. (1970) Theory of humic fertilizers and their practical use in the Ukraine, in Robertson R.A. (ed.), *2-nd International Peat Congress, Leningrad, HMSO, Edinburgh*, pp. 543-558.

Khristeva, L.A. (1953) The participation of humic acids and other organic substances in the nutrition of higher plants, *Pochvovedenie* 10, 46-59.

Klavins, M., Dipane, J., Babre, K. (2001) Humic substances as catalysts in condensation reactions, *Chemosphere* 44, 737-742.

Kirschner, R.A.Jr., Parker, B.C. and Falkinham, J.O.III. (1999) Humic and fulvic acids stimulate the growth of *Mycobacterium avium*, *FEMS Microbiol. Ecol.* 30, 327-332.

Kido, T., et al., Dose-response relationship between dietary cadmium intake and metallothioneinuria in a population from a cadmium-polluted area of Japan. *Toxicology*, 1991. 66: p. 271-278.

Kollist-Siigur, K., T. Nielsen, C. Grøn, P. E. Hansen, C. Helweg, K. E. Jonassen, O. Jørgensen, and U. Kirso. 2001. Sorption of polycyclic aromatic compounds to humic and fulvic acid HPLC column materials. *J. Environ. Qual.* 30:526-537.

Kopinke, F.-D., Georgi, A., Mackenzie, K., Kumke, M. (2002) Sorption and chemical reactions of PAHs with dissolved humic substances and related model polymers, in F.H. Frimmel (ed.), *Refractory organic substances in the environment*, John Wiley, Heidelberg, Germany, pp. 475-515.

Kopinke, F.-D., Poerschmann, J., Georgi, A. (1999). Application of SPME to study sorption phenomena on dissolved humic organic matter, in J. Pawliszyn (ed.), *Applications of SPME, RSC Chromatographic Monographs*, Cambridge, UK, pp 111-128.

Koukal, B., Gueguen, C., Pardos, M., and Dominik, J., 2003, Influence of humic substances on the toxic effect of cadmium and zinc to the green algae *Pseudokirchneriella subcapitata*, *Chemosphere* 53: 953-961.

Kosobucki, P.; Kruk, M.; Buszewski, B. - Immobilization of selected heavy metals in sewage sludge by natural zeolites. *Bioresour. Technol.* 2008, 99, 5972-5976. [CrossRef] [PubMed]

Kovalenko, A., Youdov, M., Perminova I., Petrosyan, V. (2004). Synthesis and characterization of humic derivatives enriched with hydroquinone and catecholic moieties. In: *Humic substances and soil and water environment. Proceedings of the 12th International Meeting of IHSS. Sao Pedro, Sao Paulo, Brazil, July 25-30, 2004.* Martin-Neto, L., Milori, D., Silva, W. (Eds). Sao Pedro, Sao Paulo. Embrapa Instrumentacao Agropecuaria, pp. 472-474.

Kristoffer, E.N., Jonassen, K.E.N., Nielsen, T. and Hansen, P.E. (2002) The application of high-performance liquid chromatography humic acid columns in determination of Koc of polycyclic aromatic compounds, *Environ. Toxicol. Chem.* 22(4), 741-745.

Kress B.M. et al. - Interactions between Humic substances and aromatic Hydrocarbons, *Chem. Erde*, 1977, vol. 36, pp.209-217

Kruzynski, George - Cadmium in oysters and scallops: The BC experience, Fisheries and Oceans Canada, Marine Environmental Quality Division, Institute of Ocean Sciences, 9860 West Saanich Road, Sidney, BC, Canada V8L 4B2

Kulikowska, D.; Gusiatin, Z.M.; Bulkowska, K.; Kierklo, K. Humic substances from sewage sludge compost as washing agent effectively remove Cu and Cd from soil. *Chemosphere* 2015, 136, 42-49. [CrossRef] [PubMed]

Kulikowska, D.; Gusiatin, Z.M.; Bulkowska, K.; Klik, B. Feasibility of using humic substances from compost to remove heavy metals (Cd, Cu, Ni, Pb, Zn) from contaminated soil aged for different periods of time. *J. Hazard. Mater.* 2015, 300, 882-891.

Kulikowska, D. Kinetics of organic matter removal and humification progress during sewage sludge composting. *Waste Manag.* 2016, 49, 196-203. [CrossRef] [PubMed]

Kulikova, N.A., Dashitsyrenova, A.D., Perminova, I.V. and Lebedeva G.F. (2003) Auxin-like activity of different fractions of coal humic acids, *Bulgarian J. Ecol. Sci.* 2(3-4), 55-56.

Kulikova, N. A. and Perminova, I. V., 2002, Binding of atrazine to humic substances from soil, peat, and coal related to their structure. *Environ. Sci. Technol.* 36: 3720-3724.

Kulikova, N. A., Stepanova, E. V., and Koroleva, O. V., 2005, Mitigating activity of humic substances: direct influence on biota, in: I.V. Perminova, K. Hatfield, and N. Hertkorn (eds.) Use of Humic Substances to Remediate Polluted Environments: From Theory to Practice, NATO Science Series, IV: Earth and Environmental Sciences 52, Springer, Dordrecht, The Netherlands, pp. 285-310.

Laird, D.A., Yen, P.Y., Koskinen, W.C., Steinheimer, T.R., and Dowdy, R.H. (1994) Sorption of atrazine on soil clay components, *Environ Sci. Technol.* 28, 1054-1061.

Landrum, P.F., Reinhold, M.D., Nihart, S.R. and Eadie, B.J. (1985) Predicting the bioavailability of organic xenobiotics to *Pontoporeia hoyi* in the presence of humic and fulvic materials and natural dissolved organic matter, *Environ. Toxicol. Chem.* 4, 459-467.

Landrum, P.F., Nihart, S.R., Eadie, B.J. and Gardner, W.S. (1984) Reverse-phase separation method for determining pollutant binding to Aldrich humic acid and dissolved organic carbon of natural waters, *Environ. Sci. Technol.* 18, 187-192.

Laor, Y., Farmer, W.J., Aochi, Y., Strom, P.F., (1998) Phenanthrene binding and sorption to dissolved and mineral-associated humic acid, *Water Res.* 32, 1923-1931.

LeBoeuf, E.J., Weber, W.J. Jr. (1997) A distributed reactivity model for sorption by soils and sediments. 8. Sorbent organic domains: discovery of a humic acid glass transition and an argument for a polymer-based model, *Environ. Sci. Technol.* 31, 1697-1702.

LeBoeuf, E., Weber, W. Jr. (2000) Macromolecular characteristics of natural organic matter. 2. Sorption and desorption behavior, *Environ. Sci. Technol.* 34, 3632-3640.

Leversee, G.J., Landrum, P.F., Giesy, J.P. and Fannin, T. (1983) Humic acids reduce bioaccumulation of some polycyclic aromatic hydrocarbons, *Can. J. Fish. Aquat. Sci.* 40, 63-

Lesage, S., Novakowski, K.S., Brown, S. and Millar, K. (2001) Humic acids enhanced removal of aromatic hydrocarbons from contaminated aquifers: developing a sustainable technology, *J. Environ. Sci. Health A* 36(8), 1515-1533.

LI H, SHENG GY, TEPPEN BJ, JOHNSTON CT, BOYD SA 2003: Sorption and desorption of pesticides by clay minerals and humic acid-clay complexes. *Soil Sci Soc Am J* 67: 122-131

Li, J., Chen, H., Chen, Y., Yang, X. 2003. Effects of phyto-availability on Hg, Cd, Pb in soil by humus. *Journal of Sichuan Agricultural University.* 21,3, 235-237.

Li Wan-Chi et.al. - Effect of humic acids on the bioremediation of polycyclic aromatic hydrocarbons from aquifers contaminated with petroleum Suzanne Lesage, Kelly Millar, Susan Brown and Dickson Liu, National Water Research Institute Environment Canada, Acute systemic toxicity studies of natural product and synthetic humates. Laub, R. Laub BioChem Corp, August 1998. [www.laubbiochem.com](http://www.laubbiochem.com).

Lipski, M., Slawinski, J. and Zych, D. (1999) Changes in the luminescent properties of humic acids induced by UV radiation, *J. Fluorescence* 9, 133-138.

Liu R. et. Al. - Stability of complexes formed by the herbicide Napropamide and soluble Humic Acid, Proc. 7th Int. Conf. Humic substances. Soc. Clapp C.E. et. Al. 1996, pp 305-315

LIVENS Fr. 1991: Chemical-reactions of metals with humic material. *Environ Pollut* 70: 183-208

Loffredo, E., Senesi, N. and D'Orazio, V. (1997) Effect of humic acids and herbicides, and their combinations on the growth of tomato seedlings in hydroponics, *Z. Pflanzenernaehr. Bodenk.* 160, 455-461.

Ma, H., Kim, S.D., Cha, D.K., and Allen, H.E. (1998) Effect of kinetics of complexation by humic acid on toxicity of copper to *Ceriodaphnia dubia*, *Environ. Toxicol. Chem.* 18(5), 828-837. 33

Mackowiak, C.L., Grossl, P.R. and Bugbee, B.G. (2001) Beneficial effects of humic acid on micronutrient availability to wheat, *Soil Sci. Soc. Am. J.* 65, 1744-1750.

Madronová, L., J. Kozler, J. Cežíková, J. Nováková, and P. Janoš. 2001. Humic acids from coal of the North-Bohemia coal field. III. Metal-binding properties of humic acids—measurements in a column arrangement. *React. Func. Polym.* 47:119-123.

Mazzei P and Piccolo A. Quantitative evaluation of noncovalent interactions between glyphosate and dissolved humic substances by NMR spectroscopy. *Environmental Science Technology*, 5; 46: 5939-5946. 2012.

Magyar, K. and J. Lengyel, Pharmacokinetics of Strontium Ruthenium humic acid complexes, Semmelweis Medical University, Central Isotope Laboratory: Budapest.

McCarthy, J. F., Roberson, L. E., and Burris, L. W., 1989, Association of benzo(a)pyrene with dissolved organic matter: prediction of  $K_{dom}$  from structural and chemical properties of the organic matter, *Chemosphere* 19: 1911-1920.

McCarthy, J. F., Jimenez, B. D., and Barbee, Th., 1985, Effect of dissolved humic material on accumulation of polycyclic aromatic hydrocarbons: structure-activity relationships, *Aquat. Toxicol.* 7: 15-24.

McCarthy J.F. & Jimenez B.D. (1985) Interaction Between Polycyclic Aromatic Hydrocarbons and Dissolved Humic Material: Binding and Dissociation. *Environmental Science and Technology* 19, 1072-1076.

Maggioni, A., Varanini, Z., Nardi, S. and Pinton, R. (1987) Action of soil humic matter on plant roots: stimulation of ion uptake and effects on (Mg<sup>2+</sup> + K<sup>+</sup>) ATPase activity, *Sci. Total Environ.* 62, 355-363.

Malcom, R.E. and Vaughan, D. (1979) Humic substances and phosphatase activities in plant tissues, *Soil Biol. Biochem.* 11, 65-72.

Mao, J.D., Hundal, L., Thompson, M., Schmidt-Rohr, K. (2002) Correlation of poly(methylene)-rich amorphous aliphatic domains in humic substances with sorption of a nonpolar organic contaminant phenanthrene, *Environ. Sci. Technol.* 36, 929-936.

Mazhul, V.M., Prokopova, Zh.V., and Ivashkevich, L.S. (1993) Mechanism of peat humic acids action on membrane structural status and functional activity of the yeast cells, in *Humic Substances in Biosphere*, Moscow, Nauka, pp. 151-157 (in Russian).

Meng Jie, 1, 3, 4 Wenxiong Wang, 5 Li Li, 1, 3, 4 Qi Yin, 6 and Guofan Zhang 1, 2, 4 - Cadmium effects on DNA and protein metabolism in oyster (*Crassostrea gigas*) revealed by proteomic analyses, PMID: PMC5601910, PMID: 28916745

Mézin, L. C., and Hale, R. C., 2003, Effect of humic acids on toxicity of DDT and chlorpyrifos to freshwater and estuarine invertebrates, *Environ. Toxicol. Chem.* 23: 583- 590.

Ming Cong, Jiasen Lü, Huifeng Wu, Jianmin Zhao - Effect of cadmium on the defense response of Pacific oyster *Crassostrea gigas* to *Listonella anguillarum* challenge, *Chinese Journal of Oceanology and Limnology*, September 2013, Volume 31, Issue 5, pp 1002-1009 | Cite as Supported by the 100 Talents Program of Chinese Academy of Sciences, the Development Plan of Science and Technology in Shandong Province (No. 2012GGA06032), and the Key Deployment Program of Chinese Academy of Sciences (No. KZZD-EW-14-03)

Misra, V., Pandey, S.D. and Viswanathan, P.N. (2000) Effect of humic acid on the bioavailability of - hexachlorocyclohexane in *Marsilea minuta* (L.), *Environ. Monitor. Assessment* 61, 229-235.

MOSLEY Randy, MORRIS AND MOSLEY, INC. - THE EFFECTS OF HUMATES ON REMEDIATION OF HYDROCARBON AND SALT CONTAMINATED SOILS, This paper was prepared for the 5 International Petroleum Environmental Conference to be held in Albuquerque, New Mexico, October 20th - 23, 1998.

Molson, J.W., Frind, E.O., Van Stempvoort, D.R. and Lesage, S. (2001) Humic acid enhanced remediation of an emplaced diesel source in groundwater - 2. Numerical model development and application, *J. Contam. Hydrol.* 54, 277-305.

Mondini C., De Nobili -. Response of microbial biomass to air-drying and rewetting in soils and compost, *Geoderma* 105 Ž2002. 111-124

Moulin, C., Moulin, V. (2004) Fate of actinides in the presence of humic substances under conditions relevant to nuclear waste disposal, *Appl. Geochem.* 10, 573-580.

Mucklow, E., et al., Cobalt poisoning in a 6-year-old. *The Lancet*, 335: p. 981.

Muir, D. C. G., Marshall, W. K., and Webster, G. R. B., 1985, Bioconcentration of PCDDs by fish: effects of molecular structure and water chemistry, *Chemosphere* 14: 829-833.

Murphy, E.M., Zachara, J.M., Smith, S.C., and Phillips, J.L. (1992) The sorption of humic acids to mineral surfaces and their role in contaminant binding, *Sci. Total Environ.* 117/118, 413-423.

Murphy, E. M. and Zachara, J.M. (1995) The role of sorbed humic substances on the distribution of organic and inorganic contaminants in groundwater, *Geoderma* 67, 103-124.

Muscolo, A., Cutrupi, S. and Nardi, S. (1998) IAA detection in humic acids, *Soil Biol. Biochem.* 30, 1199-1201.

Muscolo, A., Felici, M., Concheri, G. and Nardi, S. (1993) Effect of earthworm humic substances on esterase and peroxidase activity during growth of leaf explants of *Nicotiana plumbaginifolia*, *Biol. Fertil. Soils* 15, 127-131.

NANNY MA, MAZA JP 2001: Noncovalent interactions between monoaromatic compounds and dissolved humic acids: A. deuterium NMR T-1 relaxation study. *Environ Sci Technol* 35: 379-384

Nanda Kumar, P.B.A., Dushenkov, V., Motto, H., Raskin, I. (1995) Phytoextraction: the use of plants to remove heavy metals from soils, *Environ. Sci. Technol.* 29, 1232-38.



Nardi, S., Gessa, C., Ferrarese, L., Trainotti, L., Casadoro, G., and Pizzeghello, D. (2000) A low molecular weight humic fraction on nitrate uptake and protein synthesis in maize seedlings, *Soil Biol. Biochem.* 32, 415-419.

Nardi, S., Concheri, G., Dell'Agnola, G. and Scrimin, P. (1991) Nitrate uptake and ATPase activity in oat seedlings in the presence of two humic fractions, *Soil Biol. Biochem.* 26, 1341-1346.

Nardi, S., Pizzeghello, D., Reniero, F., Rascio, N. (2000) Chemical and biochemical properties of humic substances isolated from forest soils and plant growth, *Soil Sci. Soc. Am. J.* 64, 639-645.

Nardi, S., Pizzeghello, D., Muscolo, A. and Vianello, A. (2002) Physiological effects of humic substances on higher plants, *Soil Biol. Biochem.* 34, 1527-1536.

Narine, D. R., Guy, R. D.: Binding of diquat and paraquat to humic acid in aquatic environments. *Soil Sci.* 133, 356-362 (1982)

NEGRE M, SCHULTEN HR, GENNARI M, VINDROLA D 2001: Interaction of imidazolinone herbicides with soil humic acids. *J Environ Sci Health B* 36: 107-125

Nurmi, J.T. and Tratnyek, P.G. (2002) Electrochemical properties of natural organic matter (NOM), fractions of NOM, and model biogeochemical electron shuttles, *Environ. Sci. Technol.* 36, 617-624.

Oesterberg, R., and Shirshova, L. (1997) Non-equilibrium oscillating redox properties of humic acids, *Geochim. Cosmochim. Acta* 61, 4599-4604.

O'Loughlin, E., Ma, H., Burris, D. (2002) Catalytic effects of Ni-humic complexes on the reductive dehalogenation of chlorinated alkanes and alkenes, *Proceedings of the 11th Int. Meeting of IHSS "Humic substances: nature's most versatile materials"*, July 21-26, 2002, Northeastern University, Boston, MS, USA, pp. 415-417.

Orlov, D. S. (1990) *Soil humic acids and general theory of humification*, Moscow State University Publisher, Moscow.

Parent, L., Twiss, M.R. and Campbell, P.G. (1996) Influences of natural dissolved organic matter on the interaction of aluminum with the microalga *Chlorella*: a test of the free-ion model of trace metal toxicity, *Environ. Sci. Technol.* 30, 1713-1720.

Park, S., Kim, K., Kang, D., Yoon, H., Sung, K. 2012. Effects of humic acid on heavy metal uptake by herbaceous plants in soils simultaneously contaminated by petroleum hydrocarbons. *Environmental Earth Sciences*. D 0110.1007/ S12665-012-1920-8

Pennington, J.C., Inouye, L.S., McFarland, V.A., Jarvis, A.S., Lutz, C.H., Thorn, K.A., Hayes, C.A., and Porter, B.E. (1999) *Explosives conjugation products in remediation matrices: final report prepared for U.S. Army Corps of Engineers, Strategic Environmental Research and Development Program*. Technical Report SERDP-99-4, 50 pp.

Perminova, I.V., Kovalevsky, D.V., Yashchenko, N.Yu., Danchenko, N.N., Kudryavtsev, A.V., Zhilin, D.M., Petrosyan, V.S., Kulikova, N.A., Philippova, O.I., and Lebedeva, G.F. (1996) Humic substances as natural detoxicants, in C.E. Clapp, M.H.B. Hayes, N. Senesi, and S.M. Griffith (eds.), *Humic substances and organic matter in soil and water environments: characterization, transformations and interactions*, St. Paul, MN, USA, pp. 399-406.

Perminova, I.V., Kovalenko, A.N., Kholodov, V.A., Youdov, M.V., Zhilin, D.M. (2004) Design of humic materials of a desired remedial action, in L. Martin-Neto, D. Milori, W. Silva (eds), *Humic substances and soil and water environment*, *Proceedings of the 12th International Meeting of IHSS*, Sao Pedro, Sao Paulo, Brazil, July 25-30, 2004, Sao Pedro, Sao Paulo, Embrapa Instrumentacao Agropecuaria, pp. 506-508.

Perminova, I.V., Kulikova, N.A. Zhilin, D.M., Gretschishcheva, N.Yu., Kholodov, V.A. Lebedeva, G.F., Matorin, D.N., P.S. Venediktov, V.S. Petrosyan. (2004) - Mediating effect of humic substances in aquatic and soil environments, in *Environmentally-Acceptable Reclamation and Pollution Endpoints: Scientific Issues and Policy Development*, NATO Science Series, Kluwer Academic Publisher, Dordrecht, (in press).

Perminova, I.V., Grechishcheva, N.Yu., Kovalevskii, D.V., Kudryavtsev, A.V., Petrosyan, V.S. and Matorin, D.N. (2001) Quantification and prediction of detoxifying properties of humic substances to polycyclic aromatic hydrocarbons related to chemical binding, *Environ. Sci. Technol.* 35, 3841-3848.

Perminova I.et. al. - MEDIATING EFFECTS OF HUMIC SUBSTANCES IN THE CONTAMINATED ENVIRONMENTS, *Viable Methods of Soil and Water Pollution Monitoring, Protection and Remediation*, 249-273. © 2006 Springer. Printed in the Netherlands.

Perminova, I.V., Kovalevsky, D.V., Yashchenko, N.Yu., Danchenko, N.N., Kudryavtsev, A.V., Zhilin, D.M., Petrosyan, V.S., Kulikova, N.A., Philippova, O.I., and Lebedeva, G.F. (1996) - Humic substances as natural detoxicants, in C.E. Clapp, M.H.B. Hayes, N. Senesi, and S.M. Griffith (eds.), *Humic substances and organic matter in soil and water environments: characterization, transformations and interactions*, St. Paul, MN, USA, pp. 399-406.

Perminova, I.V., Grechishcheva, N.Yu., Kovalevskii, D.V., Kudryavtsev, A.V., Petrosyan, V.S. and Matorin, D.N. (2001) Quantification and prediction of detoxifying properties of humic substances to polycyclic aromatic hydrocarbons related to chemical binding, *Environ. Sci. Technol.* 35, 3841-3848.

Perminova, I. V., Grechishcheva, N. Yu., and Petrosyan, V. S., 1999, Relationships between structure and binding affinity of humic substances for polycyclic aromatic hydrocarbons: relevance of molecular descriptors, *Environ. Sci. Technol.* 33: 3781–3787.

PERMINOVA1, K. HATFIELD2 - REMEDIATION CHEMISTRY OF HUMIC SUBSTANCES: THEORY AND IMPLICATIONS FOR TECHNOLOGY , 1Department of Chemistry, Lomonosov Moscow State University, Leninskie Gory, Moscow 119992, Russia <iperm@org.chem.msu.ru> 2Department of Civil and Coastal Engineering, University of Florida, P.O. Box 116580, Gainesville FL 32611-6580, U.S.A.

Perminova I.V. Abstract of Dr. Sc. Thesis „Analysis, classification and predictive modelling of properties of humic substances.“ Moscow-2000. (PDF-file, in Russian)  
Perminova I.V. Dr. Sc. Thesis „Analysis, classification and predictive modelling of properties of humic substances.“ Moscow-2000. (PDF-file, in Russian)

Perminova I., Kirk Hatfield, Norbert Hertkorn - Use of Humic Substances to Remediate Polluted Environments: >From Theory to Practice: Proceedings of the NATO Advanced Research Workshop on Use of Humates to Remediate Polluted Environments: From Theory to Practice, held in Zvenigorod, Russia, 23-29 September 2002, Irina V., Springer Science & Business Media, 30.03.2006 - 506 Seiten

Pfüller U. Untersuchungen zur Molmasse, Metallbindung und Redoxverhalten von Braunkohlehuminsäuren. Berlin: Bericht des staatl. Inst. für Immunpräp. u. Nährmed. 1978., zitiert nach: Stein (1994).  
Pfueller U. Studies on molar mass, metal binding and redox behaviour of lignite humic acids. Berlin: Report of the national institute for immune preparation and nutrition. 1978.cited after: Stein (1994).

Phoung, H.K. and Tichy, V. (1976) Activity of humic acids from peat as studied by means of some growth regulator bioassay, *Biol. Plant (Prague)* 18, 195-199.

Piccolo A. et. Al. – Interaction between Herbicides and Humic Substances, *Pest. Outlook* 1996, April pp.21-24

Piccolo, A., Nardi, S. and Concheri, G. (1992) Structural characteristics of humus and biological activities, *Soil Biol. Biochem.* 24, 273-380.

Piccolo A, Celano G and Conte P. Adsorption of glyphosate by humic substances. *Journal of Agricultural and Food Chemistry*, 44: 2442-2446. 1996.

Pinton, R., Cesco, S., De Nobili, M., Santi, S., and Varanini, Z. (1998) Water- and pyrophosphate- extractable humic substances fractions as a source of iron for Fe-deficient cucumber plants, *Biol. Fertil. Soils* 26, 23-27.

Pinton, R., Varanini, Z., Vizotto, G. and Maggioni, A. (1992) Soil humic substances affect transport properties of tonoplast vesicles isolated from oak roots, *Plant Soil* 142, 203-210.

Pinton, R., Cesco, S., Iacoletti, G., Astolfi, S. and Varanini, Z. (1999) Modulation of NO<sub>3</sub>-uptake by water extractable humic substances: involvement of root plasma membrane H<sup>+</sup>-ATPase, *Plant Soil* 215, 155-161.

Polynov, V. A., 1992, Elaboration and use of fluorescent bioassay techniques for the toxicity tests of natural and wastewaters. Ph.D. Thesis, Lomonosov Moscow State University (in Russian).

Prát,S.(1963) Permeability of plant tissues to humic acids, *Biol.Plant (Prague)* 5,279-283.

Prozorowskaya, A.A. (1936) The effect of humic acid and its derivatives on the uptake of nitrogen, phosphorus, potassium and iron by plants, in *Organo-mineral fertilizers, collected papers of Research Scientific Institute for Fertilizers, Insecticides, and Fungicides*, p. 127 (in Russian).

Raber B., Koegel-Knabner I. (1997) Influence of Origin and Properties of Dissolved Organic Matter on the Partition of Polycyclic Aromatic Hydrocarbons (PAHs). *European Journal of Soil Science* 48, 443-455.

Ram, N. and Verloo, M. (1983) Effect of natural complexants on the uptake of trace elements by barley and their extractable amounts in soil, *Agrochimica* 28, 13-19.

Rauthan, B.S. and Schnitzer, M. (1981) Effects of a soil fulvic acid on the growth and nutrient content of cucumber (*Cucumis sativus*) plants, *Plant Soil* 63, 491-495.

Rea, E. and Pierandrei, F. (1994) Effects of fertilization with humic acids on soil and metabolism: a multidisciplinary approach, in N. Senesi, T. M. Miano (eds.), *Humic substances in the global environment and implications to human health*, Elsevier Science, Amsterdam, pp. 343-348.

Reddy, K.J., Wang, L., Gloss S.P. 1995. Solubility and mobility of copper, zinc and lead in acidic environments. *Plant Soil.* 17, 53-58.

Rosa, A.H., Vicente, A.A., Rocha, J.C. and Trevisan, H.C. (2000) A new application of humic substances: activation of supports for invertase immobilization, *Fresenius J. Anal. Chem.* 368, 730– 733. H

Rüttimann-Johnson, C., and Lamar, R.T. (1997) Binding of pentachlorophenol to humic substances in soil by the action of white rot fungi, *Soil Biol. Biochem.* 29(7), 1143-1148.

Saleem K.M.A. 2004. Usage of humic preparations for detoxification and biodegradation of oil pollution. (Abstract, in Russian)

Salloum, M.J., Chefetz, B., Hatcher, P. (2002) Phenanthrene sorption by aliphatic-rich natural organic matter, *Environ. Sci. Technol.* 36, 1953-1958.

Sanchez-Monedero M.A., De Nobili - Land application of biosolids. Soil response to different stabilization degree of the treated organic matter, *Waste Management* 24 (2004) 325-332

Sánchez-Sánchez, A., Sánchez-Andreu, J., Juárez, M., Jordá, J. and Bermúdez, D. (2002) Humic substances and amino acids improve effectiveness of chelate FeEDD-HA in lemon trees, *J. of Plant Nutr.* 25, 2433-2442.

Sanjay, H.G., Srivastava, K.C., Walia, D. S. (1997) Mixed waste remediation using HUMASORB-CSTM – an adsorbent to remove organic and inorganic contaminants, ARCTECH Inc., Chantilly, Virginia.

Santi, S., Pinton, R., Cesco, S., Agnolon, F. and Varanini, Z. (1999) Water-extractable humic substances enhance iron deficiency responses by Fe-deficient cucumber plants, *Plant Soil* 210, 145- 157.

Sathiyabama, K. and Selvakumari, G. (2001) Effect of humic acid on growth, yield and nutrition of Amaranthus, *South Ind. Horticul.* 49(Special): 155-156.

Sato, T., Ose, Y. and Nagase, H. (1986) Desmutagenic effect of humic acid, *Mutat. Res.* 162, 173-178.

Sato, T., Ose, Y., Nagase, H. and Hayase, K. (1987) Mechanism of desmutagenic effect of humic acid, *Mutat. Res.* 176, 199-204.

Sawada, A., Tanaka, S., Fukushima, M. and Tatsumi, K. (2003) Electrokinetic remediation of clayey soils containing copper(II)-oxinate using humic acid as a surfactant, *J. Hazard. Mater.* B96, 145-154.

Scheel, T., Holker, U., Ludwig, S. and Hofer, M. (1999) Evidence for an expression of a laccase gene in three basidiomycetes degrading humic acids, *Appl. Microbiol. Biotechnol.* 52, 66-69.

Schlautman, M.A., and Morgan, J.J. (1993) Effects of aqueous chemistry on the binding of polycyclic aromatic hydrocarbons by dissolved humic materials, *Environ. Sci. Technol.* 27, 961-969.

Schnitzer, M. and Khan, S.U. (1972) Humic substances in the environment, Marcel Dekker, New York.

Schubert, J., E.J. Riley and S.A. Tyler, Combined effects in toxicology - a rapid systematic testing procedure: cadmium, mercury, and lead. *Journal of Toxicology and Environmental Health*, 1978. 4. P. 763776.

Schulten H.-R. (1999) Interactions of Dissolved Organic Matter with Xenobiotic Compounds: Molecular Modelling in Water. *Environmental Toxicology and Chemistry* 18, 1643-1655.

Schwartz, D.L. (1999) Coal-derived humic acid for removal of metals and organic contaminants, Solid waste and emergency response (5102G), EPA 542-N-99-002. 31, 1.

Schwarzenbach, R.P., Gschwend, P.M., Imboden, D.M. (1993) *Environmental Organic Chemistry*, John Wiley & Sons, New York.

Scott, D.T., McKnight, D.M., Blunt-Harris, E.L., Kolesar, S.E., and Lovley, D.R. (1998) Quinone moieties act as electron acceptors in the reduction of humic substances by humics-reducing microorganisms, *Environ. Sci. Technol.* 32, 2984-2989.

Senesi, N. and Testini, C. (1982) Theoretical aspects and experimental evidence of the capacity of humic substances to bind herbicides by charge-transfer mechanism, *Chemosphere* 13, 461-468.

Senesi, N. and Testini, C. (1982) – Physico-Chemical Investigation of Interaction mechanism between S-Triazine Herbicides and soil Humic Acids, *Geoderma*, vo. 28. Pp 129-146

Senesi, N. (1993) Organic pollutant migration in soils as affected by soil organic matter. Molecular and Mechanistic Aspects, In D. Petruzzelli and F.G. Helfferich (eds), *Migration and fate of pollutants in soils and subsoils*, NATO ASI Series, Vol. G 32, Springer-Verlag, Berlin, p. 47.

Servos, M. R., Muir, D. C. G. and Barrie Webster, G. R., 1989, The effect of dissolved organic matter on the bioavailability of polychlorinated dibenzo-p-dioxins, *Aquat. Toxicol.* 14: 169-184.

Shuai-Long Wang a,b, Xiang-Rong Xu a, Yu-Xin Sun a,d, Jin-Ling Liu a, Hua-Bin Li c – Heavy metal pollution in coastal areas of South China: A review a CAS Key Laboratory of Tropical Marine Bio-resources and Ecology, South China Sea Institute of Oceanology, Chinese Academy of Sciences, Guangzhou 510301, China b University of Chinese Academy of Sciences, Beijing 100049, China, c Guangdong Provincial Key Laboratory of Food, Nutrition and Health, School of Public Health, Sun Yat-Sen University, Guangzhou 510080, China, d Key Laboratory of Urban Environment and Health, Institute of Urban Environment, Chinese Academy of Sciences, Xiamen 361021, China

Simpson, A., Chefetz, B., Hatcher, P. (2003) Phenanthrene sorption to structurally modified humic acids, *J. Environ. Qual.* 32, 1750-1758.

Singh, J.W.; Kalamdhad, A.S. Reduction of heavy metals during composting—A review. *Int. J. Environ. Protect.* 2012, 2, 36-43.

Singh, A.K., Dhar, P. and Pandeya, S.B. (1998) Influence of fulvic acid on transport of iron in soil sand uptake by paddy seedlings, *Plant Soil* 198, 117-125.

Sjoblom, A., Meili, M., and Sundbom, M., 2000, The influence of humic substances on the speciation and bioavailability of dissolved mercury and methylmercury, measured as uptake by *Chaoborus* larvae and loss by volatilization, *Sci. Total Environ.* 261: 115-124.

Skogerboe, R.K., Wilson, S.A. (1981) Reduction of ionic species by fulvic acid, *Anal. Chem.* 53, 228-232.

Solaiappan, U., Muthusankaranarayanan, A. and Muthusamy, P. (1995) Effect of humic acid on rainfed upland cotton (*Gossypium hirsutum*), *Ind. Agron.* 40, 156-157.

Sollins, P., Homann, P. and Caldwell, B.A. (1996) Stabilization and destabilization of soil organic matter: mechanisms and controls, *Geoderma* 74, 65-105.

Spurlock, F.C., Biggar, J.W. (1994) Thermodynamics of organic chemical partitioning in soils. 2. Nonlinear partition of substituted phenylureas from aqueous solution, *Environ. Sci. Technol.* 28, 996-1002.

Steffen, K.T., Hatakka, A. and Hofrichter, M. (2002) Degradation of humic acids by the litter-decomposing Basidiomycete *Collybia dryophila*, *Appl. Environ. Microbiol.* 68, 3442-3448.

Steinberg, C. E. W., Haitzer, M.; Bruggemann, R., Perminova, I. V., and Yaschenko, N. Yu., 2000, Towards a quantitative structure activity relationship (QSAR) of dissolved humic substances as detoxifying agents in freshwaters, *Int. Rev. Hydrobiol.* 85(2-3), 253-266.

Steinberg, C., Haitzer, M., Hesse, S., Lorenz, R., Bruggemann, R. and Burnison, B.K. (1997) Change of bioconcentration and effect of pesticides in the presence of humic substances, *Umweltwissenschaften und Schadstofforschung* 2, 64-68.

Steinberg, C. E. W., Mayr, C., Lorenz, R., Spieser, O. H., and Kettrup, A., 1994, Dissolved humic material amplifies irritant effects of terbutylazine (triazine herbicide) on fish, *Naturwissenschaften* 81: 225-227.

Stewart, A.J. (1984) Interactions between dissolved humic materials and organic toxicants, in K.E. Cowser (ed.), *Synthetic fossil fuel technologies*, Butterworth Publisher, Boston, pp. 505-521.

Struyk, Z., Sposito, G. (2001) Redox properties of standard humic acids, *Geoderma* 102, 329-346.

SUCHÝ P, HERZIG I, PÍSAŘÍKOVÁ B 1999: The use of sorbents on the basis of humic acids to reduce ammonia levels in stable environment. *Vet Med* 44: 331-338

Syltie, P.W. (1985) Effects of very small amounts of highly active biological substances on plants growth, *Biol. Agricult. Horticult.* 2, 245-269.

Székely, I., Lead poisoning caused by adulterated paprika, 1994, Szt. György Hospital: Székesfehérvár (unpublished clinical documentation).

Thomas, H., and Gerth, A. (2005) Enhanced humification of TNT, in Perminova, I.V., N. Hertkorn, K. Hatfield, Use of humic substances to remediate polluted environments: from theory to practice, Chapter 18, pp. 353-364 (this volume).

Tytła, M.; Widziewicz, K.; Zielewicz, Z. Heavy metals and its chemical speciation in sewage sludge at different stages of processing. *Environ. Technol.* 2016, 37, 899-908

Topcuoglu, B. 2012. The influence of humic acids on the metal bioavailability and phytoextraction efficiency in long-term sludge applied soil. Conference on international research on food security, natural resource management and rural development. Tropentag, Gottingen, Germany, September 19-21.

Tüfenkçi, S.; Türkmen, Ö.; Sönmez, F.; Erdinç, Ç.; Sensoy, S. Effects of humic acid doses and application times on the plant growth, nutrient and heavy metal contents of lettuce grown on sewage sludge-applied soils. *Fresenius Environ. Bull.* 2006, 15, 295-300.

U.S. Geological Survey (2002) Using humic acids to enhance oxidative bioremediation of chlorinated solvents, <[http://toxics.usgs.gov/topics/rem\\_act/remediation\\_testing.html](http://toxics.usgs.gov/topics/rem_act/remediation_testing.html)>.

U.S. Department of Energy (2002) Factors controlling in situ uranium and technetium bio-reduction and reoxidation at the NABIR Field Research Center, NABIR-2002 award to Istok, J, <<http://www.esd.ornl.gov/nabirfrc/>>

U.S. Environmental Protection Agency (EPA) (1998) Remediation Case Studies, Volume 8, In Situ Soil Treatment Technologies (Soil Vapor Extraction, Thermal Processes), EPA-542-R-98-012.

U.S. Environmental Protection Agency (EPA) (2001) Cost Analyses for Selected Groundwater Cleanup Projects: Pump and Treat Systems and Permeable Reactive Barriers, EPA 542-R-00-013, <<http://www.clu-in.org>>.

Van Stempvoort, D., Lesage, S., Molson, J. (2005) The use of aqueous humic substances for in-situ remediation of contaminated aquifers, in I.V. Perminova, N. Hertkorn, K. Hatfield, Use of humic substances to remediate polluted environments: from theory to practice, Chapter 11, pp. 233- 265 (this volume).

Van Stempvoort, D.R., Lesage, S., Novakowski, K.S., Millar, K., Brown, S. and Lawrence, J.R. (2002) Humic acid enhanced remediation of an emplaced diesel source in groundwater: 1. Laboratory-based pilot scale test, *J. Contam. Hydrol.* 54, 249-276.

Varanini, Z., and Pinton, R., (2001) Direct versus indirect effects of soil humic substances on plant growth and nutrition, in R. Pinton, Z. Varanini, P. Nannipieri (eds.), *The Rhizosphere*, Marcel Dekker, Basel, pp. 141-158.

Varanini, Z., Pinton, R., De Biasi, M.G., Astolfi, S. and Maggioni, A. (1993) Low molecular weight humic substances stimulate H<sup>+</sup>-ATPase activity of plasma membrane vesicles isolated from oat (*Avena sativa* L.) roots, *Plant Soil* 153, 61-69.

Varshal, G.M., Velyukhanova, T.K. and Koshcheeva, I.Ya. (1993) Geochemical role of humic acids in elements migration, in *Humic Substances in Biosphere*, Moscow, Nauka, pp. 97-117 (in Russian).

Vaughan, D., Malcom, R.E., (1985) Influence of humic substances on growth and physiological processes, in D. Vaughan, R.E. Malcom (eds.), *Soil Organic Matter and Biological Activity*, Martinus Nijhoff/ Junk W, Dordrecht, The Netherlands, pp. 37-76.

Vaughan, D., Ord, B.G., (1981) Uptake and incorporation of <sup>14</sup>C-labelled soil organic matter by roots of *Pisum sativum* L., *J. Exp. Bot.* 32, 679-687

Vermeer, A.W.P and Koopal, L.K. (1998) Adsorption of humic acids to mineral particles. 2. Polydispersity effects with polyelectrolyte adsorption, *Langmuir* 14, 4210-4216.

Vigneault, B., Percot, A., Lafleur, M., and Campbell, P.G.C. (2000) Permeability changes in model land phytoplankton membranes in the presence of aquatic humic substances, *Environ. Science Technol.* 34, 3907-3913.

Visser S.A. (1964) Oxidation-reduction potentials and capillary activities of humic acids, *Nature*, 204, 581.

Visser, S.A. (1985) Physiological action of humic substances on microbial cells, *Soil Biol. Biochem.* 17, 457-462.

Visser, S.A. (1982) Surface active phenomena by humic substances of aquatic origin, *Rev. Fr. Sci. Eau.* 1, 285-296.

Visser, S.A. (1986) Effects of humic substances on plant growth, in *Humic substances, Effects on Soil and Plants*, REDA, Rome, pp. 89-135.

Waller, P.A., Pickering W.F. 1993. The effect of pH on the lability of lead and cadmium sorbed on humic acid particles. *Chemical Speciation & Bioavailability.* 5, 11-22.

Von Oepen, B., Kordel, W., Klein, W., Schuurmann, G. (1991) Predictive QSPR models for estimating soil sorption coefficients: potential and limitations based on dominating processes, *Sci. Total Environ.* 109/110, 343-354.

Wang, Z., Gamble, D.S., Landford, C.H. (1991) Interaction of atrazine with Laurentian humic acid, *Anal. Chim. Acta* 244, 135-143

Weber, E.J., Spidle, D.L., Thorn, K.A. (1996) Covalent binding of aniline to humic substances. 1. Kinetic studies, *Environ. Sci. Technol.* 30, 2755-2763.

Weber, J.H. (1988) Binding and transport of metals by humic materials, in F.H. Frimmel and R.F. Christman (eds.), *Humic Substances and Their Role in the Environment*, J. Wiley & Sons Ltd, pp. 165- 178.

Wheeler W.B. et. Al. - Trifluralin Degradation and Binding in Soil, *J. Agric. Food Chem.* 1975 vol. 27, pp. 702-705

Weber, L., and Lanno, R. P., 2000, Effect of bile salts, lipid, and humic acids on absorption of benzo[a]pyrene by isolated channel catfish (*Ictalurus punctatus*) intestine segments, *Environ. Toxicol. Chem.* 20: 1117-1124.

Weber, W.J.Jr., Huang, W., LeBoeuf, E.J. (1999) Geo sorbent organic matter and its relationship to the binding and sequestration of organic contaminants, *Colloids & Surfaces A.* 151, 167-179.

Weber, W.J.Jr., Huang, W., Yu, H. (1998) Hysteresis in the sorption and desorption of hydrophobic organic contaminants by soils and sediments. 2. Effects of soil organic matter heterogeneity, *J. Contam Hydrol.* 31, 149-165.

Weissenfels, W., H. Klewer, and J. Langhoff, Adsorption of polycyclic aromatic hydrocarbons (PAHs) by soil particles: influence on biodegradability and biotoxicity. *Applied Microbiology Biotechnology*, 1992. 36(5) p. 689-96.

Weng, L.P., Wolthoorn, A., Lexmon, T., Temminghoff, E.J.M., and Van Riemsdijk, W.H. (2004) Understanding the effects of soil characteristics on phytotoxicity and bioavailability of nickel using speciation models, *Environ. Sci. Technol.* 38, 156-162.

Westerhoff, P., Aiken, G., Amy, G. and Debroux, J. (1999) Relationships between the structure of natural organic matter and its reactivity towards molecular ozone and hydroxyl radicals, *Wat. Res.* 33, 2265-2276.

Wittbrodt, P.R. and Palmer, C.D. (1996a) Reduction of Cr(VI) by soil humic acids, *Eur. J. Soil Sci.* 47, 151-162.

Wittbrodt, P.R. and Palmer, C.D. (1996b) Effect of temperature, ionic strength, background electrolytes and Fe(III) on the reduction of hexavalent chromium by soil humic substances, *Environ. Sci. Technol.* 30, 2470-2477.

Xie J.1,2,3, D Yang1,2,3, X Sun2, R Cao1,2,3, L Chen1,2,3, Q Wang1,2, F Li1, C Ji1, H Wu1, M Cong1, J Zhao1,2 - Combined toxicity of cadmium and lead on early life stages of the Pacific oyster, *Crassostrea gigas* 1Key Laboratory of Coastal Environmental Processes and Ecological Remediation, Yantai Institute of Coastal Zone Research (YIC), Chinese Academy of Sciences (CAS), Shandong Provincial Key Laboratory of Coastal Zone Environmental Processes, YICCAS, Yantai 264003, PR China, 2Muping Coastal Environment Research Station, Yantai Institute of Coastal Zone Research (YIC), Chinese Academy of Sciences (CAS), PR China, 3University of Chinese Academy of Sciences, Beijing 100049, PR China

Xing, B., Pignatello, J.J. (1997) Dual-mode sorption of low polarity compounds in glassy poly(vinylchloride) and soil organic matter, *Environ. Sci. Technol.* 31, 792-799.

Xu X. (1986) The effect of foliar application of fulvic acid on water use, nutrient uptake and yield in wheat, *Aust. J. Agric. Res.* 37, 343-350.

Yang, J.; Lei, M.; Chen, T.B.; Gao, D.; Zheng, G.D.; Guo, G.H.; Le, D.J. Current status and developing trends of the contents of heavy metals in sewage sludges in China. *Front. Environ. Sci. Eng.* 2014, 8, 719-728

Young, C.C. and Chen, Y. (1997) Polyamines in humic acid and their effect on radical growth of lettuce seedlings, *Plant Soil* 195, 143-149.

Yoshino, M. and K. Murakami, Interaction of iron with polyphenolic compounds: application to antioxidant characterization. *Analytical Biochemistry*, 1998. 257: p. 40-44.

Yu, G.F., Jiang, X., He, W.X., He, Z.G. 2002. Effect of humic acids on species and activity of cadmium and lead in red soil. *Acta Scientiae Circumstantiae.* 22, 4, 508-513.

Yudov, M. V., Zhilin, D. M., Pankova, A. P., Rusanov, A. G., Perminova, I. V., Petrosyan, V. S., and Matorin, D. N., 2005, Synthesis, metal-binding properties and detoxifying ability of sulphonated humic acids, in: I.V. Perminova, K. Hatfield, and N. Hertkorn (eds.), Use of humic substances to remediate polluted environments: from theory to practice, NATO Science Series: IV: Earth and Environmental Sciences 52, Springer, Dordrecht, The Netherlands, pp. 485-498.

YuLing, C., Min, C., YunYin, Li, and Xie, Z. (2000) Effect of fulvic acid on ABA, IAA and activities of superoxide dismutase and peroxidase in winter wheat seedling under drought conditions, *Plant Physiol. Communications* 36, 311-314.

Yurishcheva, A.A.; Kydraliev, K.A.; Zaripova, A.A.; Dzhardimalieva, G.I.; Pomogaylo, A.D.; Jorobekova, S.J. (2013). „Sorption of Pb<sup>2+</sup> by magnetite coated with humic acids“. *J. Biol. Phys. Chem.* 13 (2): 61-68. doi:10.4024/36FR12A.jbpc.13.02.

Zachariakis, M., Tzorakakis, E., Kritsotakis, I., Siminis, C.I. and Manios, V. (2001) Humic substances stimulate plant growth and nutrient accumulation in grapevine rootstocks, *Acta Horticult.* (ISHS) 549, 131-136.

Zeng, K., Hwang, H.-M., Yu, H. (2002) Effect of dissolved humic substances on the photochemical degradation rate of 1-aminopyrene and atrazine, *Int. J. Mol. Sci.* 3, 1048-1057.

Zhang Xuan\*, Xian-qing Wang and Dong-fang Wang - Immobilization of Heavy Metals in Sewage Sludge during Land Application Process in China: Key Laboratory of Cleaner Production and Industrial Wastes Recycling and Resourcization in Universities of Shandong, Qilu University of Technology, Jinan 250353, China; 18364195759@139.com (X.W.); m17863682303@163.com (D.W.)

Zhang Y.1\*, X. Yang1; S. Zhang2; Y.Tian1; W. Guo1; J. Wang1 - The influence of humic acids on the accumulation of lead (Pb) and cadmium (Cd) in tobacco leaves grown in different soils, *J. Soil Sci. Plant Nutr.* vol.13 no.1 Temuco mar. 2013 Epub 06-Feb-2013, <http://dx.doi.org/10.4067/S0718-95162013005000005>, 1Zhengzhou Tobacco Research Institute of CNTC, Zhengzhou 450001, Henan, P.R. China. 2China Tobacco Guangdong Industrial Corporation, Guangzhou, Guangdong, P.R. China. \*

Zhilin, D. M., Perminova, I. V., and Petrosyan, V. S., 1996, Study of interaction of humic acids and Hg(II), *Russian J. Ecol. Chem.* 5(2): 131-137.

Zhilin, D. M., 1998, Reactivity and detoxifying properties of humic substances towards Hg(II) and their interrelationship. Ph.D. Thesis, Lomonosov Moscow State University, Moscow, Russia (in Russian).

Zhilin, D.M., Schmitt-Kopplin, P., Perminova, I.V. (2004) Reduction of Cr (VI) by peat and coal humic substances: implication for remediation of contaminated sites, *Env. Chem. Let.* [Published on-line September 7, 2004].

Zhou J.L. and Banks C. J. (1993) Mechanism of humic acid colour removal from natural waters by fungal biomass biosorption, *Chemosphere* 27, 607-620.

Zhou, S.W., et al. Major origin of mutagenicity of chlorinated drinking water in China: humic acid or pollutants. *The Science of the Total Environment*, 1997. 196: p. 191-196.

Zorpas, A.A.; Constantinides, T.; Vlyssides, A.G.; Haralambous, I.; Loizidou, M. Heavy metal up take by natural zeolite and metals partitioning in sewage sludge compost. *Bioresour. Technol.* 2000, 72, 113-119.

Zorpas, A.A.; Inglezakis, V.J.; Loizidou, M. Heavy metals fractionation before, during and after composting of sewage sludge with natural zeolite. *Waste Manag.* 2008, 28, 2054-2060. [CrossRef] [PubMed]

## Effects of Humic Acid on Radionuclides

Andre, C., Choppin, G.R. (2000) Reduction of Pu (V) by humic acid, *Radiochim. Acta* 88, 613-616.

Artinger R. et. al. - Humic colloid-borne migration of uranium in sand columns, *Journal of Contaminant Hydrology*, Volume 58, Issues 1-2, September 2002, Pages 1-12 [https://doi.org/10.1016/S0169-7722\(02\)00032-3](https://doi.org/10.1016/S0169-7722(02)00032-3)

Bondietti, E.A., Reynolds, S.A., Shanks, M.N. (1976) Transuranicnuclides in the environment, IAEA, Vienna.

Buckau R. - Komplexierung von Americium III mit Huminstoffen in natürlichen Grundwässern, Diss. Berlin 1991

Buckau R. - Complexation of Americium III with humic substances in natural groundwaters, Diss. Berlin 1991

Chuang, C. -Y. et al. Binding of Th, Pa, Pb, Po and Be radionuclides to marine colloidal macromolecular organic matter. *Mar. Chem.* 173, 320-329 (2015).

Eyrolle, F. & Charmasson, S. Importance of colloids in the transport within the dissolved phase (<450 nm) of artificial radionuclides from the Rhône river towards the Gulf of Lions (Mediterranean Sea). *J. Environ. Radioact.* 72, 273-286 (2004).

Effects of humic substances on the migration of radionuclides: complexation and transport of actinides, Technical Report F14W-CT96-0027, FZKA 6124

Finneran, K.T., Anderson, R.T., Nevin, K.P. and Lovley, D.R. (2002) Potential for bio-remediation of uranium-contaminated aquifers with microbial U(VI) reduction, *Soil Sedim. Contam.* 11, 339-357.

Fredrickson, J.K., Kostandarithes, H.M., Li, S.W., Plymale, A.E. and Daly, M.J. (2000) Reduction of Fe(III), Cr(VI), U(VI), and Tc(VII) by *Deinococcus radiodurans* R1, *Appl. Environ. Microbiol.* 66, 2006-2011.

Grauer R.: Zur Chemie von Kolloiden: Verfügbare Sorptionsmodelle und zur Frage der Kolloidhaftung. Paul Scherrer Institut, PSI-Bericht Nr. 65, 1990.

Grauer R.: The chemistry of colloids: Available sorption models and the question of colloid adhesion. Paul Scherrer Institute, PSI Report No. 65, 1990.

Hummel, W. et. al. Complexation of Radionuclides with Humic Substance: The Metal Concentration Effect, *Radiochim. Acta* 84, 111-114 (1999)

Kim J., D. S. Rhee, G. Buckau: Complexation of Am(III) with humic acids of different origin. *Radiochim. Acta*, 52/53, 49-55, 1991.

Kim J., B. Delakowitz, P. Zeh, X. Lin, U. Ehrlicher, C. Schauer, T. Probst: Colloid Migration in Groundwaters: Geochemical Interactions of Radionuclides with Natural Colloids. Report EUR 16754 EN, chap. 1, European Commission, Brussels, 1996.

Klotz D.: 2. Zwischenbericht zum EU-Projekt: Effects of humic substances on the migration of radionuclides: complexation and transport of actinides. GSF - Forschungszentrum für Umwelt und Gesundheit, München, 1998.

Knabner P.: Finite element approximation of solute transport in porous media with general adsorption processes, in Xiao, S. T. (ed.), *Flow and transport in porous media*, World Scientific Publishing, Singapore, 1992.

Law, G. T. W. et al. Geomicrobiological redox cycling of the transuranic element neptunium. *Environ. Sci. Technol.* 44, 8924-8929 (2010).

Lin, P., Guo, L. & Chen, M. Adsorption and fractionation of thorium and protactinium on nanoparticles in seawater. *Mar. Chem.* 162, 50-59 (2013).

Lin, P., Chen, M. & Guo, L. Effect of natural organic matter on the adsorption and fractionation of thorium and protactinium on nanoparticles in seawater. *Mar. Chem.* 173, 291-301 (2015).

Lin, P. et al. Plutonium partitioning behavior to humic acids from widely varying soils is related to carboxyl-containing organic compounds. *Environ. Sci. Technol.* 51, 11742-11751 (2017).

Lloyd, J.R., and Macaskie, E. (2000) Bioremediation of radionuclide-containing wastewaters, in D.R. Lovley (ed.), *Environmental Microbe-Metal Interactions*, ASM press, Washington, DC. p. 277-327.

Lührmann L., U. Noseck, C. Tix: Model of contaminant transport in porous media in the presence of colloids applied to actinide migration in column experiments. *Water Resour. Res.*, 34, No. 3, 421-426, 1998.

Lührmann L., D. Klotz, P. Knabner, U. Noseck: Modellierung des kolloidgetragenen Stoff transports angewandt auf Eu-Humat-Migrationsexperimente. Tagungsband: *Uranium Mining and Hydrogeology* 11, Freiberg, 1998.

Luehrmann L., D. Klotz, P. Knabner, U. Noseck: Modelling of the colloidal material transport applied to Eu-humate migration experiments. *Proceedings: Uranium Mining and Hydrogeology* 11, Freiberg, 1998.

Nuttall H.E., R. L. Long: Mobility of radioactive colloidal particles in groundwater. *Radioactive Waste Management and the Nuclear Fuel Cycle*, Vol. 17(3-4), 237-251, 1993.

O'Melia C.R.: *Aquasols: The Behavior of Small Particles in Aquatic Systems*. *Environ. Sci. Technol.*, 14, 1052-1060, 1980.

Ouyang Y., Dilip Shinde, R. S. Mansell, W. Harris: Colloid-enhanced transport of chemicals in subsurface environments: A review. *Critical Reviews in Environ. Sci. Technol.*, 26(2), 189-204, 1996.

Peng, L. et. al. Radionuclide uptake by colloidal and particulate humic acids obtained from 14 soils collected worldwide, *Scientific Reports* 2018, No. 4795

Penrose W.R., W. L. Polzer, E. H. Essington, D. M. Nelson, K. A. Orlandini: Mobility of Plutonium and Americium through a Shallow Aquifer in a Semiarid Region. *Environ. Sci. Technol.*, 24, No. 2, 228-234, 1990.

Rao, L., and Choppin, G.R. (1995) Thermodynamic study of the complexation of neptunium(V) with humic acids, *Radiochim. Acta* 69, 87-95.

Reiche T. et. Al. - Migration of Contaminants in Fractured-Porous Media in the Presence of Colloids: Effects of Kinetic Interactions Transport in Porous Media January 2016, Volume 111, Issue 1, pp 143-170 | Cite as

Santschi, P. H., Roberts, K. A. & Guo, L. Organic nature of colloidal actinides transported in surface water environments. *Environ. Sci. Technol.* 36(17), 3711-3719 (2002).

Schuessler, W., Artinger, R., Kienzler, B., Kim, J.I. (2000) Conceptual modeling of the humic colloid-borne americium(III) migration by a kinetic approach. *Environ. Sci. Technol.* 34, 2608-2611.

Shephard J. et. al. -Retention of radionuclides by mobile humic compounds and soil partic, *Inorganic Chemistry* 1966, 5, 5, 921-925, 1966 DOI: 10.1021/ic50039a043

Shephard J. et. al. Retention of neptunium, americium, and curium by diffusible soil particles, *Environmental Science & Technology* 1979, 13, 6, 680-684, 1979 DOI: 10.1021/es60154a006

Shcherbina, N. S. et al. Redox and complexation interactions of neptunium(V) with quinonoid-enriched humic derivatives. *Environ. Sci. Technol.* 41(20), 7010-7015 (2007).



Shcherbina, N. S., Kalmykov, S. N., Perminova, I. V. & Kovalenko, A. N. Reduction of actinides in higher oxidation states by hydroquinone-enriched humic derivatives. *J. Alloys Compounds*. 444–445, 518–512 (2007).

Smith P.- A.: A Model for Colloid Facilitated Radionuclide Transport Through Fractured Media. Paul Scherrer Institut, PSI Bericht Nr. 93-04, 1993.

Suresh G., V. Ramasamy, V. Meenakshisundaram, R. Venkatachalapathy, and V. Ponnusamy - Influence of mineralogical and heavy metal composition on natural radionuclide concentrations in the river sediments, *Applied Radiation and Isotopes*, vol. 69, no. 10, pp. 1466–1474, 2011. View at Publisher · View at Google Scholar · View at Scopus

U.S. Geological Survey (2002) Using humic acids to enhance oxidative bioremediation of chlorinated solvents, <[http://toxics.usgs.gov/topics/rem\\_act/remediation\\_testing.html](http://toxics.usgs.gov/topics/rem_act/remediation_testing.html)>.

U.S. Department of Energy (2002) Factors controlling in situ uranium and technetium bio-reduction and reoxidation at the NABIR Field Research Center, NABIR-2002 award to Istok, J, <<http://www.esd.ornl.gov/nabirfrc/>>

Weerd Van de, A. Leijnse: Assessment of the effect of kinetics on colloid facilitated radionuclide transport in porous media. *J. Contam. Hydrol.* submit, 1996.

Weerd Van de., A. Leijnse: Parameter estimation for kinetic interactions during colloid-facilitated transport. Model CARE 96: Calibration and reliability in groundwater modelling. Ed. K. Kovar & P. van der Heijde, IAHS Publication No. 237, 1996.

Wan C., J. L. Wilson: Colloid transport in unsaturated porous media. *Water Resour. Res.*, 30, No. 4, 857-864, 1994.

Weber W.J. Jr., P. M. McGinley, L. E. Katz: Sorption phenomena in subsurface systems: Concepts, models and effects on contaminant fate and transport. *Wat. Res.*, 25, No. 5, 499-528, 1991.

Wogan, G. N., G. S. Edwards, and R. C. Shank. 1967. Excretion and tissue distribution of radioactivity from aflatoxin B1-14C in rats. *Cancer Res.* 27:1729–1736.

Yao k. M., T. Habibian, Ch. R. O'Melia: Water and Waste Water Filtration: Concepts and Applications. *Environ. Sci. Technol.*, 9" 1105-1112, 1971.

Zeh, P., Kim, J. I., Marquardt, C. M. & Artinger, R. The reduction of Np(V) in groundwater rich in humic substances. *Radiochim. Acta*87(1-2), 23–28 (1999).



## CONTACT



## 联系方式

### **Terra Optima AG (Inc. SA.)**

Rathausstr. 14 · CH-6340 BAAR · Switzerland  
Tel: +41-71-4242233 · Fax: +41-71-4242235  
Email: [info@terra-optima.ch](mailto:info@terra-optima.ch)

### **Chief Executive Officer**

Heiko Petermann  
Email: [hkp@terra-optima.ch](mailto:hkp@terra-optima.ch) · Mobil: +49-178-1582090

### **Terra Optima Asia Ltd.**

28 Queen's Road Central · 20th Floor, Central Tower · Hongkong  
Tel: +852-53180167 · Email: [info@terra-optima-asia.ch](mailto:info@terra-optima-asia.ch)